



GENERAL SPECIFICATIONS

• Overall Length (L.O.A):	10.58 m	34'9"
• Hull length:	10.28 m	33'9"
• Hull Beam:	3.38 m	11'1"
• Draft:	0.88 m	2'11"
• Air draft:	4.05 m	13'3"
• Light displacement:	5,070 kg	11,177 lbs
• Fuel tank capacity:	490 L	129 US Gal
• Fresh water capacity:	160 L	42 US Gal
• Maximum engine power:	2 x 300 CV	2 x 300 HP
• Propulsion:	VOLVO Stern Drive	

ARCHITECT / DESIGNERS

- Naval Architect: Beneteau Power
- Design: P. Andreani / Fernando de Almeida

CAPACITY

- Capacity: 12 Passengers

PATENT AIR STEP®

- R.L. Jeantet
- P. Tableau
- M. Tronquez

STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Technology Air Step®
- White hull

Composition:

- Anti-osmosis barrier with vinylester resin
- Sandwich (polyester resin - fiberglass - balsa core),
5 Portholes

DECK

Composition:

- Sandwich (polyester resin - fiberglass - balsa core)
- Deck counter molding laminated in monolithic (polyester resin - fiberglass)

DECK EQUIPMENT

- Courtesy light in cockpit
- Navigation lights

MOORING - ANCHORING GEAR

- Bow anchor in stainless steel
- Swivel bow fitting with anchor securing system
- 1000 W Electric windlass (with remote control)
- 2 Forward cleats, 2 central and 2 aft in stainless steel

SAFETY ON DECK

- Half open pulpit in stainless steel
- Stainless steel handrail
- Side safety ladder
- 4 Bilge pumps: 3 Electric - 1 Manual

COCKPIT

- Aluminum windscreen and tempered glass, with opening for the bow
- Cooler, Sink with retractable tap water and Cockpit grill
- PVC outside upholstery
- Front ladder with stainless steel handrails
- Fiberglass arch with LED lighting, Panel upholstery and 2 Loudspeakers
- Teak cockpit table with retractable foot
- Handrail in cockpit table
- Toolbox and Glove box
- Teak swim platform with folding swim ladder
- Storage for aft anchor
- Aft kitchen with grill and sink, fiber top
- Hot/cold water cockpit shower
- Retractable aft ladder
- Drain (Auto draining)
- Access through a gate with safety catch

STEERING STATION

- Two seat pilot bench with bolster function
- Instrument panel with grey anti glare covering
- Instrument panel with indicators, including:
 - Compass, Tachometer, Voltmeter, Pressure, Trim angle, Temperature, fuel gauge and rudder angle indicator
 - Electric trim tab controls
- Space for electronics (optional):
 - Multifunction screens SIMRAD NSS 8 with GPS, Sonar, Radar, Auto pilot
- Interior power outlet 12 V for mobile phone

INTERIOR

SALON

Headroom: 1.95 m / 6'5"

- Sliding translucent access door
- LED lighting
- Reading light
- U-shaped sofa convertible to double berth - Table with retractable foot
- CD player
- 2 Speakers
- Shelves and bookcase
- 2 Panoramic portholes
- Opening hatch fitted with blind
- Opening porthole with curtain

Saloon convertible to double berth:

- Double berth
- Closets and cubbyholes

GALLEY

- LED lighting
- Stainless steel sink with cold and hot water
- 2 hob gas plate
- White Decotec worktop
- Cutlery storage
- Fridge (62 L)
- Bin

HEAD

Headroom: 1.82 m / 5'12"

- Marine toilet
- Rigid holding tank 80L / 21 US Gal
- Sink with mixer tap
- Mirror and storage space
- Shower hose
- Automatic shower water drainage

OWNER CABIN (AFT)

- Double berth
- Marine mattress
- Closets and cubbyholes
- Reading and spotlights
- Porthole with curtain
- 110 V socket

ENGINE

- Propulsion Stern Drive **Volvo Dual Propeller Twin V8 5.7 300 HP Gasoline**
- Fuel filter with decanter
- Sea water filter
- Air intakes on the deck for engine compartment cooling
- Engine room foam soundproofed
- Fire extinguishing system activated from the steering station
- Stainless steel fuel fill
- 490 L / 129 US Gal Roto moulded water tank

Steering system:

- Hydraulic steering
- 2 Pods with counter rotating

ELECTRICITY

- 3 Batteries 12 V 110 Ah (2 engine batteries + 1 Service battery)
- Load balancer
- Battery charger 12 V 25 Ah
- 3 Interior power outlet 110 V: Galley, Salon, Owner cabin
- 110 V Shore power supply with 32 Amp cable
- 110 V shore power supply for A/C with 32 Amp cable
- Electric panel/board with AC main switch
- Electrical consumption with batteries load, consumption in a/h, water level

PLUMBING

- 1 Rotomolded water tank, 160 L / 42 US Gal
- Water pump for pressurizing hot/cold water system
- Water heater: 25 L / 7 US Gal

TRIM LEVEL

	DYNAMIC	AMBITION
1 Spare battery - 110 Ah	■	■
Diamante Moonlight forward sun mattress	■	■
Electric Quiet Flush head	■	■
Ivory Carpet in salon		■
TV LCD 22" + DVD - MP3		■

OPTIONS

PACKS

ELECTRONIC PACK

- Multifunction screen SIMRAD NSS 12" with GPS & Depth sensor
- SIMRAD VHF RS 82
- *1 Compatibility

FACTORY PACK

- 5 KW Generator
- 16,000 BTU Air conditioning

OTHER OPTIONS

EQUIPMENT HULL/DECK

- Grey or Dune FWD cockpit enclosure
- Grey or Dune AFT cockpit enclosure
- Grey or Dune FWD bimini
- Grey or Dune AFT bimini
- Electric grill stern platform

EXTERIOR CUSHIONS

- Woven Beige external upholstery

STEERING SYSTEM

- Bow thruster

PROPULSION

- Electric trim tabs

HULL

- White & Red hull
- White & Blue hull

NAVIGATION INSTRUMENTS

- Radar broadband 4G
- Wifi control remote SIMRAD for IPAD
- AIS

EXTERIOR WOOD

- Teak cockpit floor

The information listed below is not contractual and is subject to change without notice.