



GENERAL SPECIFICATIONS

• Overall Length (L.O.A)*:	18,35 m	60'2"
• Hull length:	15,97 m	52'5"
• Overall width:	4,93 m	16'2"
• Hull Beam:	4,88 m	16'
• Light displacement (EC):	19 840 kg	43,727 lbs
• Air draft:		
- without T-Top:	6,40 m	21'
- with T-Top:	7,43 m	24'5"
• Draft (max):	1,17 m	3'10"
• Fuel tank capacity:	2 x 1 100 L	2 x 290 US Gal
• Fresh water capacity:	2 x 400 L	2 x 105 US Gal
• Maximum engine power:	2 x 442 kW - 2 x 600 HP	2 x 600 HP
• Max engine certification:	2 x 442 kW - 2 x 600 HP	2 x 600 HP

* (with aft swim platform)

ARCHITECTS / DESIGNERS

- Design: Nuvolari & Lenard
- Interior accommodation: Andreani Design

CE CERTIFICATION

- Category B - 14 people
- Category C - 16 people
- Category D - 16 people



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- White Cream Gelcoat
- Sandwich (polyester resin - fiberglass - balsa core)
- Structural hull counter molding in monolithic laminate (polyester resin - fiberglass)
- 13 Portholes including 12 Opening portholes

DECK

Composition:

- White Cream Gelcoat
- Sandwich (polyester resin - fiberglass - balsa core)
- Diamond tip type non-slip surface
- Structural deck counter molded in monolithic laminate

DECK EQUIPMENT

- Radar support hoop in stainless steel
- Navigation lights
- LED courtesy lights in gangways, Steps and Stern deck

MOORING - ANCHORING GEAR

- Bow fitting
- Electric windlass 24V, Power 2 000 W
- Remote control in mooring locker + Windlass control from wheelhouse and flybridge helm stations
- 2 Mooring lockers
- 2 Forward cleats, 2 central and 4 aft in stainless steel
- 6 Stainless steel fairleads to aft of cockpit

SAFETY ON DECK

- Stainless steel half open pulpit with teak step and hand rail
- Stainless steel pulpit surrounding all flybridge
- 2 Stainless steel handrails on access to sidedeck steps
- 1 Hand rail on rear table

DECK

- 4 Cup holders
- 1 Opening deck hatch, 1 fixed hatch
- Storage locker
- Pump for deck washing
- Dock access doors

COCKPIT

- Gate access (starboard)
- 6 People salon
- Upholstery PVC Diamante Snow, piping Diamante Espresso, Open cell foam
- Access hatch to engine compartment
- Liferaft storage or storage locker under cockpit floor
- Access door for large storage room (standard) or crew cabin (option)
- Cockpit shower, with mixing tap hot/cold water
- Access stairway to flybridge
- Retractable ladder in swimming platform with solid wood steps and stainless steel handrails
- Direct and indirect LED lighting
- Teak floor
- 2 110 V shore power
- Aft camera
- Pump for deck washing
- Dock water inlet

FLYBRIDGE

- Grey tinted windscreen, surrounded by stainless steel frame
- Steering console with: Steering compass - Steering wheel - Electrical engine controls - Rev counter - Fuel gauge - Joystick
- Controls for windlass, trim tabs, lighting, navigation lights, Bilge pumps
- Adjustable pilot seat
- 2 Cupholders and storage tray
- Two seater co-pilot bench to port
- Salon, 8 persons seating
- Natural solid wood folding table
- Aft sun deck (3 people)
- Galley unit: Sink hot water / Cold water, Electric grill (optional), Storage, Corian Sand countertop
- Radar support hoop, Aerials and lights in black lacquered polyester
- Courtesy lighting (LED)
- Exterior upholstery PVC Diamante Snow, piping Diamante Espresso, Open cell foam
- 4G Simrad Radar
- Bow thruster control
- 1 Multifunction SIMRAD NSO 16" evo2 display
- TV Pre-wiring



INTERIOR

- Slatted teak floor in galley (standard)
- Ivory carpet in salon and cabins
- Teak head floors or Corian color Bone
- Choice of wood interior: Alpi brushed Oak or Alpi mat Walnut
- Furniture topped with leather upholstery

WHEELHOUSE

Headroom: 1,95 m / 6'5"

- Mirror tinted glass Bay window and black painted frame with full opening (1 opening and 2 folding). Curtain Cream
- "Venitian" blinds in lacquered wood Cream
- Direct and indirect LED lighting
- Port electric switchboard in companionway (24V/110V)

STEERING STATION

- One-piece windscreen, in non-tinted laminated glass
- 1 Central windscreen wiper with washer
- Defogging system
- Pilot bench and double co-pilot bench, or Seagull Besenzone Pilot seat with integrated engine controls
- Storage drawer
- Dashboard with Sand metallic paint
- 2 Multifunction SIMRAD NSO 16" evo2 displays (Starboard and port)
- Simrad Wifi unit
- Simrad AIS receiver
- Simrad VHF RS 90 double station
- Bow thruster control
- Trim tab control
- CUMMINS throttle & controls
- Joystick "ZEUS"
- Steering compass
- Functional controls: wiper, defogging, Fog horn, Navigation lights, Windlass
- Glove box
- 1 12 V Power outlet

SALON

- Mirror tinted side windows, 2 openings (port and starboard)
- 6 seater sofa upholstered in Mondo Cream fabric
- 2 seats facing sofa, upholstery Mondo Cream fabric
- High-low electric table, leather top Eclectic Brown or Bordeaux Red
- Pre-wiring for 40" TV + Bose Lifestyle 535 Hi-fi system + Blu Ray player + Apple TV
- 1 110 V Power outlet

GALLEY

Kitchen-type layout

- Stainless steel sink with mixer tap
- 3 burner induction stove
- Corian countertop
- 2 Drawer fridges 75L / 20 US Gal
- Cutlery storage
- Garbage bin
- Lacquer finished furniture
- 110V Adapter for stove hood
- Microwave oven and grill
- 2 110 V Power outlets
- Freezer icemaker

OWNER CABIN (AFT)

Headroom: 1,92 m - 2,03 m / 6'4" - 6'8"

- Full beam cabin
- Double berth (1,95 m x 1,58 m / 6'5" x 5'2")
- Marine mattress with bed base
- Padded bed head board, Armani Casa
- 2 Bedside tables with drawer and reading light
- 2 Illuminated wardrobes with double closets and shelves
- Direct and indirect LED lighting
- 2 110 V Power outlets
- 2 Panoramic opening porthole-fitted portlights with blinds, Cream blackout curtain
- Location for 32" LED television
- Pre-wiring for 32" TV + Fusion 700 player + Bose Lifestyle 535 Hi-fi system
- 2 Illuminated wardrobes with hanging locker and shelving
- 4 Storage drawer (portside)
- Mirror

OWNER HEAD COMPARTMENT

Headroom: 1,95 m - 2,05 m / 6'5" - 6'9"

- Electric toilet Vacuflush + shared rigid holding tank (208 L / 55 US Gal)
- Italian shower with rain shower column
- Sink with mixer tap
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50 L / 13 US Gal)
- 1 110 V Power outlet
- Opening hull porthole with Cream blackout blinds
- 1 Towel rail

VIP CABIN (FORWARD)

Headroom: 2,02 m / 6'8"

- Double berth (1,98 m x 1,40 m / 6'6" x 4'7") or two simple beds (sliding system)
- Marine mattress with bed base
- Padded bed head board, Majilite
- 4 Opening hull portholes, with shades, Cream blackout curtain
- Long natural light wells, with opening deck hatch, fitted blinds and mosquito screens
- 2 Illuminated wardrobes with hanging locker and shelving
- Storage
- 2 110 V Power outlets
- Direct and indirect LED lighting
- TV Pre-wiring + Fusion 700 player + Bose 2.1 Hi-fi system



BENETEAU

Monte Carlo 6

General Equipment list - North America

VIP HEAD COMPARTMENT

Headroom: 1,95 m - 2,05 m / 6'5" - 6'9"

- Electric toilet Vacuflush + shared rigid holding tank (208 L / 40 US Gal)
- Separated shower stall with door
- Sink with mixer tap
- Shower with mixer tap
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50 L / 13 US Gal)
- Opening hull porthole
- 1 Towel rail
- 1 110 V Power outlet

GUEST CABIN (SIDE)

Headroom: 1,87 m - 2,02 m / 6'2" - 6'8"

- 2 Sliding beds, double bed available: 1,91 m x 0,74 m / 6'3" x 2'5" (Single bed) or 1,91 m x 1,48 m / 6'3" x 4'10" (Double bed)
- Marine mattresses
- Padded bed headboards, Majilite
- 2 Opening hull portholes, with shades, Cream blackout curtain
- Bedside tables with drawer and reading light
- 1 110 V Power outlet
- Hanging locker with lighting
- TV Pre-wiring + Fusion 700 player + Bose 2.1 Hi-fi system

GUESTS HEAD COMPARTMENT

Headroom: 1,94 m - 2,05 m / 6'5" - 6'9"

- Vacuflush electric day toilet + shared rigid holding tank
- Separated shower stall with door
- Sink with mixer tap, Sink in Corian Bone
- Shower with mixer tap
- Mirror and storage space
- Automatic shower water drainage
- Opening hull porthole
- 1 Towel rail
- 1 110 V Power outlet

ENGINE

Pods propulsion:

- Cummins QSC 8.3 Zeus 2 x 442 kW (2 x 600 HP)

- Fuel filter with decanter (on each engine)
- Sea water filter (on each engine)
- Air intakes on the deck for engine compartment cooling
- Hot air extraction forced by electric ventilators
- Engine room foam soundproofed
- Fire extinguishing system activated from the steering station (wheelhouse and Fly)
- Stainless steel fuel filler
- 2 fuel tanks, each with a 1 100 L (290 US Gal) capacity

Steering system:

- Electrical system
- 2 Outdrives with counter rotating propellers
- Control joystick (wheelhouse & flybridge)
- System Cummins Skyhook
- Automatic trim tabs

ELECTRICITY

- 24 V 110 V Electrical panel
- 8 12 V batteries (4 engine batteries: 50 Amp + 4 service batteries: 140 Amp)
- Radio-controlled wireless switches (without battery)
- 2 230 V - 50 Hz 63A shore supply with 15 m cable (or 2 110 V - 60 Hz, according to country)
- 3 Bilge pumps: 2 electric - 1 manual
- 1 Extinguisher
- Inverter: 24 V / 12 V
- Load balancer
- Battery charger: 24 V - 60 Amp
- 110 V power outlet: in salon, Galley, heads and cabin
- 12V Power outlet at steering stations (wheelhouse and flybridge)
- Direct and indirect LED lighting (internal and external)
- 13.5 KVA 110 V / 50 Hz Generator

PLUMBING

- 2 Rotomolded water tanks, 2 x 400 L / 2 x 105 US Gal
- Stainless steel water fill
- Shore freshwater supply
- Water pump for pressurizing hot/cold water system
- 80 L / 21 US Gal water heater working off engine heat exchanger and 110 V

TRIM LEVEL

	ADVANTAGE	EXCLUSIVE
• Galley unit on transom	■	■
• LED lights integrated to the foredeck	■	■
• Electric lounge chairs on foredeck	■	■
• Teak foredeck and catwalks		■
• Hydraulic swim platform (max load 350Kg)		■
• Dinghy cradle integrated to the platform		■
• Deck searchlight		■

OPTIONS

OPTIONAL LAYOUT VERSIONS

CREW CABIN (accessible from the swim platform)

Headroom: 1,63 m / 5'4"

- Single bed (1,97 m x 0,75 m / 6'6" x 2'6")
- Shower
- VacuFlush toilet
- Water washbasin with hot and cold water mixer tap under pressure
- 1 Fixed porthole + 1 Opening porthole

OTHERS

EXTERIOR

- Mooring kit: Anchor Delta 32 kg + Chain 12 mm diameter (Length: 40 m) + Line 22 mm diameter (Length: 50 m) + 4 Moorings lines 18 mm (Length: 15 m) + 6 Fenders (290 mm diameter, Length: 1 090 mm)
- 3rd Engine control in cockpit (Joystick, Thruster)
- Underwater lights (x2)
- Retractable electric sun awning
- Solid wood cockpit table + Cover
- Integrated telescopic gangway
- Bose waterproof speakers: cockpit, flybridge
- Fusion speakers + Remote control: Forward sun deck
- Icemaker (flybridge)
- 40 L refrigerator (flybridge)
- Electric grill "Kenyon" (flybridge)
- Additional NSS 12" screen on flybridge
- Cockpit aft enclosure: Graphite
- Foldable flybridge bimini Graphite with integrated LED lights and hydraulic system
- Aft & side closing Graphite
- Black outside wheelhouse curtains
- Exterior upholstery fabric Mull Stone
- Protective covers exterior upholstery: cockpit, Forward sun deck, flybridge
- Aqua blue & cream hull
- Hull paint
- Dinghy WILLIAMS 325 Turbojet (MC Special Edition)
- Foredeck sunshade
- T-Top in black polyester
- Aft cockpit mooring winches
- Flybridge carpet Pure Corail



BENETEAU

Monte Carlo 6

General Equipment list - North America

INTERIOR

- Chilled water Mediterranean air conditioning 66 kBTU (18 kBTU in the salon, 18 kBTU in steering station, 12 kBTU in master cabin and head, 9 kBTU in VIP cabin and head, 9 kBTU in guest cabin and head) - Distribution by ceilings
- Chilled water Tropical air conditioning 84 kBTU (24 kBTU in the salon, 18 kBTU in steering station, 18 kBTU in master cabin and head, 12 kBTU in VIP cabin and head, 12 kBTU in guest cabin and head) - Distribution by ceilings
- Air conditioning 4 kBTU in the crew cabin
- 12 kW heating, water system
- 2 kW heating, in the crew cabin
- Pre-wiring for satellite TV reception
- Mosquito screens (Cabins and Aft window door)
- Set of interior and exterior decorative pillows
- Besenconi Seagull Pilot seat with integrated engine controls
- Fabric upholstery in the salon: Vibrant beige, Divine white, Aura brown
- Leather salon upholstery
- Nubuck leather salon upholstery
- Berber Dune carpet
- 1 Multifunction SIMRAD NSO 24" screen (replacing the NSS 16" (x 2) in wheelhouse)
- Teak floor in salon and helm
- Seakeeper gyroscopic stabiliser + 21.5 KVA 220 V / 60 Hz Generator
- Dishwasher for 9 place settings
- Washing machine + Tumble dryer
- Wine cellar 23 bottles in galley
- Water maker (110 V/24 V)
- ELLE Decor Yatch table setting for Monte Carlo
- Safe
- Central vacuum cleaner
- Decor Luxe option:
 - Galley countertop in natural stone Travertin
 - Owner head compartment: Washbasin, basin top, shower floor and shower accent in natural stone Travertin
 - VIP Head compartment: Washbasin, basin top, shower floor and shower accent in natural stone Travertin
 - Designer's décor in staircase parapet with backlight
 - Teak floor in owner's cabin