



## GENERAL SPECIFICATIONS

• Overall Length (L.O.A)**:	8,23 m	27'
• Hull length:	6,98 m	22'11"
• Overall width:	2,79 m	9'2"
• Hull Beam:	2,76 m	9'1"
• Light displacement without engine:	2 167 kg	4,776 lbs
• Light displacement (EC):	2 451 kg	5,402 lbs
• Air draft:	2,33 m	7'8"
• Draft min/max:	0,60 - 0,80 m	2' - 2'7"
• Fuel tank capacity:	280 L	74 US Gal
• Fresh water capacity:	100 L	26 US Gal
• Maximum engine power:	184 kW - 250 HP	250 HP
• Driving shaft length:	XL 635 mm	25'

\*\* with options

## ARCHITECTS / DESIGNERS

- Development: Bénéteau POWERBOATS

## CE CERTIFICATION

- Category C - 9 people
- Category D - 9 people



## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Composition:

- Sandwich (polyester resin - fiberglass - balsa core)
- White gel coat
- Winching ring on bow
- Injection molded hull

#### DECK

Composition:

- Sandwich (polyester resin - fiberglass - balsa core)
- White gel coat
- Partial deck counter-mold
- Grey protection rail on the hull-deck joint
- Wheelhouse roof in white gel coat

### DECK EQUIPMENT

- Navigation lights = 1 all-round light on collapsible samson post
- Bi-color navigation light

#### MOORING - ANCHORING GEAR

- Bow fitting
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Foredeck cleats in aluminium, 200 mm / 8"
- 2 Cleats amidships in aluminium, 200 mm / 8"
- 2 Aft cleats in aluminium, 200 mm / 8"

#### SAFETY ON DECK

- Stainless steel open pulpit surrounding the cockpit up to the cockpit steps
- Asymmetric catwalks
- 2 Stainless steel handrails on wheelhouse uprights
- 2 Stainless steel handrails on wheelhouse hood
- 2 Stainless steel handrails on cockpit coamings
- 1 Stainless steel hand rail on the cockpit bench seat

#### COCKPIT

- Self-bailing cockpit
- Sliding aft bench seat, 3 place
- Additional cockpit fittings (see optional extras)
- Lockers in cockpit bottom:
  - 1 Large central lockable chest with gas piston assisted opening
  - 2 Optional lockers in bench seats (optional)
- 2 Rod holders
- Lighting from 1 ceiling light
- (280 L / 74 US Gal) hermetic and ventilated rotomolded fuel tank, in the back of cockpit locker
- Fuel fill on stern deck
- Starboard swim access
- Security door
- Telescopic swim ladder

### INTERIOR

- Interior upholstery: Dove Matador
- Woodwork Alpi Walnut
- Brown oak laminated floors - Part in polyester

#### WHEELHOUSE

Headroom: 2,05 m / 6'9"

- Wheelhouse with one-piece translucent glass windscreen
- Side windows in grey-tinted (translucent glass)
- Opening starboard side windows
- Port side sliding side window
- 2 leaf aft window door in translucent PMMA
- Electro-polished aluminium frame with lock
- 1 Electric windscreen wipers

#### STEERING STATION (TO STARBOARD)

- Pilot console with space for electronics
- Steering compass
- Rev counter
- Fuel and engine gauge indicator
- 12 V Power outlet
- Luxe steering wheel
- Encased side engine control (Engine controls and counters supplied with pre-rigging)
- Adjustable, swivelling Bolster function driver's seat, PVC Silvertex Sterling upholstery
- Pilot footrests
- Lighting from 1 ceiling light
- Hydraulic steering

#### GALLEY (TO STARBOARD)

- Kitchen with polyester sink, tap on hose for inside/outside use
- Pressured cold water
- options:
  - Compartment for refrigerator (42 L)
  - space for cooker (Gas)

#### SALON

Headroom: 2,02 m / 6'8"

- Inward-facing salon convertible into a bed (optional) (Length = 2 m / 6'7" - Beam = 0,92 m / 3')
- Copilot seat with swivelling seat back (navigation / salon positions)
- Table Alpi Walnut
- Storage lockers under side seating
- Lighting from 1 ceiling light
- Battery master switch under the aft seat

#### HEAD

Headroom: 1,38 m / 4'6"

- Closed cabinet under steering station for storage space or toilet (optional extra: Marine toilet with sewage tank / Shower)
- Door
- Lighting from 1 ceiling light

#### FORWARD CABIN

Headroom: 1,10 m / 3'7"

- Double berth (Length max = 2 m / 6'7" - Beam max = 1,65 m / 5'5')
- Storage lockers
- Lighting from 1 ceiling light
- Opening deck hatch, in the cabin



## ELECTRICITY

- 6 function 12 V electrical panel
- 12 V Power outlet
- 2 Bilge pumps: 1 manual - 1 Electric pump
- Battery switch located in compartment under the aft salon seat
- Navigation lights = 1 all-round light on collapsible samson post - Bi-color navigation light
- Lighting from 4 ceiling lights
- Installation for engine battery delivered with the pre-rigging (battery not delivered)

## PLUMBING

- 100 L / 26 US Gal Rigid water tank
- Water pump for pressure building

## VERSIONS

- 2 leaf aft window door in translucent PMMA
- or
- 3 leaf aft window door in translucent PMMA

## TRIM LEVEL & PACKS

### TRIM LEVEL

	COMFORT	NORDIC
• Wood cockpit table	■	■
• 2 Cup holders, in cockpit	■	■
• Cockpit exterior cushions	■	■
• Cockpit shower	■	■
• 42 L refrigerator + Installation for additional battery 12 V 110 Ah (battery not delivered)	■	■
• Interior curtains	■	■
• second wiper + Windscreen washer	■	■
• No bow fitting		■
• Marine toilet with 88 L / 23 sewage tank		■
• 2 Opening portholes (cabin + Toilet)		■
• Sliding wheelhouse hatch with blackout curtains		■

## ELECTRONICS PACKS

### ELECTRONIC PACK

- Multifunction GARMIN 7" (ECHOMAP Plus 72cv) screen (chart not included)
- GARMIN GT20-TM Sensor

### ELECTRONIC - UPGRADED PACK

- Multifunction GARMIN 9" (ECHOMAP Plus 92sv) screen (chart not included)
- GARMIN GT20-TM Sensor

### SOUND PACK

- Fusion MS-RA205
- 50 W speakers x 2



## OPTIONS

- Electric windlass (700 W)
  - Cockpit salon with aluminium support and sun deck
  - Wood cockpit table
  - Marine toilet with 64 L / 17 US Gal sewage tank
  - Shower in wash room
  - 2 Opening portholes (cabin + Head)
  - Cockpit wheelhouse cover (Graphite)
  - Cockpit aft enclosure (Graphite)
  - Complete mooring/anchoring kit
  - Blue-grey hull
  - Full 110 V electrical circuit + Battery charger
  - 110 V / 50 Hz Air conditioning (On shore power socket)
  - 2nd driving controls, in the cockpit
  - Sliding wheelhouse hatch with blackout curtains
  - Bow ladder (replacing the bow fitting)
  - Overhanging stemhead with swim ladder
  - Extended swim platform
  - Bathing platforms in teak + Solid wood cockpit
  - Solid wood cockpit
  - Forward sun deck
  - Bow thruster (battery not delivered)
  - Pump for deck washing
  - Water heater of 25 L on the shore power socket
  - Gas cooker (with work top)
  - Diesel heater "air pulse"
  - Additional berths in the salon
- 
- Honda Mechanical Throttle Shift side pre-rigging (1 x 115-200 HP)
  - Suzuki Mechanical Throttle Shift side keyless pre-rigging (1 x 115-200 HP)
  - Suzuki Digital DTS Throttle Shift side keyless pre-rigging (1 x 115-200 HP)
  - Mercury Mechanical Throttle Shift top pre-rigging (1 x 200 HP)
  - Mercury Digital DTS Throttle Shift pre-rigging (1 x 200 HP)
  - Mercury pre-rigging (1 x 200 HP Verado)
  - Yamaha Mechanical Throttle Shift side pre-rigging (1 x 150 HP)
  - Yamaha Digital DTS Throttle Shift side pre-rigging (1 x 200 HP)