



## GENERAL SPECIFICATIONS

• Hull length:	7,98 m	26'2"
• L.O.A (standard):	8,23 m	27'
• L.O.A (Maximum - with options)	9,00 m	29'6"
• Overall width:	2,99 m	9'10"
• Beam:	2,95 m	9'8"
• Light displacement without engine:	3 695 kg	8,144 lbs
• Light displacement (EC):	4 259 kg	9,387 lbs
• Air draft:		
- standard:	2,75 m	9'
- with options:	3,25 m	10'8"
• Draught min/max:	0,60 - 0,90 m	2' - 2'11"
• Fuel capacity		
- standard:	2 x 200 L	2 x 53 US Gal
- optional extra:	2 x 300 L	2 x 79 US Gal
• Freshwater capacity:	160 L	42 US Gal
• Maximum engine power:		
- Twin engine:	2 x 147 Kw - 2 x 200 HP	2 x 200 HP
- Single engine:	1 x 257 Kw - 1 x 350 HP	1 x 350 HP
• Driving shaft length:		
- Twin engine:	XL 635mm	25'
- Single engine (Suzuki)*:	XL	XL

\* Note: Shaft length other than single motor not validated

## ARCHITECTS / DESIGNERS

- Development: Bénétteau POWERBOATS

## EC CERTIFICATION

- Category B - 6 people
- Category C - 10 people



## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White gel coat
- Winching ring on bow

#### DECK

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White gel coat
- Partial deck counter-mould
- Grey protection rail on the hull-deck joint
- Wheelhouse roof in white gel coat

### DECK EQUIPMENT

- Navigation lights = 1 all-round light on collapsible samson post
- Navigation lights (Bicolor)

#### MOORING LINES - MOORING

- Bow fitting
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Foredeck cleats in aluminium, 200 mm / 8"
- 2 Cleats amidships in aluminum, 200 mm / 8"
- 2 Aft cleats in aluminium, 200 mm / 8"

#### SAFETY ON DECK

- Stainless steel open pulpit surrounding the cockpit up to the cockpit steps
- Asymmetric catwalks
- 2 Stainless steel handrails on wheelhouse uprights
- 2 Stainless steel handrails on wheelhouse hood
- 2 Stainless steel handrails on cockpit coamings
- 1 Stainless steel hand rail on the cockpit bench seat

#### COCKPIT

Length: 1,27 m / 4'2" x Beam: 2,36 m / 7'9"

- Self-bailing cockpit
- Sliding aft bench seat, 4 place (Upholstery Silvertex Sterling included in packs Nordic and Confort)
- Additional cockpit fittings (see optional extras)
- Lockers in cockpit bottom:
  - 1 Large central lockable chest with gas piston assisted opening
  - 2 Optional lockers in bench seats (option)
- 2 Rod holders
- Lighting from 1 ceiling light
- Roto-moulded fuel tanks (2 x 200 L / 2 x 53 US Gal) at the bottom of the cockpit compartment, in waterproof and ventilated compartment
- 2 Fuel filler caps on the port and starboard side decks
- Starboard bath access
- Security door
- Telescopic swimming ladder
- Cockpit shower

### INTERIOR

- Interior upholstery: Dove Matador
- Woodwork Alpi Noyer
- Brown oak laminated floors - Part in polyester

#### WHEELHOUSE

Headroom: 1,93 m / 6'4"

- Wheelhouse with one-piece translucent glass windscreen
- Side windows in grey-tinted (translucent glass)
- Opening starboard side windows
- Port side sliding side window
- 3 leaf aft window door in translucent PMMA
- Black anodised aluminium frame and lock
- 2 Electric windscreen wipers + Windscreen washer
- Lighting from 4 ceiling lights

#### STEERING STATION (TO STARBOARD)

- Pilot console with space for electronics
- Steering compass
- Rev counter
- Fuel and engine gauge indicator
- 12 V socket
- Luxe steering wheel
- Engine control console (Engine controls and counters supplied with pre-rigging)
- Bolster function adjustable pilot seat, PVC Silvertex Sterling upholstery
- Pilot footrests
- Lighting from 1 ceiling light
- Hydraulic steering

#### GALLEY (TO STARBOARD)

- Laminated kitchen worktop
- Glass flap to protect the work surface
- Stainless steel sink
- Cold water mixer tap under pressure (optional extra: Water heater - 25 L)
- Fixed 2 hob cooker
- 60 L refrigerator (Nordic/Confort Trim level)
- Storage drawer
  - Storage cupboard with waste bin / bottle holder

#### SALOON

Headroom: 1,63 m / 5'4"

- Inward-facing saloon convertible into a bed (option) (Length: 2,10 m / 6'11" x Beam: 0,96 m / 3'2")
- Copilot seat with swivelling seat back (navigation / saloon positions)
- Table Alpi Noyer
- Storage lockers under side seating
- Lighting from 1 ceiling light
- Battery master switch under the aft seat

#### HEAD

Headroom: 1,85 m / 6'1"

- Marine toilet
- Washbasin
- Shower
- Storage cupboard
- Ventilation from 1 opening hull porthole
- Lighting from 1 ceiling light



## FORWARD CABIN

Headroom: 1,79 m / 5'10" (under berth: 0,93 m / 3'2")

- Double berth:
  - Length (max): 1,94 m / 6'4"
  - Beam (max): 2 m / 6'7"
- Storage lockers
- Lighting from 2 ceiling lights + 2 Reading lights
- Opening deck hatch, in the cabin
- Cupboard with hanging locker and storage space

## AFT CABIN

Headroom: 1,78 m / 5'10" (under berth: 0,74 m / 2'5")

- Double bed (1,92 m x 1,40 m / 6'4" x 4'7")
- Opening port on wheelhouse
- Storage lockers
- Lighting from 2 ceiling lights

## ELECTRICITY

- 12 V Electrical panel
- 12 V socket
- 2 Bilge pumps: 1 Manual pump - 1 Electric pump
- Battery switch located in compartment under the aft saloon seat
- Installation for engine battery delivered with the pre-rigging (battery not delivered)

## PLUMBING

- 160 L / 42 US Gal Rigid water tank
- Water pump for pressure building

## TRIM LEVEL & PACKS

### TRIM LEVEL

	ESSENTIAL	CONFORT	NORDIC
• Forward sun deck		■	
• Electric windlass	■	■	
• Wood cockpit table	■	■	■
• Extended swim platform	■	■	■
• 60 L refrigerator (12 V)	■	■	■
• Interior curtains		■	■
• Brown oak floor (in wheelhouse)		■	■
• No bow fitting			■
• Aft anchoring reel			■
• Cockpit saloon with aluminium support and sun deck			■
• Bow thruster			■
• Full 220 V electrical circuit + Battery charger			■
• LED courtesy lighting (Interior cockpit, Wheelhouse and Cabins)			■
• Additional double bed (in saloon)			■



## ELECTRONICS PACKS

### ELECTRONIC PACK

- GARMIN 9" (ECHOMAP Plus 92sv) Multifunction screen (chart not included)
- GARMIN GT21-TM Sensor

### ELECTRONIC - UPGRADED PACK

- GARMIN 12" (GPSMAP® AP12xsv) Multifunction screen (chart not included)
- GARMIN GT21-TM Sensor

### SOUND PACK

- Fusion MS-RA205
- 50 W speakers x 2

## OPTIONS

- Forward sun deck
  - Electric windlass (For Nordic Pack)
  - Complete mooring kit
  - Cockpit saloon with aluminium support and sun deck
  - Graphite cockpit wheelhouse cover
  - Bow ladder (for Nordic finishing)
  - Stainless steel bow nose with forward bathing ladder
  - Aft cockpit closing Graphite
  - Bow thruster
  - Pump for deck washing
  - Water heater 25L 220V
  - Full 220 V electrical circuit + Battery charger
  - LED courtesy lighting (Interior cockpit, Wheelhouse and Cabins)
  - Microwave oven (220 V)
  - Electric heating (220 V)
  - Forced air heating fuel
  - Reversible air condition at dock (220 V - 60 Hz)
  - Additional double bed (in saloon)
  - Interior curtains
  - High storage cupboards in the forward cabin
  - Fuel tank 2 x 300 L
  - Blue-grey hull
  - GARMIN VHF
  - Teck (in cockpit + platforms)
  - GARMIN Radar
  - Electric trim tabs
  - ZipWake automatic trim tabs
- 
- Honda mecanic top pre-rigging (2 x 115-200 HP)
  - Suzuki mecanic top pre-rigging keyless (2 x 115-200 HP)
  - Suzuki electronic top pre-rigging keyless (2 x 115-200 HP)
  - Suzuki electronic top pre-rigging keyless (1 x 350 HP)
  - Mercury mecanic top pre-rigging (2 x 150 HP)
  - Pre-rigging Mercury Verado (2 x 150-200 HP)
  - Yamaha mecanic top pre-rigging (2 x 150 HP)
  - Yamaha electronic top pre-rigging (2 x 150-200 HP)