

GENERAL SPECIFICATIONS

• Overall Length (L.O.A) - max (Bowsprit + Davits)	18,97 m	62'3"
• Overall Length (L.O.A) - standard	18,24 m	59'10"
• Hull length	17,75 m	58'3"
• L.W.L.	16,43 m	53'11"
• Hull Beam	4,99 m	16'4"
• Deep draft	2,70 m	8'10"
• Deep ballast weight	6 435 kg	14,187 lbs
• Shallow draft	2,20 m	7'3"
• Shallow ballast weight	7 150 kg	15,763 lbs
• Air draft	27,50 m	90'3"
• Light displacement (EC)	22 051 kg	48,600 lbs
• Fuel tank capacity (standard)	480 L	127 US Gal
• Fuel tank capacity (Optional equipment)	600 L	159 US Gal
• Fresh water capacity (standard)	708 L	187 US Gal
• Fresh water capacity (Optional equipment)	330 L	87 US Gal
• Engine power	150 HP	150 HP

ARCHITECTS / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

CE CERTIFICATION

- Category A - 12 people
- Category B - 13 people
- Category C - 14 people

STANDARD SAILS DIMENSIONS

• Mainsail	87,70 m ²	944 sq/ft
• Furling mainsail	73,00 m ²	786 sq/ft
• Genoa (120 %)	90,00 m ²	969 sq/ft
• Asymmetrical spinnaker	248,00 m ²	2,670 sq/ft
• Code 0	120,00 m ²	1,292 sq/ft
• Self-tacking jib	62,00 m ²	667 sq/ft
• Staysail	48,00 m ²	517 sq/ft
• I	23,65 m	77'7"
• J	6,88 m	22'7"
• P	22,90 m	75'2"
• E	6,90 m	22'8"



1 Forward cabin - 1 Head, 2 Aft cabins - 2 heads + Forepeak cabin (optional)



2 forward cabins - 2 heads, 2 Aft cabins - 2 heads + Forepeak cabin (optional)

**STANDARD EQUIPMENT****CONSTRUCTION**

Design made following European Directive requirements and according to CE certification

- Monolithic hull in polyester
- Monolithic structural hull liner laminated and bonded to the hull
- Deck in balsa and fiberglass sandwich covered in "diamond point" type non-slip surface
- Deck hull joint bonded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass composite stock
- White hull - Grey metal hull decoration

DECK EQUIPMENT**RIGGING**

- Standard 9/10 anodised aluminium mast - keel stepped - 3 Aft swept spreaders - Traveller MDS
- Folding mast steps
- Anodized aluminum boom
- Discontinuous stainless steel standing rigging
- Double backstay with turnbuckles
- Rigid boom vang
- Manual Genoa furler - Drum on deck
- 2 Standup blocks on mainsheet arch
- 2 Genoa tracks with piston adjusted traveller cars - 2 genoa sheet turning blocks
- Complete running rigging: Main halyard, Genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets - 2 Automatic reefing line - 1 Manual
- 11 Line stoppers
- 6 Jamming cleats
- Pre-fitting for spinnaker (6 pad eyes and clutches)
- Windex Windvane

WINCHES

- 2 Self-tailing genoa sheet winches (H70.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Winch handles Speedgrip
- 2 Winch handle holders

SAILS

- Dacron furling genoa, double thickness with UV protection strip
- Full batten dacron mainsail with Beneteau logo
- Lazy-jacks - Lazy bag Colour Natural

MOORING - ANCHORING GEAR

- Self-draining chain locker
- Hatch giving access to chain locker in sail locker / Forepeak cabin
- Stainless steel bow fitting 2 rollers - Asymmetric spinnaker tack point - Stainless steel bobstay
- 24 V - 2000 W vertical electric windlass - Remote control
- 8 Aluminum mooring cleats - Stainless steel deck line protection

SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder - Solid wood steps
- 2 Cubby hole lockers

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 2 Flag mounts welded on aft pushpit
- Double lifelines and stainless steel stanchions - Openings in guardrail to port and starboard
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch
- 2 Stainless steel grabrails on the cockpit coaming
- 2 Stainless steel handrails, Helm seats

COCKPIT

- Self-bailing cockpit
- 2 Lockers under helm seat - Gas locker strut opening
- 2 Rope lockers - Step plate in front of steering station
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Steering wheel stainless steel - 1 100 mm / 3'7" diameter - Leather covered - Steering lock - Steering Gear on partition - Metal cable transmission system - Navigation instrument pod (optional instruments) - Steering compass on consoles - Stainless steel glass holder - Stainless steel handrail
- 2 Helm seats
- Deck filler for access to tiller system - 1 Emergency tiller
- Engine throttle and control panel to starboard
- Solid wood cockpit table - 2 Trim tab - guy wash boards - Glove boxes - bottle holder - 12 V Power outlet - Lamp with shade - Switch - Cover
- 2 Water-proof speakers below arch
- Lamps LED under arch
- Folding companionway door and PMMA sliding companionway hatch - Electric locking system

AFT COCKPIT

- Open access protected by stainless steel lifelines - 1 Stainless steel door
- Natural solid wood sole on swim platform
- 1 Liferaft locker on starboard side - Gas locker strut opening (0,90 m x 0,34 m x 0,58 m / 2'11" x 1'1" x 1'11")
- Tender room
- 24V electric
- 1 Gas locker on port side - Gas locker strut opening
- 2 Watertight lockers at the bottom on the dinghy storage space
- 1 Central storage compartment at the bottom on the dinghy storage space
- 1 Stainless steel, removable swim ladder - Solid wood steps
- 1 Hot and cold cockpit shower
- 1 110 V Shore power supply
- Lounge area behind the helm
- Ladder to access the swim platform (articulating)

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Fabric upholstery
- Ceiling panels, bulkhead, hull liner covered with PVC fabric (White)



COMPANIONWAY

Headroom: 2,08 m / 6'10"

- Wooden companionway with steps in molded wood with non-slip surface
- Stainless steel stairway handrails - Leather covered
- Pleated shades

Version: 1 forward cabin

FORWARD CABIN

Headroom: 2,10 m / 6'11"

- Central double bed (2,05 x 1,22 m - 1,66 m / 6'9" x 4' - 5'5") - Slatted bed base - Marine mattress
- Night tables
- Cubby hole lockers - Drawers - Glove boxes
- Lockers under the bed (Gas locker strut opening)
- Wardrobe - Cupboard - Shoe cabinet
- 1 Dressing table with mirror - 1 Removable seat
- Hallway mirror
- 2 Hull portholes with blackout curtains
- 3 Opening deck hatches with blackout blinds / mosquito nets

STARBOARD FORWARD HEAD COMPARTMENT

Headroom: 2,00 m / 6'7"

Private head en-suite from forward cabin

- Separate shower: Molded shower tray - Mixer shower (hot/cold water) - Shower screen
- Manual marine toilet
- 1 73 L / 19 US Gal Rigid holding tank
- Sink - Synthetic resin worktop - mixing tap hot/cold water
- 2 Mirrors
- Toilet accessories
- Cupboard units - Cubby hole lockers
- 1 Opening deck hatch with blackout blind / mosquito net

Version: 2 forward cabins

FORWARD CABINS

2 Symmetrical cabins

Headroom: 2,07 m / 6'9"

- Double bed (2,05 x 1,50 m / 6'9" x 4'11") - Slatted bed base - Marine mattress
- Hanging locker - Cubby hole lockers - Drawer - Glove boxes
- Hallway mirror
- 1 Hull porthole with blackout curtain
- 1 Opening deck hatch with blackout blind / mosquito net

FORWARD HEAD COMPARTMENT

Symmetrical bathrooms

Headroom: 2,00 m / 6'7"

- Private bathrooms accessible from forward cabins
- Separate shower: Molded shower tray - Mixer shower (hot/cold water) - Shower screen
- Manual marine toilet
- 1 73 L / 19 US Gal Rigid holding tank
- Sink - Synthetic resin worktop - mixing tap hot/cold water
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 1 Opening deck hatch with blackout blind / mosquito net

SALON

Headroom: 2,03 m / 6'8"

- U-shaped salon bench - Fabric upholstery
- Retractable central seat - Fabric upholstery
- Swivel foldaway salon wood table - Laquered table top and inlay - Integrated bar
- Sofa with armrests
- Cupboard units - Cubby hole lockers and storage along the hull - Storage space under seats and sofa
- Bottle cabinet behind port settee
- 1 Panoramic skylight with blackout blinds / mosquito
- 2 Hull portholes with blackout curtains
- 2 fixed deckhouse side windows with pleated blinds
- 4 Opening portholes in fixed side windows

CHART TABLE - STARBOARD

- Control console with flap - Glove boxes - Storage - Molded wood beading
- Helmsman seat with cushion and backrest
- Hinged backlit electrical panel (to allow access to electrical connections)
- Navigation instrument panel (optional instruments)
- Radio with stereo CD / MP3 player - 2 Loudspeakers
- 1 Oilskins locker - 3 drawers cabinet

GALLEY - PORTSIDE

Headroom: 2,05 m / 6'9"

- U-shaped galley
- Synthetic resin worktop
- Rectangular stainless steel sink - Rectangular stainless steel drainer - Cutting board in solid wood
- 1 Shower-hose mixer-tap cold / hot water
- 1 Gas stove 3 burners, Stainless steel grill and oven on gimbal mountings - Stainless steel protection handrail
- 1 Fridge 130 L, 24 V Refrigeration unit, 2 speed compressor, front opening
- 1 Cooler 100 L, Conservator, Freezer, top opening
- Drawers with slides and buffers, Cupboard units, equipped lockers (shelves with fiddles for plate storage, tea towel holder, bottle holder)
- Integral trash container
- 1 Opening porthole with blackout curtain

STARBOARD AFT CABIN

Headroom: 1,90 m / 6'3"

- 2 single beds, can be joined to make a double bed (2,00 x 0,86 m + 2,00 x 0,80 m / 6'7" x 2'10" + 6'7" x 2'07") - Slat mattresses - Marine mattress
- Hanging locker - Cubby hole lockers - Glove boxes
- 1 Dressing table with mirror
- Hallway mirror
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Window to transom with blackout curtain
- 1 Opening porthole towards transom



AFT STARBOARD HEAD COMPARTMENT

Headroom: 2,05 m / 6'9"

Private head compartment accessible from starboard aft cabin

- Separate shower: Molded shower tray - Mixer shower (hot/cold water) - Shower screen
- Manual marine toilet
- 1 73 L / 19 US Gal Rigid holding tank
- Sink - Synthetic resin worktop - mixing tap hot/cold water
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 2 Opening portholes with curtain

PORT AFT CABIN

Headroom: 1,90 m / 6'3"

- 1 Double bed (2,05 x 1,40 m - 1,53 m / 6'9" x 4'7" - 5) - Slatted bed base - Marine mattress
- Hanging locker - Cubby hole lockers - Glove boxes
- Hallway mirror
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Window to transom with blackout curtain
- 1 Opening porthole towards transom

AFT PORT HEAD COMPARTMENT

Headroom: 2,05 m / 6'9"

Head compartment accessible from the port aft cabin and from the salon

- Separate shower: Molded shower tray - Mixer shower (hot/cold water) - Shower screen
- Manual marine toilet
- 1 73 L / 19 US Gal Rigid holding tank
- Sink - Synthetic resin worktop - mixing tap hot/cold water
- Mirror
- Toilet accessories
- Cupboard units - Cubby hole locker
- 1 Opening porthole with curtain

ENGINE

- Volvo D3 Engine - 150 CV/HP
- Engine electrical control and switchboard at the starboard helm
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 air outlet
- 1 Alternator 12 V: 120 Amperes
- 1 Alternator 24 V: 80 Amperes
- 2 Roto moulded diesel tanks (240 l / 63 US Gal under aft berth to port + 240 l / 63 US Gal under aft berth to starboard) - Electronic gauge - 2 Deck fillers - Tank selection with "¼ turn" by-pass valves
- Filters: Sea water - Diesel - Water separator
- Stainless steel shaft line
- 3 blade folding propeller
- 1 Engine access through companionway (Opening by 2 gas cylinders) - Engine access through passageway and aft cabins

ELECTRICITY

- 12 V Circuit
- 24 V Circuit
- 230 V Circuit
- Ducts with mouse lines for threading cables of electrics or navigation electronics optional extras
- 1 230 V Electrical panel: Breaker - Voltmeter
- 1 115 V Electrical panel: Breaker - Voltmeter
- 1 12 V 24 V Electrical panel: Breaker - Voltmeter - Water gauge - Fuel gauge - 24 V Charging current and consumption current measurement
- Electrical equipment controls located in aft port cabin

12 V Circuit

- Standard equipment: 12 V power outlet, Hifi
- Optional equipment: Hifi, Electronic
- 1 12 V - 110 Amperes engine battery
- 1 12 V - 110 Amperes service battery
- Battery switch (Port passageway)
- 12 V Load balancer
- 1 12 V - 25 Amperes engine battery charger
- 2 12 V Power outlets (Chart table x 1 - Cockpit table x 1)

24 V Circuit

- Standard equipment: Electric windlass - Pumps - Navigation lights - Lighting - Refrigeration units
- Optional equipment: Bow thruster
- 1 24 V - 280 Amperes service battery set (4 x 12 V - 140 Amperes batteries)
- Battery switch (Port passageway)
- 24 V Load balancer
- 1 24 V - 60 Amperes engine battery charger

115 V Circuit

- Standard equipment: Sockets 115 V
- Optional equipment: Microwave oven - Water maker - Ice maker - Washing machine - Dishwasher
- 115 V power outlet:
 - 3 cabin layout: 21 Sockets: 115 V 60 Hz (Forward cabin x 5 - Fore head x 1 - Port salon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 2 - Aft port head compartment x 1 - Starboard aft cabin x 3 - Aft starboard head compartment x 1)
 - 4 cabin layout: 19 Sockets: 115 V 60 Hz (2 Forward cabins x 2 - Port salon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 3 - Aft starboard head compartment x 1)

230 V Circuit

- Water heater
- Electric oven cooker
- Air conditioning
- Cooker hood

Lighting

- LED interior lights:
 - Overhead lights, Indirect lighting, Adjustable wall-mounted luminaires and reading lamps
 - Courtesy lamps in wardrobes
- Outside lighting:
 - Lamps under arch
 - Standard bulb: Deck light at mid mast, Spreaders spotlight, Lamp on cockpit table with shade
- Navigation lights (LED) - Control on chart table and on starboard helm
 - 1 Mooring light at mast top
 - 1 Automatic steaming light at mid mast
 - 1 Port navigation light, 1 Starboard on pulpit
 - 1 Sternlight on pushpit to starboard



BENETEAU

Oceanis 60

General Equipment list - North America

PLUMBING

- 2 Rotomolded freshwater tanks (2 x 324 l / 2 x 86 US Gal in salon inner moulding) - 2 Deck fillers - Tank selection with "¼ turn" by-pass valves
- Waterpressure system - Expansion tank - Inline filter
- 60 L / 16 US Gal Electric calorifier
- 1 Rigid 73 L / 19 US Gal black water holding tank for each WC
- Automatic electric shower drain pumps - time delay
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- Gas cylinder(s) locker in port aft skirt
- Regulator and solenoid



TRIM LEVEL

	ESSENTIAL	EXCLUSIVE
• Bowsprit with integrated anchor roller and bobstay	■	■
• 1 Port electric coachroof winch - H46.2 STCEH	■	■
• Natural solid wood cockpit floor	■	■
• Releasable forestay chainplate	■	■
• Moorings lines, anchoring gear, fenders	■	■
• Fender covers	■	■
• Shore freshwater supply	■	■
• Hifi: Fusion + Bose Acoustimass 3 speakers in salon + Waterproof exterior speakers	■	■
• Storage space(s) under the floor	■	■
• Microwave oven	■	■
• Galley: Exhaust fan	■	■
• Extra water tank (330 L / 87 US Gal) under the bed in the forward cabin	■	■
• 3 cabin layout: 1 Electric toilet (Forward toilet)	■	■
• 4 cabin layout: 1 Electric toilet (Aft starboard toilet)	■	■
• 2 service batteries (4 x 140A - 12V) + 60 Amperes Additional battery charger	■	■
• AGM batteries	■	■
• 2 USB sockets at the chart table	■	■
• Powered entrance door (2 Remote controls)		■
• Pump for deck washing		■
• Leather-covered doors and glove compartment - 2 Glove boxes at the steering wheel		■
• Chart table: Drawer refrigerator (95 L / 25 US Gal)		■
• Extra movable table		■
• 12 V / 110 V inverter - 2 000 VA		■
• Electric lateral blinds for salon		■

PACKS

ELECTRONIC B&G PACK

Pack A

- Helm consoles to port and starboard:
 - 1 Polyester support for navigation instruments on stainless steel foot (built-in stainless steel handrail)
 - 1 Multifunction Zeus 7" screen (GPS, Chart plotter, Chart reader - Cartography Navionics Silver included)
- Wind Sensor (Windvane, Anemometer)
- Sensor (Log, Speedometer, Temperature)
- Wifi interface
- PC interface

Pack B

- Chart table: 1 Multifunction NSO 16" B&G screen (GPS, Chart plotter, Chart reader - Cartography Navionics Silver included)
- Remote Keyboard B&G ZC2-Series

PILOT PACK

- AC42 Autopilot + Control at steering station
- WR10 Wireless autopilot remote control

SILVER EDITION PACK

- Generator
- Bow thruster
- Pilot Pack
- Electric genoa sheet winches - H70.2 STCEH
- Starboard electric coachroof winch - H46.2 STCEH
- 2 White or black composite steering wheels
- Windlass control with chain counter in cockpit
- Genoa sheet track leads adjustable from the cockpit
- Hull decor



OTHERS

Navigation electronics: B&G

- High definition digital radar (radome only) 4G
- Cockpit table: Multifunction touchscreen Zeus 12"
- Chart table: Fixed RS 90 VHF, AIS receiver function + H50 cockpit handset
- Receiver - AIS 400 (Transmitter - Receiver)
- Forward Scan Sensor (Forward underwater vision)

Rigging - Sails

- Anodized mast with in-mast furler for Mylar-Taffetas tri-radial cut mainsail (instead of standard)
- Anodized furling mast with Hydranet Mainsail and Genoa (instead of standard)
- Park Avenue boom
- Electric genoa furling system
- Asymmetrical spinnaker rigging + Code 0 rigging
- Self-tacking jib hardware
- Hydranet tri-radial cut mainsail and genoa, for classical mast (instead of standard)
- Asymmetrical spinnaker
- Laminated Mylar Taffetas (Code 0) with furling drum
- Hydranet self-tacking jib (replacing genoa)
- Hydranet self-tacking staysail with manual furling + Fixed forestay
- Hydranet self-tacking staysail with electric furling + Fixed forestay
- Hydraulic backstay*
- Genoa sheet track leads adjustable from the cockpit
- 2 Flag halyards
- Rope cutter
- Mooring cleats on transom

**Except on mast with in-mast furling*

Winches

- Electric coach roof winch (Starboard) H46.2 STCEH
- Electric genoa sheet winches H70.2 STCEH

Forepeak cabin

In place of the sail locker

- Access through deck hatch (with ventilation) - Stainless steel ladder, Solid wood steps
- Headroom: 1,93 m / 6'4"
- 2 Bunk berths (Bottom bunk 1,95 x 0,65 m - 0,44 m / 6'5" x 2'2" - 1'5" - Folding upper bed 1,95 x 0,65 m - 0,55 m / 6'5" x 2'2" - 1'10") - Foam mattress - PVC cover
- Hanging locker - Storage locker - Cupboard
- Manual toilet + 50 L / 13 US Gal Rigid holding tank - Sink - Shower head mixer tap (hot/cold water) - Shower tray



BENETEAU

Oceanis 60

General Equipment list - North America

Hull - Deck - Cockpit

- Pearl Grey hull
- Blue-grey hull
- Slatted solid wood on coachroof
- Solid wood slatted side decks
- Metallic hull paint
- Steering wheels & console covers (Blue Jean's)
- Bimini Luxe, Cadet Grey
- Bimini Luxe + Sprayhood, Cadet Grey
- Full cockpit enclosure Luxe, Cadet Grey
- Covers pack Luxe (Table, steering wheel and console), Cadet Grey
- High comfort cockpit upholstery (2 Comfort Dark Narval seats, 10 Carton Sky pillows)
- High comfort aft cockpit extension upholstery (Dark Narval sunbeds, 5 Carton Sky pillows)
- Stainless steel seatback and upholstery for helmsman seats
- Bow thruster
- 2nd arch with davits and instrument base
- 2nd arch with davits, solar panels + wind turbines
- White or black composite steering wheels
- Windlass control with chain counter in cockpit
- Side access ladders
- Underwater lights (x 4)
- Tender (2,40 m / 3 persons)

Interior equipment

- Interior woodwork: High Gloss Alpi Mahogany
- Varnished floorboards
- Interior upholstery, according to swatches: Fabric, Leather, Ultraleather
- Upholstery padding (Salon and Cabins): Anthracite Grey or Taupe
- Pure Brown carpet
- 32" LED TV precabbling TV in salon - Fusion player (Bluetooth, USB, DVD, MP3)
- 24" LED TV precabbling in owner's cabin
- All-electric galley - 110 V (Oven + Plate)
- 110 V Microwave oven
- Dishwasher - 6 people 110 V
- Galley: Freshwater filter
- Galley: Electric pump (Sea water)
- Washer dryer 110 V
- 110V Ice maker
- Quiet Flush electric WC, fresh water or seawater
- Safe
- Extra fuel tank (2 x 300 L / 2 x 79 US Gal) in the salon
- 11 kVA Generator / 110 V
- Water maker (100 L/h)
- Chilled water air-conditioning unit 110 V
- Heating connection in forepeak cabin
- Air conditioning connection in forepeak cabin