



1 Forward cabin - 1 Head version, 2 Aft cabins - 2 head compartments, Forepeak cabin (optional)



2 forward cabins - 2 head compartments, 2 Aft cabins - 2 head compartments - Forepeak cabin (optional)

## GENERAL SPECIFICATIONS

• Length overall	18,24 m	59'10"
• Hull length	17,75 m	58'3"
• L.W.L.	16,43 m	53'11"
• Hull Beam	4,99 m	16'9"
• Deep draft	2,70 m	8'10"
• Deep ballast weight	6 435 kg	14,183 lbs
• Shallow draft	2,20 m	7'3"
• Shallow ballast weight	7 150 kg	15,759 lbs
• Air draft	27,50 m	90'3"
• Light displacement (EC)	21 658 kg	47,734 lbs
• Fuel tank capacity (standard)	480 L	127 US Gal
• Fuel tank capacity (Optional equipment)	600 L	159 US Gal
• Freshwater capacity (standard)	720 L	190 US Gal
• Freshwater capacity (Optional equipment)	300 L	79 US Gal
• Engine power	140 HP	140 HP

## ARCHITECT / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

## CE CERTIFICATION

- Category A - 12 people
- Category B - 13 people
- Category C - 14 people

## STANDARD SAILS DIMENSIONS

• Mainsail (classic)	87,70 m <sup>2</sup>	943.99 sq ft
• Furling mainsail (optional)	79,00 m <sup>2</sup>	850.35 sq ft
• Genoa (120 %)	100,53 m <sup>2</sup>	1 082.10 sq ft
• Asymmetric spinnaker (optional)	255,00 m <sup>2</sup>	2,744.8 sq ft
• Staysail (optional)	35,00 m <sup>2</sup>	376.73 sq ft
• I	23,88 m	78'4"
• J	6,88 m	22'7"
• P	22,90 m	75'2"
• E	6,90 m	22'8"



## STANDARD EQUIPMENT

### CONSTRUCTION

---

Design made following European Directive requirements and according to EC certification

- Monolithic hull in polyester
- Monolithic structural hull liner laminated and bonded to the hull
- Deck in balsa and glass fiber sandwich covered in «diamond point» type non-slip surface
- Deck hull joint bonded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White colored hull - Grey metal hull decoration

### DECK EQUIPMENT

---

#### RIGGING

- Standard 9/10 anodised aluminium mast - keel stepped - 3 Aft swept spreaders - Traveller MDS
- Retractable steps on mast
- Anodized aluminum boom
- Discontinuous stainless steel standing rigging
- Double backstay with turnbuckles
- Rigid boom vang
- Manual Genoa furler - Drum on deck
- 2 Blocks standup on mainsheet arch
- 2 Genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Complete running rigging: Main halyard, Genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets - 2 Automatic reefing line - 1 Manual
- 11 Line stoppers
- 6 Jamming cleats
- Pre-fitting for spinnaker (6 pad eyes and clutches)
- Windex Windvane

#### WINCHES

- 2 Self-tailing genoa sheet winches (H70.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Winch handles Speedgrip
- 2 Winch handle holders

#### SAILS

- Dacron furling genoa
- Full batten dacron mainsail with Beneteau logo
- Lazy-jacks - Lazy bag Colour Natural

#### MOORING - ANCHORING

- Self-draining chain locker
- Hatch giving access to chain locker in sail locker / Forepeak cabin
- Stainless steel bow fitting 2 rollers - Asymmetric spinnaker tack point - Stainless steel bobstay
- 24 V - 2000 W Vertical electrical windlass - Remote control
- 8 Stainless steel mooring cleats - Stainless steel deck line protection

#### SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder - Solid wood steps
- 2 Cubby hole lockers

#### SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits - 2 Stainless steel helmsman seat balconies
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double lifelines and stainless steel stanchions - Door to port and to starboard in lifeline
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch
- 2 Stainless steel grabrails on the cockpit coaming
- 2 Stainless steel grabrails behind the helm seats
- 2 Removable stainless steel gates on aft skirt

#### COCKPIT

- Self-bailing cockpit
- 2 Lockers under helm seat - Opened by gas cylinder
- 24V electric
- 2 Rope lockers - Step plate in front of steering station
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Steering wheel Stainless steel - 1 100 mm / 3'7" diameter - Leather covered - Brake bar - Steering Gear on partition - Metal cable transmission system - Navigation instrument pod (optional instruments) - Steering compass on console - Stainless steel glass holder - Stainless steel handrail
- Helmsman seats and cushions Natte Stone
- Deck plate for access to tiller system - 1 Emergency tiller
- Engine throttle and control panel to starboard
- Solid wood cockpit table - 2 Flaps - guy wash boards - Glove boxes - bottle holder - 12 V Power outlet - Lamp with shade - Switch - Cover Silver
- 2 Water-proof speakers below arch
- Lamps LED under arch
- Folding companionway door and PMMA sliding companionway hatch - Electric locking system

#### AFT TRANSOM

- Open access protected by stainless steel lifelines - 2 Stainless steel doors
- Natural solid wood sole on swim platform
- 1 Liferaft locker on starboard side - Opened by gas cylinder
- 1 Gas locker on port side - Opened by gas cylinder
- 2 Wet lockers at bottom of swim platform
- Dinghy lifting system integrated
- 1 Stainless steel swimming ladder - Solid wood steps
- 1 Hot and cold cockpit shower
- 1 220 V 60 Hz Shore power supply + 32A 115 V / 60 Hz

#### INTERIOR

---

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Cushions
- Ceiling panels, bulkhead, hull liner covered with PVC fabric



## COMPANIONWAY

- Headroom: 2,08 m / 6'10"
- Wooden companionway with hung steps in molded wood with non-slip surface
- Stainless steel stairway handrails - Leather covered
- Canopy - with shade

### Version: 1 forward cabin

#### FORWARD CABIN

- Headroom: 2,10 m / 6'11"
- Central double bed (2,05 x 1,22 m - 1,66 m / 6'9" x 4' - 5'5") - Slatted bed base - Marine mattress
- Night tables - Cubby hole lockers - Drawers - Glove boxes - Lockers under the bed (Opened by gas cylinder)
- Wardrobe - Cupboard - Shoe cabinet
- 1 Dressing table with mirror - 1 Removable seat
- Mirror hallway
- 2 Hull portholes with blackout curtains
- 3 Opening hatches with blackout blind / Mosquito screen

#### STARBOARD FORWARD HEAD COMPARTMENT

- Headroom: 2,00 m / 6'7"
- Private washroom accessible from forward cabin
- Separate shower: Shower tray complete - Shower mixer tap hot/ Cold water - Shower screen
- Manual marine toilet
- Sink - Synthetic resin worktop - Mixing tap hot water/Cold water
- 2 Mirrors
- Toilet accessories
- Cupboards - Cubby hole lockers
- 1 Opening hatch with sunshades/Mosquito screen

### Version: 2 forward cabins

#### FORWARD CABINS

- 2 Symmetrical cabins
- Headroom: 2,07 m / 6'9"
- Double bed (2,05 x 1,50 m / 6'9" x 4'11") - Slatted bed base - Marine mattress
- Hanging locker - Cubby hole lockers - Drawer - Glove boxes
- Mirror hallway
- 1 Hull porthole with blackout curtain
- 1 Opening hatch with sunshades/Mosquito screen

#### FORWARD HEAD COMPARTMENT

- Symmetrical bathrooms
- Headroom: 2,00 m / 6'7"
- Private bathrooms accessible from forward cabins
- Separate shower: Shower tray complete - Shower mixer tap hot/ Cold water - Shower screen
- Manual marine toilet
- Sink - Synthetic resin worktop - Mixing tap hot water/Cold water
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 1 Opening hatch with sunshades/Mosquito screen

## SALON

- Headroom: 2,03 m / 6'8"
- U-shaped salon bench - Fabric upholstery
- Retractable central seat - Fabric upholstery
- Swivel foldaway saloon table wood - Laquered table top and inlay - Integrated bar
- Sofa with armrests
- Cupboards - Cubby hole lockers and storage along the hull - Storage space under seats and sofa
- Bottle cabinet behind port settee
- 1 Panoramic glazing with blackout blinds/Mosquito screen
- 2 Hull portholes with blackout curtains
- 2 fixed deckhouse side windows with pleated blinds
- 4 Opening portholes in fixed side windows

#### CHART TABLE - STARBOARD

- Control console with flap - Glove boxes - Storage - Molded wood beading
- Helmsman seat with cushion and backrest
- Hinged backlit electrical panel (to allow access to electrical connections)
- Navigation instrument panel (optional instruments)
- Radio CD player/Stereo MP3 - 2 Loudspeakers
- 1 Oilskins locker - 3 drawers cabinet

#### GALLEY - PORTSIDE

- Headroom: 2,05 m / 6'9"
- U-shaped galley
- Synthetic resin worktop
- Rectangular stainless steel sink - Rectangular stainless steel drainer - Cutting board in solid wood
- 1 Shower-hose mixer-tap cold / hot water
- 1 Gas stove 3 burners, Stainless steel grill and oven gimbale - Stainless steel protection handrail
- 1 Fridge 130 L, 24 V Refrigeration unit, 2 speed compressor, front opening
- 1 Ice box 100 L, Conservator, Freezer, top opening
- Drawers with slides and buffers, Cupboards, equipped lockers (shelves with fiddles for plate storage, tea towel holder, bottle holder)
- Embedded bin
- 1 Opening porthole with blackout curtain

#### STARBOARD AFT CABIN

- Headroom: 1,90 m / 6'3"
- 2 single beds, can be joined to make a double bed (2,00 x 0,86 m + 2,00 x 0,80 m / 6'7" x 2'10" + 6'7" x 2'07") - Slat mattresses - Marine mattress
- Hanging locker - Cubby hole lockers - Glove boxes
- 1 Dressing table with mirror
- Mirror hallway
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Window to transom with blackout curtain
- 1 Opening porthole towards transom



## STARBOARD AFT HEAD COMPARTMENT

- Headroom: 2,05 m / 6'9"
- Private head compartment accessible from starboard aft cabin
- Separate shower: Shower tray complete - Shower mixer tap hot/ Cold water - Shower screen
- Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- Sink - Synthetic resin worktop - Mixing tap hot water/Cold water
- Mirror
- Toilet accessories
- Cupboard - Cubby hole locker
- 2 Opening portholes with curtain

## PORT AFT CABIN

- Headroom: 1,90 m / 6'3"
- 1 Double bed (2,05 x 1,40 m - 1,53 m / 6'9" x 4'7" - 5) - Slatted bed base - Marine mattress
- Hanging locker - Cubby hole lockers - Glove boxes
- Mirror hallway
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Window to transom with blackout curtain
- 1 Opening porthole towards transom

## PORT AFT HEAD COMPARTMENT

- Headroom: 2,05 m / 6'9"
- Head compartment accessible from the port aft cabin and from the saloon
- Separate shower: Shower tray complete - Shower mixer tap hot/ Cold water - Shower screen
- Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- Sink - Synthetic resin worktop - Mixing tap hot water/Cold water
- Mirror
- Toilet accessories
- Cupboards - Cubby hole locker
- 1 Opening porthole with curtain

## ENGINE

- Engine 140 HP / HP Volkswagen
- Engine electrical control and panel in the starboard cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 air outlet
- 1 Alternator 12 V: 120 Amperes
- 1 Alternator 24 V: 80 Amperes
- 2 Roto moulded diesel tanks (240 l / 63 US Gal under aft berth to port + 240 l / 63 US Gal under aft berth to starboard) - Electronic gauge - 2 Deck fillers - Tank selection with ¼ by-pass valves
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line
- 3 Blades propeller
- 1 Engine access through companionway (Opening by 2 gas cylinders) - Engine access through passageway and aft cabins

## ELECTRICITY

- 12 V Circuit
- 24 V Circuit
- 220 V Circuit
- Ducts with messenger lines for threading cables of electrics or navigation electronics optional extras
- 1 220 V Electrical panel: Breaker - Voltmeter
- 1 115 V Electrical panel: Breaker - Voltmeter
- 1 12 V 24 V Electrical panel: Breaker - Voltmeter - Water gauge - Fuel gauge - 24 V Charging current and consumption current measurement
- Compartment to house the electrical equipment controls (Standard or Optional) in the port aft cabin

### 12 V Circuit

- Standard equipment: Standard equipment: power outlet 12V, Hifi
- Optional equipment: Hifi, Electronic
- 1 12 V - 110 Amperes engine battery
- 1 12 V - 110 Amperes service battery
- Battery switch (Port passageway)
- 12 V Power distributor
- 1 12 V - 25 Amperes battery charger
- 2 12 V Power outlets (Chart table x 1 - Cockpit table x 1)

### 24 V Circuit

- Standard equipment: Electric windlass - Pumps - Navigation lights - Lighting - Refrigeration units
- Optional equipment: Bow thruster
- 1 24 V - 280 Amperes service battery set (4 x 12 V - 140 Amperes batteries)
- Battery switch (Port passageway)
- 24 V Power distributor
- 1 24 V - 60 Amperes battery charger

### 220 V Circuit

- Standard equipment: Sockets 220 V - Water heater
- Optional equipment: Electrical cooker - Microwave oven - Water maker - Ice maker - Air conditioning - Hood - Washing machine - Dishwasher
- Standard equipment: power outlet 220V:
  - Version 3 cabins: 21 Sockets: 115 V 60 Hz (Forward cabin x 5 - Fore washroom x 1 - Port salon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 2 - Port aft head compartment x 1 - Starboard aft cabin x 3 - Starboard aft head compartment x 1)
  - Version 4 cabins: 19 Sockets: 115 V 60 Hz (2 Forward cabins x 2 - Port salon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 3 - Starboard aft head compartment x 1)

### Lighting

- Interior lights LED:
  - Overhead lights, Indirect lighting, Adjustable wall-mounted luminaires and reading lamps
  - Courtesy lamps in wardrobes
- Outside lighting:
  - LED: Lamps under arch
  - Incandescent: Deck light at mid mast, Projector boom bar, Lamp on cockpit table with shade
- Navigation lights LED - Control on chart table and on starboard helm
  - 1 Mooring light at mast top
  - 1 Automatic steaming light at mid mast
  - 1 Port navigation light, 1 Starboard on bow
  - 1 Sternlight on pushpit to starboard



## PLUMBING

---

- 2 Rotomolded freshwater tanks (2 x 330 l / 2 x 87 US Gal in saloon inner moulding) - 2 Deck fillers - Tank selection with ¼ by-pass valves
- Waterpressure system - Expansion tank - Inline filter
- 60 L / 16 US Gal Electric water heater
- 1 Rigid holding tank 80L / 21 US Gal (Port and starboard aft toilets)
- Automatic electric shower drain pumps - time delay
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

## GAS

---

- Gas cylinder(s) locker in port aft skirt
- Regulator and solenoid

## TRIM LEVEL

	AVANTAGE	ELEGANCE
B&G Electronic - Helm consoles to port and starboard : 1 Multifunction screen Zeus T7 (GPS - Chart plotter - Chart reader - Without chart - Cartography Navionics Silver included)	■	■
B&G Electronic : Wind Sensor (Windvane, Anemometer)	■	■
B&G Electronic : Sensor (Loch - Speedometer - Temperature)	■	■
B&G Electronic : Wifi interface	■	■
Releasable fore-stay chain-plate	■	■
Cockpit sole natural solid wood	■	■
1 Port electric coachroof winch H46.2 STCEH	■	■
Extra diesel tanks (2 x 300 L / 2 x 79 US Gal in salon)	■	■
Extra water tank (300 L / 79 US Gal Under the bed forward)	■	■
Sonic Hub (Radio, Dock IPHONE®, USB) - Speakers BOSE ACOUSTIMASS® 3 Black - Outside speakers SONY	■	■
Shore freshwater supply	■	■
Galley: Freshwater filter	■	■
Galley: Exhaust fan	■	■
Galley: Electric - Sea water	■	■
Version 3 cabins: Electric toilet - Forward toilet	■	■
Version 4 cabins: Electric toilet - Aft starboard toilet	■	■
24 V Circuit: 2 Service batteries (4 x 140 Amperes - 12 V) + 60 amperes Additional battery charger	■	■
Pump for deck washing		■
Safe		■
Chart table: Universal recharging station (Cellphone, MP3, GPS, PDA, etc...)		■
Chart table: Drawer refrigerator - 110 L - 24 V Refrigeration unit - Freezer		■
Leather-covered doors and glove compartment - 2 Glove boxes of the steering wheel		■
Extra movable table		■
Inverter 2000 W - 24 V / 115 V		■
Electric lateral blinds for salon		■
Powered entrance door - 2 Remote controls		■

## OPTION PACK

	EASY DOCKING	ELECTRONIC B&G
Bow thruster	■	
2 Steering wheels + console	■	
Windlass control in cockpit with chain counter	■	
Fenders protective covers	■	
4 Mooring ropes, anchoring, 8 Fenders	■	
Chart table: Multifunction color touchscreen NSO 16" B&G (GPS - Chart plotter - Chart reader - Without chart - Cartography NAVIONICS SILVER included)		■
Remote keyboard - OP40 B&G		■



## OTHER OPTIONS

---

### Navigation electronics B&G

- WR 20 Wireless autopilot remote control
- High definition digital radar (radome only) 4G
- Receiver AIS 400 (Transmitter - Receiver)
- Auto pilot AC42
- Multifunction touchscreen additional Zeus T12 - Cockpit table
- Fixed RS35 VHF, function AIS receiver - Chart table + Wireless receiver

### Rigging - Sails

- Anodized mast with in-mast furler for Mylar Taffetas tri-radial cut mainsail
- Anodized mast furling system with mainsail + Genoa Hydranet
- Standard mast or in mast furling white-painted
- Electric genoa furling system
- Hydranet tri-radial cut mainsail and genoa, for classical mast
- Hydranet flying staysail and track self-tacking
- Fixed staysail furler with Hydranet staysail and automatic turning gear rail
- Laminated Mylar Taffetas (code0) with furling drum
- Asymmetric spinnaker rigging
- Symmetrical spinnaker rigging + Boom
- 2 Flag halyards
- Easy Sail (Genoa traveller adjustment from cockpit, Clutches on genoa sheet blocks, Hydraulic backstay<sup>(1)</sup>)
- Rope cutter

(1) Except on mast with in-mast furling

### Winches

- Electrical coach roof winch (Starboard) H46.2 STCEH
- Electric genoa sheet winches H70.2 STCEH

### Forepeak cabin

In place of the sail locker

- Access through deck hatch (with ventilation) - Stainless steel ladder, Solid wood steps
- Headroom: 1,93 m / 6'4"
- 2 Bunk berths (Bottom bunk 1,95 x 0,65 m - 0,44 m / 6'5" x 2'2" - 1'5" - Folding upper bed 1,95 x 0,65 m - 0,55 m / 6'5" x 2'2" - 1'10") - Foam mattress - PVC cover
- Hanging locker - Storage locker - Cupboard
- Manual toilet - Sink - Shower head mixer tap, hot water/Cold water - Shower tray

### Hull - Deck

- Steel blue colour hull - Hull decorated in pearl
- Metallic hull paint - Hull decorated in pearl grey or metal
- Solid wood slatted side decks
- Solid wood decking on coachroof
- 2nd arch with davits and instrument base
- 2nd arch with davits, solar panels + wind turbines
- Gangway - Hydraulic crane
- Folding carbon gangway (L = 2,20 m / 7'3")
- Gangway ladders
- Coachroof sprayhood
- Cockpit Bimini top + Side panels
- Cockpit cushions
- Sunbathing mattress
- White composite steering wheel
- Folding removable gangway

## Interior equipment

- 100 L/H Water maker
- 9.5 KVA Generator / 220 V
- Gel batteries
- Water system heating
- Chilled water air-conditioning unit 220 V
- 220 V Microwave oven
- Dishwasher - 6 people 220 V
- Washer dryer 220 V
- 220V Ice maker
- Electric toilet (additional)
- Additional holding tank
- TV Combo DVD Prefit in Main Salon
- TV Combo DVD Prefit 110 V in Forward Cabin
- TV antenna
- Carpet Touch Ivory
- Padding to cabins in Taupe (forward and aft) or Anthracite Grey (aft)
- Light white oak laminate floors