

BENETEAU 36 CENTER COCKPIT

Specifications

Model:	Beneteau 36cc
LOA:	36' 5"
LWL:	31' 2"
Beam:	12' 6"
Draft:	5' 2"
Displacement:	13,228 lbs. (approx.)
Engine:	27 hp.
Fuel Capacity:	34 gal.
Water Capacity:	111 gal.
Mast Height (over water):	47.50'
Hull / Designer:	Berret Racoupeau
Sail Area:	632 sq. ft.

CONSTRUCTION

HULL: Laminated G.R.P. hull with internal fiberglass grid, reinforced with unidirectional rovings.

DECK: Balsa sandwich for stiffness, thermal and acoustic insulation. FRP headliner with cherry battens in salon & cabins.

BULKHEADS bonded 360 degrees to hull and deck for structural strength.

RUNNING RIGGING

- Main halyard
- Genoa halyard
- Mainsheet
- Genoa sheets
- Mainsail furling line
- Genoa furling line
- Rigid boom vang

STANDING RIGGING

- Stainless steel rigging: upper shrouds, lower shrouds, babystay, double backstay
- (2) Chrome-plated bronze shroud chainplates
- (2) S/S backstay chainplates
- S/S forestay fitting
- Genoa furler
- Mainsheet traveller track with adjustable car
- genoa sheet tracks with adjustable genoa cars
- genoa sheet trimming blocks
- (2) LEWMAR 44 CTSO genoa sheet winches
- LEWMAR 40 CTSO maneuvering winches
- SPINLOCK double stoppers
- chromium-plated bronze winch handles

BENETEAU 36 CENTER COCKPIT

SPARS

- Anodized aluminum mast stepped on deck (S/S support inside)
- (2) sets of spreaders
- Anodized aluminum boom
- Mast step fitting with articulated blocks
- In-mast roller furling

DECK GEAR

- Self-bailing anchor well with mooring line ring
- Welded stainless steel stemhead fitting
- Electric anchor windlass
- Teak inlaid aft swim platform
- Teak inlaid transom access step
- Folding swim ladder with teak step
- S/S bow pulpit with bi-colored navigation lights
- S/S sternrail with holder for horseshoe buoy and flag pole mounting
- S/S stanchions
- Double lifelines
- (2) teak coachroof grabrails
- (2) dorade vents
- Teak capped bulwark surrounding the deck
- Space on coachroof for liferaft with fixing points
- Forward cockpit coaming for fixing rigid windshield - dodger.
- Airtight gas compartment on deck (space for two gas cylinders)
- S/S oven with two burners & safety bar
- Flagpole
- Outboard motor bracket

SAILS

- Furling Dacron main
- Furling Dacron genoa with anti-UV protection strip (130%)

STEERING SYSTEM

- Rudder with composite rudder stock
- S/S 32" wheel
- Pedestal steering
- Emergency tiller
- Compass

WATER SYSTEM

Self-bailing cockpit

- Manual bilge pump
- Electrical bilge pump
- Handheld freshwater cockpit shower on swim platform

BENETEAU 36 CENTER COCKPIT

- 111 gals fresh water capacity divided between 2 tanks
- Tank selector valve
- Pressurized hot and cold water system
- 6 gal hot water tank

ELECTRICAL SYSTEM

Rigging grounding system

- 12V Cockpit light
- 12V electrical system pumps, navigation lights, interior lighting
- 12V switchboard with 12 functions at chart table with voltmeter, circuit-breaker, battery tester
- Radio/Cassette stereo

Batteries:

- 1x12V 140 Amp service battery with battery switch
- 1x12V 70 Amp engine battery with battery switch
- 110V electrical circuit:
- 20 amp charger
- 110V Shore plug
- 110V electrical panel
- 110V Sockets , 1 in each cabin, 1 in galley, 2 in salon
- Conduits for standard and optional wiring
- Halogen overhead lights in cabins, salon and galley
- Fluorescent tube light in galley
- Reading lights in cabins
- Separate light switches
- Bow light
- Stern light
- Masthead light
- Anchor light

INTERIOR ACCOMMODATIONS

- Interior woodwork - cherry finish.

FORWARD CABIN

- Double berth (6'6" x 4'7")
- (2) hanging lockers
- (2) shelves alongside the hull
- Padded deck liner

SALON

- Headroom 6' 3"
- Inlaid table with center storage
- Cabinets with louvered doors (for ventilation)

BENETEAU 36 CENTER COCKPIT

- Bar
- Padded deck liner

CHART TABLE

- Chart table with stowage space
- Sliding navigator's seat
- Panel for navigation instruments
- 12V switchboard with 12 functions
- 110V switchboard

GALLEY

- S/S (2) burner stove with oven
- Hot/cold water mixer tap
- Large S/S double rectangular sink
- Cupboards along the hull
- Laminated worktop
- Stowage areas
- Cutlery drawers
- Vegetable baskets
- Cutting board
- Trash can
- 34 gal GRP icebox with 12V electric refrigerator

HEAD COMPARTMENT

- GRP molded toilet compartment
- Marine toilet with GRP seat and lid
- Hot/cold water mixer tap and hand-held shower unit with flexible hose
- Shower sump pump
- GRP washbasin
- Toilet accessories
- Wash basin with hot/cold water mixer tap
- Mirror
- Stowage space
- Sump pump
- Hanging locker
- Stowage space
- Padded ceiling panels

INTERIOR EQUIPMENT

- Mattresses & cushions - high density foam
- Curtains in salon and cabins

ENGINE

- Fuel tank capacity 40 gals approx.
- Fuel gauge
- Recessed engine control panel protected by Plexiglas cover Engine - YANMAR 27

BENETEAU 36 CENTER COCKPIT

HP

- Engine mounting built into the inner molding
- Engine control lever on steering column
- S/S 25 mm propeller shaft protected by skeg
- Fixed three bladed propeller
- Foam sound-proofing in engine compartment
- Decanter filter on fuel system
- Space in engine compartment for generator

WINDOWS/OPENINGS/VENTILATION

- Sliding companionway hatch and removable doors in varnished wood (2 parts) with permanent ventilation
- (2) dorade vents in coachroof
- (2) non-opening Plexiglas hull ports in the salon
- (2) LEWMAR T50 opening deck hatches (23 x 17") providing ventilation for the forward and aft cabins
- LEWMAR T30 opening deck hatch (21 x 15") ventilation for the salon
- LEWMAR T10 opening deck hatches (13 x 13") ventilation for the galley and the head
- (2) LEWMAR T0 opening ports (13 x 7") ventilation for forward cabin
- (6) LEWMAR T1 opening ports (14 x 7") ventilation for chart table, galley head, aft cabin
- (3) LEWMAR T4 opening ports (25 x 7") ventilation in salon and aft cabin

AVAILABLE OPTIONS:

- Cockpit Cushions (Dark Green)
- Hard Dodger
- Profurl Genoa Furler
- Hatch Screens
- Primary Winch Upgrade to 48CSTO
- Third battery

The manufacturer reserves the right to alter equipment and specifications without notice. All specifications are approximations and are not contractual in nature.