



1 forward cabin - 1 Toilet, 2 Aft cabins - 1 Toilet



1 forward cabin - 1 Toilet, 1 AFT cabin - 1 Toilet



GENERAL SPECIFICATIONS

• L.O.A	15,10 m	49'6"
• Hull length	14,75 m	48'5"
• L.W.L.	13,30 m	43'8"
• Beam	4,49 m	14'9"
• Deep draught (min)	2,10 m	6'11"
• Deep ballast weight	3 750 kg	8,265 lbs
• Shallow draught (min)	1,75 m	5'9"
• Shallow ballast weight	4 300 kg	9,477 lbs
• Air draught (max)	21,35 m	70'1"
• Light displacement (EC)	12 245 kg	26,988 lbs
• Fuel capacity	235 l	62 US Gal
• Freshwater capacity	565 l	149 US Gal
• Engine power	75 HP Sail Drive	Sail Drive 75 HP

ARCHITECT / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

EC CERTIFICATE

- Category A - 8 persons
- Category B - 9 persons
- Category C - 14 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	55,33 m ²	595.56 sq ft
• Genoa (130 %)	65,30 m ²	702.88 sq ft
• Asymmetric spinnaker	158,25 m ²	1,703.39 sq ft
• I	18,54 m	60'10"
• J	5,62 m	18'5"
• P	17,00 m	55'9"
• E	5,71 m	18'9"

STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join bordered and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White coloured hull - Grey metal hull decoration

DECK EQUIPMENT

RIGGING

- Standard mast SELDEN 9/10 electro-polished aluminium installed on the deck, 2 levels of advanced cross trees - MDS roller slides
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- Single backstay with turnbuckle
- Rigid kicking strap with tackle
- Genoa furling system with drum on the deck
- 2 Blocks "STANDUP" on mainsheet arch
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 fast reefing ropes, 1 manual reef
- 9 Jammers
- 6 Jamming cleats

WINCHES

- 2 Self-tailing genoa sheet winches (H60.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Winch handles aluminium
- 2 Winch handle boxes

SAILS

- Furling genoa with UV protective strip
- Full batten dacron mainsail
- Lazy Jack and easy bag in Silver colour

MOORING - ANCHORING

- Self-draining chain locker - Clench bolt
- 1 Hatch giving access to chain locker in sail locker
- Stainless steel bow fitting 2 rollers
- 12 V - 1500 W Vertical electrical windlass - Remote control
- 8 Aluminium mooring cleats - Stainless steel deck line protection

SAIL LOCKER

- Access through deck hatch
- 2 Cubby hole lockers

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch

COCKPIT

- Self-draining cockpit
- 1 Port cockpit locker
- 2 Lockers under helm seat
- 1 Gas locker for 2 bottles in cockpit bottom
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm / 2'11" diameter - leather covered - Rudder systems on partition - metal cable transmission system - Stainless steel handrail - navigation instrument stand (optional instruments)
- Deck hole for access to tiller system
- 1 Tiller
- 2 Steering compass on binacle
- Engine throttle and control panel to starboard
- Polyester cockpit table - 2 flaps - glove boxes - central bottle holder - bottle holder on reverse side - Stainless steel handrail - 12 V socket - lamp with shade
- 2 waterproof loudspeakers on fixed arch
- Cockpit lighting integrated in fixed arch
- 2 Companionway door on solid wood hinges - Sliding hatch made of PMMA

AFT TRANSOM

- Access door pivoted on pantograph (Patented)
- Natural solid wood decking on sun deck
- 1 Cased life-raft locker in upper stern - 2 doors
- 1 Stainless steel swimming ladder - solid wood steps
- 1 Hot and cold cockpit shower
- 1 Shore power socket

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Fore hull and bulkhead covered with vinyl fabric ceiling
- Fabric upholstery

COMPANIONWAY

- Headroom: 2,02 m / 6'8"
- Wooden companionway with hung steps in moulded wood with non-slip surface
- 2 Stainless steel handrails - 2 Leather covered stainless steel handrails

FORWARD CABIN

- Headroom: 2,03 m / 6'8"
- Central double bed (2,00 x 1,55 m / 6'7" x 5'1"), Slatted bed base, Marine mattress
- Hanging locker, Cupboard, Cubby hole lockers, glove compartments and draw
- 1 Dressing table with mirror
- 2 Hull portholes with curtain
- 2 Opening deck hatches with blind / mosquito nets

FORE WASHROOM

- Headroom: 1,90 m / 6'3"
- Washroom moulded in one piece to be watertight
- Separate shower, shower mixer tap hot / cold water, 3 section PMMA shower screen
- Manual marine toilet
- Washbasin - Synthetic resin worktop - Mixing tap hot water / cold water
- Mirror
- Toilet accessories: Glass holder, Soap tray, Towel rail, Bin, Paper dispenser
- Cupboard and cubby hole
- 1 Opening deck hatches with blind / mosquito nets

SALOON

- Headroom: 2,02 m / 6'8"
- U shaped saloon bench, double density foam
- Saloon table in only 1 piece, Varnished wood top with inlay, Aluminium legs
- 2 person bench seat with central foldaway armrest
- 4 Matching decorative cushions
- Cupboards, Cubby hole lockers and storage along the hull, Storage under bench seats
- 1 Panoramique window with pleated blinds
- 2 Hull portholes with curtain
- 2 fixed deckhouse side windows with pleated blinds
- 1 Porthole opening onto coaming in the starboard side window
- 3 Opening deck hatches with blind / mosquito nets

CHART TABLE

- Control console with flap - glove boxes - Storage - Moulded wood beading
- Helmsman seat with cushion
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- Radio CD player / Stereo MP3 - 2 Loud speakers
- 1 White light fitting / Red
- Leather covered stainless steel hand rail on partition

GALLEY

- Headroom: 2,00 m / 6'7"
- U-shaped kitchen fitted into companionway
- Synthetic resin worktop
- 1 Stainless steel sink 2 rectangular basins - Cutting board
- 1 Mixer tap cold water / hot
- 1 Gas cooker 2 hobs, Stainless steel oven on mountings, Stainless steel protection handrail
- 1 Fridge 130 l, 12 V Refrigeration unit, front opening
- 1 Cool box 100 l, 12 V Refrigeration unit, top opening
- 1 cutlery drawer
- Fitted cupboards and lockers (shelves, stainless steel basin on slider, tea towel holder, Bin, bottle holder)
- 1 Opening porthole with curtain

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 2,06 m / 6'9"
- Washroom moulded in one piece to be watertight
- Separate shower, shower mixer tap hot / cold water, 2 door shower cabinet in PMMA
- Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- Washbasin - Synthetic resin worktop - Mixing tap hot water / cold water
- Mirror
- Toilet accessories: Glass holder, Soap tray, Towel rail, Bin, Paper dispenser
- Cupboard and cubby hole
- 1 Fitted deckhouse side window with curtain
- 1 Opening porthole with curtain

AFT CABINS

Version 1 aft cabin(s)

- Headroom: 1,98 m / 6'6"
- Diagonal double bed (2,00 x 1,60 m / 6'7" x 5'3"), Slatted bed base, Marine mattress
- Hanging locker, Cupboards, Lockers and cubby holes
- 1 Dressing table with mirror
- 1 Removable seat
- 2 Hull portholes with curtain
- 2 Opening portholes with curtain
- 3 Portholes opening onto cockpit with curtain
- 2 Opening deck hatches with blind / mosquito nets

Version 2 aft cabin(s)

- 2 Symmetrical cabins each one consisting of:
 - Headroom: 1,98 m / 6'6"
 - Double bed(2,00 x 1,55 m / 6'7 x 5'1"), Marine mattress
 - Hanging locker, Lockers and cubby holes
 - 1 Hull porthole with curtain
 - 1 Opening porthole with curtain
 - 1 Porthole opening onto cockpit with curtain (Port cabin)
 - 2 Portholes opening onto cockpit with curtain (Starboard cabin)
 - 1 Opening deck hatches with blind / mosquito nets
 - Access door to aft washroom in starboard cabin

ENGINE

- Engine Yanmar Diesel 75 hp / HP Sail Drive
- Engine control - Key ignition - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotation moulded diesel tank 235 L / 62 US Gal (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with gas piston) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V circuit - 220 V circuit
- 2 service batteries (2x140 Ah) - 1 Engine battery (110 Ah)
- 1 40 Ah Battery charger - 1 220V shore power - 1 Charge divider
- Electrical panel (12 V / 220 V) (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning)
- 1 12 V Sockets - 7 220 V Sockets
- Lighting: Halogen ceiling lights, Reading lights, Background lighting, White/red light fitting
- Navigation lights: 1 Forward and aft navigation lights - 1 Engine navigation light / Crosstree light forward of mast - 1 Mooring light on masthead - 1 Deck light
- Wire runs for options cables

PLUMBING

- 2 Roto moulded freshwater tanks (235 L / 62 US Gal port aft cabin - 330 L / 87 US Gal forward cabin) - 2 Deck fillers - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Accumulator tank - Inline filter
- 40 L / 11 US Gal Electric water heater (Operation off engine or on 220 V electrical system)
- 1 Rigid holding tank 80L / 21 US Gal
- Electrical shower drain pumps
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- 2 Gas bottle boxes in the cockpit
- Pressure reducing valve and safety tap

TRIM LEVEL

	AVANTAGE	ELEGANCE
2 Displays (colors) TFT ST70 RAYMARINE (Loch - Speedometer - Depth sounder - Windvane - Anemometer)	■	■
Navigation lights LED	■	■
Cockpit sole natural solid wood	■	■
3 Opening portholes in fixed side windows	■	■
Interior lights LED (Overhead lights, Reading lights, Indirect lighting)	■	■
Speakers BOSE ACOUSTIMASS® 3 Black	■	■
Freshwater / Seawater foot pump	■	■
2 140 amperes additional service batteries	■	■
1 40 amperes Additional battery charger	■	■
Releasable fore-stay chain-plate		■
1 Port electric coachroof winch H46.2 STCEH		■
Polyester/wood cockpit table + White PVC protective cover		■
12 V Freezer compartment in 100 L Top-opening icebox		■
3 hob oven/grill cooker on de luxe mounting		■

OPTIONS

PACKS

ELECTRONIC PACK RAYMARINE

- PC interface
- Swivel base on reverse side of table
- 1 Multifunction color touchscreen E90W 9" RAYMARINE (GPS, Chart plotter, Cartography chart mapper Navionics Silver Europe, supplied without chart)

PACK DOCKING

- 2 White PVC steering wheel covers
- Windlass control in cockpit with chain counter
- Mooring kit (Anchor Delta 25 kg / 55 lbs, 40 m / 131'3" of 12 mm / ½" chain, 50 m / 164' of 22 mm / 7/8" rope) - 4 Mooring ropes - 6 Fenders

PACK EASY DOCKING

- Bow thruster
- 2 White PVC steering wheel covers
- Windlass control in cockpit with chain counter
- Mooring kit (Anchor Delta 25 kg / 55 lbs, 40 m / 131'3" of 12 mm / ½" chain, 50 m / 164' of 22 mm / 7/8" rope) - 4 Mooring ropes - 6 Fenders

VERSION

DOCK & GO VERSION (Available Spring 2011)

- Swivel Sail Drive base
- Joystick
- Vessel Management Unit (VMU)
- Bow thruster
- Auto pilot

OTHER OPTIONS

- Tactile screen E120W RAYMARINE plotter repeater at the chart table
- Pilot SmartController RAYMARINE
- Radar HD (radome only) RAYMARINE
- Receiver AIS 500 RAYMARINE (Transmitter - Receiver)
- Pilot RAYMARINE ST70 (Integrated gyrocompass)
- VHF RAYMARINE 49 E

- Steel blue colour hull - Hull decorated in pearl
- Anodized mast furling with sail
- Windex Windvane
- 2 flag halyards
- Asymmetric spinnaker
- Symmetrical spinnaker pole and aluminum
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet blocks - Backstay adjustments - Winch handle Harken Speedgrip - Winch handle box)
- 3 retractable blades propeller
- Removable forestay and tackle (without sail - without chain-plate)
- 2 Electric genoa winches H60.2STCEH
- 2 Spinnaker sheet winches H50.2STC
- Catwalks decked in natural solid wood
- Silver coachroof sprayhood
- Silver Cockpit Bimini
- PVC cockpit cushions
- White lacquered aluminum davits

- Additional saloon seating
- Double berth in saloon
- Swivel foldaway saloon table
- Lathed bed bases in aft cabins
- Porthole mosquito nets
- Carpet
- Heating
- Air conditioning
- Water maker
- 5.5 KVA Generator
- Dishwasher
- Washing machine
- Microwave oven
- TV LED 22" + Player DVD - CD - MP3
- TV Antenna
- Additional rigid sewage tank
- Quiet Flush electric toilet
- Varnished floorboards
- Fabric upholstery
- Saloon upholstery Amaretta
- Saloon upholstery Leather