

General Equipment list - Europe







# GENERAL SPECIFICATIONS\_\_\_\_\_

• L.O.A*:	9,00m	29'6"
Hull length:	7,98m	26'2"
<ul> <li>Overall width:</li> </ul>	2,97m	9'9"
Beam:	2,94m	9'8"
<ul><li>Draught (min/max):</li></ul>	0,50 - 0,90m	1'5" - 2'11"
Air draft:	2,12m	6'11"
- with T TOP	2,68m	8'10"
<ul> <li>Light displacement (EC):</li> </ul>	3 702kg	8,159 lbs
<ul> <li>Light displacement without engine:</li> </ul>	3 126kg	6,890 lbs
<ul><li>Fuel tank:</li></ul>	400L	106 US Gal
(option)	(600L)	(159 US Gal)
Water tank:	100L	26 US Gal
<ul> <li>Max engine certification:</li> </ul>	500 HP	500 HP
<ul> <li>Driving shaft length:</li> </ul>		
- Single engine	XXL / 762mm	30"
- Twin engine	XL / 635mm	25"

<sup>\* (</sup>Option: Swim platform & Dolphin nose, without engine)

# ARCHITECTS / DESIGNERS \_

- Development: Bénéteau POWERBOATSDesigners: Style & Design

# **EC CERTIFICATION**

- Category B 8 peopleCategory C 11 people

# AIR STEP SYSTEM®\_

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ



General Equipment list - Europe

# STANDARD EQUIPMENT

#### CONSTRUCTION

#### HULL

- Technology: Air Step ®
- · Patent: Beneteau

#### Composition:

- Sandwich (Polyester resin Glass fiber Balsa core)
- · White hull
- · Winching ring on bow

#### **DECK**

### Composition:

• Sandwich (Polyester resin - Glass fiber - Balsa core)

# DECK EQUIPMENT

#### **MOORING LINES - MOORING**

- · Stainless steel bow fitting with roller
- · Self-bailing mooring locker with hatch cover
- · Eye bolt to secure mooring
- 2 Forward cleats + 2 Cleats amidships + 2 Aft cleats in aluminium, 250 mm / 10"

#### **SAFETY ON DECK**

- · Stainless steel open pulpit
- 2 Catwalks
- Main wide port catwalk for greater safety when gaining access to forward sun deck

#### COCKPIT

- Wide and deep self-bailing cockpit (Freeboard: 0,74m / 2'5")
- 4 people aft seat, with stainless steel handrail on backrest, convertible into sun pad: 1,80 x 0,90m / 5'11 x 2'11"
- · Removable cockpit table
- 1 Large lockable central cockpit locker with gas piston assisted opening (BIB location)
- 1 Port cockpit locker
- 1 Starboard cockpit locker
- (400 L / 106 US Gal) hermetic and ventilated rotomoulded fuel tank, in the back of cockpit locker
- · Fuel filler on transom
- Portside access to sea
- Security door
- Telescopic swimming ladder
- Cockpit shower
- · All-round light on samson post
- Navigation lights (Port and starboard)
- Forward sun deck: 1,90 x 1,60m / 6'3" x 5'3"
- Storage
- Cup holders (x2)

# STEERING STATION

- Windscreen PMMA light grey tinted
- · Handrail around the windscreen
- · Center consol
- Dashboard with location for electronics, max. 9" screen, rpm and trim
- Fuel gauge
- 12V socket
- USB socket
- · Sports steering wheel
- Location for top gas throttle (Throttle and instruments delivered with pre-rigging)
- Fitted footrests
- · Hydraulic steering
- Leaning post / High comfort pilot and copilot bench seat with built-in function Bolster
- Copilot hand rail
- Cabin access through sliding door in translucent grey PMMA

# INTERIOR

- · Alpi grey cedar wood fittings
- · Brown oak laminated floors
- Interior cushions in Cushy Limestone upholstery

#### **FORWARD CABIN**

Headroom = 0.96 - 1.90m / 3'2" - 6'3"

- Saloon convertible into double berth (2,00 x 1,90m / 6'7" x 6'3")
- Cushy Limestone Mattress
- · Storage under front seat
- · Storage cubbyhole (Port and starboard)
- · Lighting from 6 ceiling lights
- · Ventilation from deck hatch and opening porthole
- Side glazing
- · Interior curtains

#### **GALLEY**

Headroom = 1,79m / 5'10"

- Galley unit + 42 L refrigerator (Trim level)
- Space for microwave oven 220V (optional extra)
- Ventilation achieved with 1 opening deck porthole(s)
- Lighting from 1 ceiling light

Headroom = 1,73m / 5'8"

- · Closed toilet with marine head
- Washbasin
- Shower
- Ventilation from 1 opening hull porthole
- · Lighting from 1 ceiling light

#### **MID-CABIN**

Headroom = 0,58m / 1'11"

- Berth (1,80 x 1,25m / 5'11" x 4'1")
- · Panoramic hull porthole to starboard
- · Shelving unit
- · Lighting from 1 ceiling light

# ELECTRICITY

- 12 V electrical panel
- Installation for engine batteries delivered with the pre-rigging or refrigerator (Maximum: 2 batteries not delivered)

# PLUMBING

- 1 Manual bilge pump
- 2 Electric bilge pumps
- Pressured cold water
- Hot water system on shore supply (Comfort Trim level)
- Water filling drain plug



General Equipment list - Europe

# **VERSION**

# STANDARD UPHOLSTERY VERSION

- · Nautilus Asparagus unpholstery
  - Forward saloon
  - Cockpit aft bench seat
  - leaning post + Foldaway bench seat
  - Instrument panel decor

# **ELEGANCE UPHOLSTERY VERSION**

- Silvertex Plata + PVC Cognac unpholstery
- Forward saloon
- Cockpit aft bench seat
- leaning post + Foldaway bench seat
- Instrument panel decor

#### TRIM LEVEL & PACKS

TRIM LEVEL

	ESSE	NTIAL	COMFORT
Extended swim platform	•		•
42 L refrigerator			
Zipwake automatic trim system			
Electric windlass			
Additional battery pre-wiring			•
Electrical circuit, 220 V + Battery charger			
Gas cooker			
Water heater			

# ELECTRONICS PACKS \_\_\_\_\_

# **ELECTRONIC PACK**

- 7" GARMIN ECHOMAP Plus 72cv Multifunction screen (chart not included)
- GARMIN GT21-TH Sensor

# **ELECTRONIC - UPGRADED PACK**

- 9" GARMIN ECHOMAP Plus 92sv Multifunction screen (chart not included)
- · GARMIN GT21-TH Sensor

# **SOUND PACK**

- Fusion MS-RA70N
- 50 W speakers x 2

# SOUND SIGNATURE PLUS PACK

- Fusion MS-RA70N
- Amp (1 600 W)
- Speakers (230 W x 4) Signature sport chrome, blue LED
- Subwoofer (450 W)



General Equipment list - Europe

# **OPTIONS**

# INTERIOR ACCOMMODATION / ONBOARD COMFORT \_

- · Additional fridge in the cockpit
- Microwave oven
- Air conditioning

# **EXTERIOR OPTIONS**

- · Complete mooring kit
- · Overhang stemhead with swimming ladder
- Pilot consol integral protection
- · Full cockpit enclosure (Addition of: Pilot consol integral protection)
- · Stainless steel bimini
- · Forward sun awning extension
- · Stainless steel T-Top
- 2 Foldable seats at freeboard (Port and starboard)
- Console cover + Leaning post + Forward sun deck + Cockpit bench seat
- · Water ski mast (double arch)
- Solid wood cockpit (Cockpit + Steps + Bathing platforms)
- · Slatted solid wood on coachroof
- Aft fishing station, with seat for 2 persons (replaces the 4-person bench)

# **ELECTRICAL SYSTEM**

- 4 KVA 220 V / 50 Hz Generator (Petrol)
- · LED courtesy light in cockpit

# **ENGINE**

- Bow thruster (battery not delivered)
- Suzuki mecanic keyless pre-rigging (2 x 150-250 CV/HP)
- Suzuki electronic keyless pre-rigging (1 x 250-300 CV/HP)
- Suzuki electronic keyless pre-rigging (2 x 150-250 CV/HP)
- Honda mecanic pre-rigging (2 x 100-150 CV/HP)
- Yamaha mecanic pre-rigging (2 x 150 CV/HP)
- Yamaha electronic pre-rigging (1 x 200-350 CV/HP)
- Yamaha electronic pre-rigging (2 x 200-250 CV/HP)
- Mercury mecanic pre-rigging (2 x 150 CV/HP)
- Mercury electronic pre-rigging (1 x 225-400 CV/HP Verado)
- Mercury electronic pre-rigging (2 x 150-200 CV/HP Verado)
- Mercury electronic pre-rigging (2 x 225-250 CV/HP Verado)

# NAVIGATION ELECTRONICS \_

· GARMIN 210i AIS VHF