



GENERAL SPECIFICATIONS

• L.O.A*:	6,50m	21'4"
• Hull length:	5,52m	18'1"
• Beam (max):	2,43m	7'12"
• Light displacement (EC):	1 441kg	3,176 lbs
• Light displacement (without engine):	1 211kg	2,669 lbs
• Air draft:		
- standard	2,33m	7'8"
- with options	2,53m	8'4"
• Draught (min / max)	0,50 - 0,90m	1'5" - 2'11"
• Fuel capacity:	100L	26 US Gal
• Freshwater capacity (option):	20L	5 US Gal
• Max engine certification:	140 HP	140 HP
	104Kw	104 kW
• Driving shaft length: XL	635mm	25"

* (Option: Swim platform & Bowsprit; without engine)

ARCHITECTS / DESIGNERS

- Hull development: Bénétiau POWERBOATS
- Designers: SARRAZIN DESIGN

EC CERTIFICATION

- Category C - 6 people
- Category D - 6 people



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White hull
- Winching ring on bow

DECK

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White gel coat
- Partial deck counter-mould
- Grey protection rail on the hull-deck joint
- Wheelhouse roof in white gel coat

DECK EQUIPMENT

- Navigation lights = 1 all-round light on collapsible samson post
- Navigation lights (Port and starboard)

MOORING LINES - MOORING

- Bow forestay chain plate
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Foredeck cleats in aluminum, 200 mm / 8"
- 2 Aft cleats in aluminum, 200 mm / 8"

SAFETY ON DECK

- Stainless steel open pulpit
- 2 Stainless steel handrails on cockpit coamings port and starboard
- 2 Stainless steel handrails on the aft wheelhouse uprights
- 1 Stainless steel handrail on the aft fishing station

COCKPIT

Cockpit dimensions: 1,04 x 1,95m / 3'5" x 6'5"

Freeboard: 0,76m / 2'6"

- Self-bailing cockpit
- Fishing station with:
 - Engine protective casing
 - Handrails
- 1 Lockable central compartment
- (100 L / 26 US Gal) hermetic and ventilated rotomoulded fuel tank, in the back of cockpit locker
- Fuel filler on transom
- Starboard bath access
- Security door
- Telescopic swimming ladder
- Lighting from 1 ceiling light
- Wide and safe starboard side deck (0,30m / 1')
- Benchseat in front of wheelhouse (Upholstery supplied with the Confort trim level)

INTERIOR

WHEELHOUSE

Dimensions: 1,36 x 1,24m / 4'6" x 4'1"

Headroom: 1,92m / 6'4"

- Wheelhouse with one-piece translucent glass windscreen
- Translucent PMMA side windows
- Lockable central compartment
- 1 Electric windscreen wipers
- Lighting from 1 ceiling light

STEERING STATION (TO STARBOARD)

- Cable steering with non-return system
- Instrument panel with space for 12" electronics
- Fuel gauge indicator
- Engine instrumentation: Rev counter, Control console, Contact key delivered with pre rigging option
- Offshore Compass
- Steering wheel
- Pilot and co-pilot leaning post with Silververtex Sterling + Diamante Meteor PVC cushion
- Pilot footrests

FORWARD CABIN

Headroom: 1,54m / 5'1"

- Additional berth (1,85 x 0,78m / 6'1" x 2'7")
- Shelving unit
- Locking access door
- Storage under berth
- Lighting from 1 ceiling light
- Location for sea toilets (option)

ELECTRICITY

- 10 function 12 V electrical panel (depending on options)
- 12V socket
- USB socket
- Installation for engine batteries delivered with the pre-rigging or refrigerator (Maximum: 2 batteries not delivered)

PLUMBING

- 1 Manual bilge pump
- 1 Electric bilge pump

MISCELLANEOUS ITEMS

- Smoke detector



2 DOOR VERSION

- 2 door sliding rear bay
- Sliding side bay
- Port side sliding side window

TRIM LEVEL & PACKS

TRIM LEVEL

	CONFORT	FISHING EDITION "BARRACUDA TOUR"	CONFORT + FISHING EDITION "BARRACUDA TOUR"
<ul style="list-style-type: none"> • 2nd electric wiper + windscreen washer kit • Silvertex Sterling + Diamante Meteor upholstery (Swivel aft bench seat + Forward saloon) • Cup holder • Fridge • Cockpit table 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ 		<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪
<ul style="list-style-type: none"> • Cockpit shower • Pump for deck washing • Starboard after water circulation tank • Railblaza kit <ul style="list-style-type: none"> - 1 Shelf support - 1 Telephone mount - 2 Rod holders • Rod holders • Cutting board on aft hatch cover • 5 Stainless steel rod holders on the coachroof 	<ul style="list-style-type: none"> ▪ 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪

ELECTRONICS PACKS

ELECTRONIC PACK

- LOWRANCE HDS 7" LIVE Multifunction screen (chart not included)
- LOWRANCE HDI Sensor

ELECTRONIC UPGRADED PACK

- LOWRANCE HDS 9" LIVE Multifunction screen (chart not included)
- LOWRANCE HDI Sensor

SOUND PACK

- Fusion MS-RA70N
- 50 W speakers x 2



OPTIONS

AMBIANCE

- Silvertex Sterling + Diamante Meteor PVC bolster pilot seat
- Silvertex Sterling + Diamante Meteor PVC bolster co-pilot seat
- PVC Silvertex Sterling + Diamante Meteor cabin mattress

INTERIOR ACCOMMODATION / ONBOARD COMFORT

- 49 L refrigerator in wheelhouse + Additional battery pre-wiring
- Stowage net (Cabin & Wheelhouse)
- Interior curtains (2 door version)
- 1 Opening porthole (Cabin)
- Wheelhouse closing canvas panels - Graphite aft and starboard
- Opening wheelhouse panel

EXTERIOR OPTIONS

- Hydraulic steering
- Complete mooring kit
- Mooring bollard
- Overhang stemhead with swimming ladder
- Electric windlass
- Port steering cable
- Folding cockpit hard-top
- Extended swim platform
- 2 Foldable side cockpit bench seats with cushion
- Blue-grey hull

ELECTRICAL SYSTEM

- Full 220 V electrical circuit + Battery charger
- Deck searchlight

WATER SYSTEM

- Marine toilet with sewage tank

ENGINE

- Honda mecanic side pre-rigging (1 x 90-130 HP)
- Suzuki mecanic side keyless pre-rigging (1 x 90-140 HP)
- Suzuki electronic side keyless pre-rigging (1 x 115-140 HP)
- Mercury mecanic pre-rigging (1 x 115 HP)
- Yamaha mecanic side pre-rigging (1 x 130 HP)

NAVIGATION ELECTRONICS

- VHF