


General Equipment list - North America







# **GENERAL SPECIFICATIONS\_**

Hull length:	7,98 m	26'2"
<ul> <li>Overall Length (L.O.A) (standard):</li> </ul>	8,23 m	27'
Overall Length (L.O.A) (Maximum -	5,25	
with options)	9,00 m	29'6"
<ul><li>Overall width:</li></ul>	2,99 m	9'10"
Hull Beam:	2,95 m	9'8"
<ul> <li>Light displacement without engine:</li> </ul>	3 695 kg	8,144 lbs
<ul> <li>Light displacement (EC):</li> </ul>	4 259 kg	9,387 lbs
Air draft:	Ĭ	
- standard:	2,75 m	9'
- with options:	3,25 m	10'8"
Draft min/max:	0,60 - 0,90 m	2'-2'11"
<ul> <li>Fuel tank capacity:</li> </ul>	2 x 300 L	2 x 79 US Gal
<ul> <li>Fresh water capacity:</li> </ul>	160 L	42 US Gal
<ul> <li>Maximum engine power:</li> </ul>		
- Twin engine:	2 x 147 kW -	
•	2 x 200 HP	2 x 200 HP
- Single engine:	1 x 257 kW -	
	1 x 350 HP	1 x 350 HP
<ul><li>Driving shaft length:</li></ul>		
- Twin engine:	XL 635 mm	25'
<ul><li>Single engine (Suzuki)*:</li></ul>	XL	XL

<sup>\*</sup> Note: Shaft length other than single motor not validated

# ARCHITECTS / DESIGNERS \_

• Development: Bénéteau POWERBOATS

# **CE CERTIFICATION**

- Category B 6 people
- Category C 10 people



# General Equipment list - North America

# STANDARD EQUIPMENT

#### CONSTRUCTION

#### HULL

#### Composition:

- · Sandwich (polyester resin fiberglass balsa core)
- · White gel coat
- · Winching ring on bow

#### **DECK**

#### Composition:

- · Sandwich (polyester resin fiberglass balsa core)
- · White gel coat
- · Partial deck counter-mold
- · Grey protection rail on the hull-deck joint
- · Wheelhouse roof in white gel coat

## **DECK EQUIPMENT**

- Navigation lights = 1 all-round light on collapsible samson post
- · Navigation lights (Bicolor)

## **MOORING - ANCHORING GEAR**

- · Bow fitting
- · Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Foredeck cleats in aluminium, 200 mm / 8"
- 2 Cleats amidships in aluminum, 200 mm / 8"
- 2 Aft cleats in aluminium, 200 mm / 8"

#### **SAFETY ON DECK**

- Stainless steel open pulpit surrounding the cockpit up to the cockpit steps
- Asymmetric catwalks
- 2 Stainless steel handrails on wheelhouse uprights
- 2 Stainless steel handrails on wheelhouse hood
- · 2 Stainless steel handrails on cockpit coamings
- 1 Stainless steel hand rail on the cockpit bench seat

# COCKPIT

Length: 1,27 m / 4'2" x Beam: 2,36 m / 7'9"

- · Self-bailing cockpit
- Sliding aft bench seat, 4 place (Upholstery Silvertex Sterling included in packs Nordic and Comfort)
- Additional cockpit fittings (see optional extras)
- · Lockers in cockpit bottom:
  - 1 Large central lockable chest with gas piston assisted opening
  - 2 Optional lockers in bench seats (optional)
- · 2 Rod holders
- · Lighting from 1 ceiling light
- Rotomolded fuel tanks (2 x 200 L / 2 x 53 US Gal) at the bottom of the cockpit compartment, in waterproof and ventilated compartment
- 2 Fuel filler caps on the port and starboard side decks
- · Starboard swim access
- · Security door
- Telescopic swim ladder
- · Cockpit shower

## INTERIOR

- Interior upholstery: Dove Matador
- · Woodwork Alpi Walnut
- Brown oak laminated floors Part in polyester

#### WHEELHOUSE

Headroom: 1,93 m / 6'4"

- · Wheelhouse with one-piece translucent glass windscreen
- Side windows in grey-tinted (translucent glass)
- · Opening starboard side windows
- Port side sliding side window
- 3 leaf aft window door in translucent PMMA
- Black anodized aluminium frame and lock
- 2 Electric windscreen wipers + Windscreen washer
- · Lighting from 4 ceiling lights

## STEERING STATION (TO STARBOARD)

- Pilot console with space for electronics
- · Steering compass
- · Rev counter
- Fuel and engine gauge indicator
- 12 V Power outlet
- · Luxe steering wheel
- Engine control console (Engine controls and counters supplied with prerigging)
- Bolster function adjustable pilot seat, PVC Silvertex Sterling upholstery
- · Pilot footrests
- · Lighting from 1 ceiling light
- · Hydraulic steering

## **GALLEY (TO STARBOARD)**

- · Laminated kitchen countertop
- · Glass flap to protect the work surface
- · Stainless steel sink
- Cold water mixer tap under pressure (optional extra: Water heater -25 L)
- Fixed 2 hob cooker
- 60 L refrigerator (Nordic/Comfort Trim package)
- · Storage drawer
  - Storage cupboard with waste bin / bottle holder

#### **SALON**

Headroom: 1,63 m / 5'4"

- Inward-facing salon convertible into a bed (optional) (Length: 2,10 m / 6'11" x Beam: 0,96 m / 3'2")
- · Copilot seat with swivelling seat back (navigation / salon positions)
- Table Alpi Walnut
- Storage lockers under side seating
- Lighting from 1 ceiling light
- Battery master switch under the aft seat

#### **HEAD**

Headroom: 1,85 m / 6'1"

- Marine toilet
- Sink
- Shower
- Storage cupboard
- Ventilation from 1 opening hull porthole
- Lighting from 1 ceiling light



General Equipment list - North America

#### **FORWARD CABIN**

Headroom: 1,79 m / 5'10" (under berth: 0,93 m / 3'2")

- Double berth:
  - Length (max): 1,94 m / 6'4"Beam (max): 2 m / 6'7"
- Storage lockers
- Lighting from 2 ceiling lights + 2 Reading lights
- · Opening deck hatch, in the cabin
- Cupboard with hanging locker and storage space

## **AFT CABIN**

Headroom: 1,78 m / 5'10" (under berth: 0,74 m / 2'5")

- Double bed (1,92 m x 1,40 m / 6'4" x 4'7")
- Opening port on wheelhouse
- Storage lockers
- · Lighting from 2 ceiling lights

# **ELECTRICITY**

- 12 V Electrical panel
- 12 V Power outlet
- 2 Bilge pumps: 1 manual 1 Electric pump
- Battery switch located in compartment under the aft salon seat
- Installation for engine battery delivered with the pre-rigging (battery not delivered)

## PLUMBING \_

- 160 L / 42 US Gal Rigid water tank
- · Water pump for pressure building

# **TRIM LEVEL & PACKS**

# TRIM LEVEL

	ESSENTIAL	COMFORT	NORDIC
Forward sun deck			
Electric windlass	•	•	
Wood cockpit table	•	•	•
Extended swim platform	•	•	•
• 60 L refrigerator (12 V)	•	•	•
Interior curtains		•	•
Brown oak floor (in wheelhouse)		•	•
No bow fitting			•
Aft anchoring reel			
Cockpit salon with aluminium support and sun deck			•
Bow thruster			
Full 110 V electrical circuit + Battery charger			
LED courtesy lighting (Interior cockpit, wheelhouse and Cabins)			
Additional double bed (in salon)			•



## General Equipment list - North America

## **ELECTRONICS PACKS**

#### **ELECTRONIC PACK**

- Multifunction GARMIN 9" (ECHOMAP Plus 92sv) screen (chart not included)
- GARMIN GT21-TM Sensor

#### **ELECTRONIC - UPGRADED PACK**

- Multifunction GARMIN 12" (GPSMAP ® AP12xsv) screen (chart not included)
- GARMIN GT21-TM Sensor

## **SOUND PACK**

- Fusion MS-RA205
- 50 W speakers x 2

## **OPTIONS**

- · Forward sun deck
- Electric windlass (For Nordic Pack)
- Complete mooring/anchoring kit
- · Cockpit salon with aluminium support and sun deck
- · Graphite cockpit wheelhouse cover
- Bow ladder (for Nordic finishing)
- · Stainless steel bow nose with forward bathing ladder
- · Graphite Aft cockpit enclosure
- · Bow thruster
- · Pump for deck washing
- Water heater 25L 110V
- Full 110 V electrical circuit + Battery charger
- · LED courtesy lighting (Interior cockpit, wheelhouse and Cabins)
- Microwave oven (110 V)
- Electric heating (110 V)
- Diesel heater "air pulse"
- Reversible air condition at dock (110 V 60 Hz)
- Additional double bed (in salon)
- · Interior curtains
- High storage cupboards in the forward cabin
- Blue-grey hull
- GARMIN VHF
- Teak (in cockpit + platforms)
- GARMIN Radar
- · Electric trim tabs
- ZipWake automatic Flaps
- Honda Mechanical Throttle Shift top pre-rigging (2 x 115-200 HP)
- Suzuki Mechanical Throttle Shift top pre-rigging keyless (2 x 115-200 HP)
- Suzuki Digital DTS Throttle Shift top pre-rigging keyless (2 x 115-200 HP)
- Suzuki Digital DTS Throttle Shift top pre-rigging keyless (1 x 350 HP)
- Mercury Mechanical Throttle Shift top pre-rigging (2 x 200 HP)
- Mercury Digital DTS Throttle Shift pre-rigging (2 x 200 HP)
- Mercury Verado pre-rigging (2 x 200 HP)
- Yamaha Mechanical Throttle Shift top pre-rigging (2 x 150 HP)
- Yamaha Digital DTS Throttle Shift top pre-rigging (2 x 150-200 HP)