



GENERAL SPECIFICATIONS

• Hull length:	7,98 m	26'2"
• Overall Length (L.O.A)		
- standard:	8,23 m	27'
- Maximum - with options:	9,12 m	29'11"
• Overall width:	2,99 m	9'10"
• Hull Beam:	2,95 m	9'8"
• Light displacement without engine:	3 695 kg	8,144 lbs
• Light displacement (EC):	4 259 kg	9,387 lbs
• Air draft		
- standard:	2,75 m	9'
- with options:	3,25 m	10'8"
• Draft min/max:	0,60 - 0,90 m	2' - 2'11"
• Fuel tank capacity	2 x 300 L	2 x 79 US Gal
• Fresh water capacity:	160 L	42 US Gal
• Maximum engine power (Twin engine):	2 x 147 kW - 2 x 200 HP	2 x 200 HP
• Driving shaft length (Twin engine):	XL 635 mm	25'

ARCHITECTS / DESIGNERS

- Development: Bénéteau POWERBOATS

EC CERTIFICATION

- Category B - 6 people
- Category C - 10 people



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (polyester resin - fiberglass - balsa core)
- White gel coat

DECK

Composition:

- Sandwich (polyester resin - fiberglass - balsa core)
- White gel coat
- Partial deck counter-mold
- Grey protection rail on the hull-deck joint
- Wheelhouse roof in white gel coat

DECK EQUIPMENT

- Navigation lights = 1 all-round light on collapsible samson post
- Navigation lights (Bicolor)

MOORING - ANCHORING GEAR

- Bow forestay chain plate
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Foredeck cleats in aluminum, 200 mm / 8"
- 2 Cleats amidships in aluminum, 200 mm / 8"
- 2 Aft cleats in aluminum, 200 mm / 8"

SAFETY ON DECK

- Stainless steel open pulpit surrounding the cockpit up to the cockpit steps
- Asymmetric catwalks
- 2 Stainless steel handrails on wheelhouse uprights
- 2 Stainless steel handrails on wheelhouse hood
- 2 Stainless steel handrails on cockpit coamings
- 1 Stainless steel hand rail on the cockpit bench seat

COCKPIT

Length: 1,27 m / 4'2" x Beam: 2,36 m / 7'9"

- Self-bailing cockpit
- Sliding aft bench seat, 4 place (Upholstery depending on version)
- Additional cockpit fittings (see optional extras)
- Lockers in cockpit bottom:
 - 1 Large central lockable chest with gas piston assisted opening
 - 2 Optional lockers in bench seats (optional)
- Lighting from 1 ceiling light
- Rotomolded fuel tanks (2 x 200 L / 2 x 53 US Gal) at the bottom of the cockpit compartment, in waterproof and ventilated compartment
- 2 Fuel filler caps on the port and starboard side decks
- Starboard swim access
- Security door
- Telescopic swim ladder
- Cockpit shower

INTERIOR

- Salon upholstery to match the exterior upholstery (version)
- Cabin mattress cushions: Cushy Limestone
- Woodwork Alpi Walnut
- Brown oak laminated floors - Part in polyester

WHEELHOUSE

Headroom: 1,93 m / 6'4"

- Wheelhouse with one-piece translucent glass windscreen
- Side windows with translucent glass
- Opening starboard side windows
- 3 leaf aft window door in translucent PMMA
- Black anodized aluminum frame and lock
- 1 Electric windscreen wipers
- Lighting from 4 ceiling lights

STEERING STATION (TO STARBOARD)

- Pilot console with space for electronics
- Steering compass
- Rev counter
- Fuel and engine gauge indicator
- 12 V Power outlet
- USB socket
- Luxe steering wheel
- Engine control console (Engine controls and counters supplied with pre-rigging)
- Bolster function adjustable pilot seat, matching the external upholstery (version)
- Lighting from 1 ceiling light
- Hydraulic steering

GALLEY (Standard version)

- Laminated kitchen countertop
- Storage drawer
- Storage cupboard with waste bin / bottle holder

SALON

Headroom: 1,63 m / 5'4"

- Inward-facing salon convertible into a bed (optional) (Length: 2,10 m / 6'11" x Beam: 0,96 m / 3'2")
- Copilot seat with swivelling seat back (navigation / salon positions)
- Storage lockers under side seating
- Lighting from 1 ceiling light
- Battery master switch under the aft seat

HEAD

Headroom: 1,85 m / 6'1"

- Marine toilet
- Sink
- Shower
- Storage cupboard
- Ventilation from 1 opening hull porthole
- Lighting from 1 ceiling light

FORWARD CABIN

Headroom: 1,79 m / 5'10" (under berth: 0,93 m / 3'2")

- Double berth:
 - Length (max): 1,94 m / 6'4"
 - Beam (max): 2 m / 6'7"
- Storage lockers
- Lighting from 2 ceiling lights + 2 Reading lights
- Opening deck hatch, in the cabin
- Cupboard with hanging locker and storage space

AFT CABIN

Headroom: 1,78 m / 5'10" (under berth: 0,74 m / 2'5")

- Double bed (1,92 m x 1,40 m / 6'4" x 4'7")
- Opening port on wheelhouse
- Storage lockers
- Lighting from 2 ceiling lights



ELECTRICITY

- 12 V Electrical panel
- 12 V Power outlet
- 2 Bilge pumps: 1 manual - 1 Electric pump
- Battery switch located in compartment under the aft salon seat
- Installation for engine battery delivered with the pre-rigging (battery not delivered)

PLUMBING

- 160 L / 42 US Gal Rigid water tank
- Water pump for pressure building

MISCELLANEOUS ITEMS

- Smoke detector

VERSION

STANDARD UPHOLSTERY VERSION

- Marlin Auster upholstery
 - Pilot seat
 - Interior salon
 - Cockpit aft bench seat

ELEGANCE UPHOLSTERY VERSION

- Silvertex Sterling + Diamante meteor upholstery
 - Pilot seat
 - Interior salon
 - Cockpit aft bench seat



TRIM LEVEL & PACKS

TRIM LEVEL

	ESSENTIAL	COMFORT
<ul style="list-style-type: none"> • Interior table • Port side sliding side window • 2nd electric wiper + windscreen washer kit • Helmsman footrest 	<ul style="list-style-type: none"> • • • • 	<ul style="list-style-type: none"> • • • •
<ul style="list-style-type: none"> • 2 Rod holders • Cup holder • Cockpit table • Interior curtains • Extended swim platform • Electric windlass • Brown oak floor in wheelhouse 		<ul style="list-style-type: none"> • • • • • • •

ELECTRONICS PACKS

ELECTRONIC PACK

- Multifunction GARMIN 9" (ECHOMAP UHD 9") screen (chart not included)
- GARMIN GT21-TH Sensor

ELECTRONIC - UPGRADED PACK

- Multifunction GARMIN 12" (8412xsv) screen (chart not included)
- GARMIN GT21-TH Sensor

SOUND PACK

- Fusion MS-RA205
- 50 W speakers x 4

FITTED GALLEY PACK

GAS

- Fixed 2 hob cooker
- 60 L refrigerator
- Glass flap to protect the work surface
- Stainless steel sink
- Cold water mixer tap under pressure

ELECTRICAL

- 2 ceramic glass 110 V plates
- 60 L refrigerator
- Glass flap to protect the work surface
- Stainless steel sink
- Cold water mixer tap under pressure



OPTIONS

INTERIOR ACCOMMODATION / ONBOARD COMFORT

- Microwave oven (110 V)
- Electric heating (110 V)
- Diesel heater "air pulse"
- Reversible air condition at dock (16 000 BTU - 110 V - 60 Hz)
- Electric demister
- Additional double bed (in salon)
- High storage cupboards in the forward cabin
- Infinity internal carpet (wheelhouse)
- Savage Abundance 39 internal carpet (cabin)

EXTERIOR OPTIONS

- Complete mooring/anchoring kit
- Towing ring
- Graphite cockpit wheelhouse cover
- Horn
- Bow ladder (for Nordic finishing)
- Stainless steel bow nose with forward bathing ladder
- Graphite Aft cockpit enclosure
- Forward sun deck (matching the upholstery version)
- U-shaped cockpit salon, convertible into sun deck (matching the upholstery version)
- Blue-grey hull
- Teak (in cockpit + platforms)

ELECTRICAL SYSTEM

- Full 110 V electrical circuit + Battery charger
- LED courtesy lighting (Interior cockpit, wheelhouse and Cabins)

WATER SYSTEM

- Pump for deck washing
- Water heater 25L 110V
- Fresh water electric toilet

ENGINE

- Bow thruster
- Fuel tank 2 x 300 L
- Lenco electric trim tabs
- ZipWake automatic trim system

- Honda Mechanical Throttle Shift top pre-rigging (2 x 115-200 HP)
- Suzuki Mechanical Throttle Shift top pre-rigging keyless (2 x 115-200 HP)
- Suzuki Digital DTS Throttle Shift top pre-rigging keyless (2 x 115-200 HP)
- Suzuki Digital DTS Throttle Shift top pre-rigging keyless (1 x 350 HP)
- Mercury Mechanical Throttle Shift top pre-rigging (2 x 200 HP)
- Mercury Digital DTS Throttle Shift pre-rigging (2 x 200 HP)
- Mercury Verado pre-rigging (2 x 200 HP)
- Yamaha Mechanical Throttle Shift top pre-rigging (2 x 150 HP)
- Yamaha Digital DTS Throttle Shift top pre-rigging (2 x 150-200 HP)

NAVIGATION ELECTRONICS

- GARMIN VHF
- GARMIN Radar
- GARMIN aft camera