



GENERAL SPECIFICATIONS*

• L.O.A*:	14,74m	48'4"
• Hull length:	12,77m	41'11"
• Overall width:	4,5m	14'9"
• Beam:	4,42m	14'6"
• Light displacement (EC):	12 685kg	27,958 lbs
• Air draft:	5,79m	19'
• Draught (including propeller):	1,15m	3'10"
• Fuel tank:	1 930L	510 US Gal
• Water tank:	640L	169 US Gal
• Sewage tank:	170L	45 US Gal
• Grey water tank (Option):	320L	85 US Gal
• Engine power:	2 x 425 HP	2 x 425 HP

* (with aft swimming platform + Anchor in position)

ARCHITECTS / DESIGNERS

- Naval Architect: MICAD
- Design: Andreani Design

EC CERTIFICATION*

- Category B: 14 people
- Category C: 16 people

* Provisional specifications, boat in process of certification.



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (Polyester resin infusion - Glass fiber)
- White gelcoat 9010
- Structural hull counter moulding in monolithic laminate (Polyester resin infusion - Glass fiber)

Profile:

- Semi-floating hull

DECK

Composition:

- Sandwich (Polyester resin infusion - Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- White gelcoat 9010
- Diamond tip type non-slip covering

AMBIANCE

- Alpi teak woodwork
- Teak deck, black joints
- Marlin Brilliant White PVC interior upholstery
- PVC pilot bench Marlin white & Polaris
- Exterior upholstery Marlin Brilliant White PVC

DECK EQUIPMENT

- Gangway door to starboard

MOORING LINES - MOORING

- Double stainless steel bow fitting
- 2000 W Vertical electrical windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Aluminum mooring cleats (L 400mm / 15 - 3/4")
- Stainless steel gunwale guards
- 2 Compartments equipped with self-bailers and polyester hoods

SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- Leather covered stainless steel handrails, in the cockpit

COCKPIT

- Self-bailing cockpit
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- Hot/cold water cockpit shower
- Double port cockpit access door
- Swimming platform with stringer and battens in natural teak (4 x 1,4m / 13'1" x 4'7")
- Ergonomic bathing ladder with hand holds in the bathing platform
- 1 PMMA access door at the starboard side deck from the cockpit
- Emergency ladder

FLYBRIDGE

- Flybridge self-bailing
- Retractable stainless steel staircase with double flybridge access ramp with teak steps
- Grey tinted windscreen in PMMA
- Access by polyester hatch
- Stainless steel pulpit surrounding aft of flybridge
- Polyester mast for mounting navigation lights, radar and aerials
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Flaps
- Gauges indicators
- Tiller angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- USB socket
- 1 Adjustable pilot seat and 3 places for co-pilot with convertible backrest
- Flybridge lounge, composed of * 1 bench seats in L shape with built-in storage and an extendable teak table
- GRP unit with sink, handrail and stowage
- Space for life raft with stainless steel fixing bolt plates



INTERIOR

SALOON

Headroom: 1,98m / 6'6"

- Sofa convertible to double berth (1,4 x 1,9m)
- Dividing rail and curtains for berth
- Roman shutters
- Pouf with storage
- 2 Folding arm chairs
- Semi-folding, adjustable height, varnished wood saloon table
- Storage units with 3 white lacquered slatted door
- 2 Large storage drawers
- Sliding aft 3 single disappearing door aft bay with black lacquered aluminum frame
- Leather sheathed stainless steel handrail in cockpit deckhead
- MP3, USB, IPOD® player with 2 speakers in the wheelhouse, 2 speakers in the cockpit and 2 flybridge speakers

GALLEY

Headroom: 1,98m / 6'6"

- L-shaped galley with opening window - Includes:
 - Corian countertop
 - 2 Stainless steel sinks with cold/hot water mixer taps under pressure
 - Gas oven
 - 3-burner hob and oven with protective glass cover
 - 144 L fridge with 2 drawers
 - Cutlery drawer
 - Stowage and drawers
 - Double dustbin

STEERING STATION

- Clear glass windscreen with aluminum frames black lacquered
- Anti-reflective coating
- 3 Synchronised windscreen wipers
- Windscreen washer
- Demister
- Side windows with black lacquered aluminum frames
- Dashboard with place for navigation electronics
- Oddments spaces and storage on port side
- Engine dials: Revolution counter, Fuel gauge, Warnings, Tiller angle indicator, Flap indicators
- Control: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- Steering wheel
- Steering compass
- Double USB socket
- Double tilting pilot bench seat
- Removable floor step
- Sliding side door with direct access to catwalk

OWNER'S CABIN (FORWARD)

Headroom: 1,98m / 6'6"

Large sliding access door

- Double berth (1,99 x 1,60m / 6'6" x 5'3")
- Storage under berth
- Stowage on both sides of berth
- Mirror
- 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- 2 Hull windows with opening portholes and blackout blind

HEAD (OWNER'S CABIN)

Headroom: 1,96m / 6'5"

Separate shower compartment with seat and hull porthole

Deck hatch with mosquito screen/blind

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull porthole

VIP CABIN (PORT)

Headroom: 1,98m / 6'6"

- 2 Single beds convertible into double beds (1,96 x 1,72m / 6'5" x 5'8")
- Bedside table
- Cupboards
- Storage under berth
- 3 Shelving unit
- Hull window with opening porthole and blackout blind
- 1 220V socket & 2 USB sockets
- Large mirror

THIRD CABIN (STARBOARD)

- Double berth (1,90 x 1,40m / 6'3" x 4'7")
- Bedside table
- Storage under berth
- Opening hull porthole with blackout blind
- Light wells

HEAD (STARBOARD - AFT)

Headroom: 1,98m / 6'6"

- Mirror
- Top and bottom cupboard
- 2 opening portholes
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- Mixer tap
- Separate shower



ENGINE

- Shaft line propulsion
- Four-blade propellers
- Cummins QSB 6.7L twin engines 425 HP / HP (2 x 312Kw)
- Fuel filters
- Sea water filters
- Engine room soundproofed with high density foam (40mm thick)
- Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- Double fuel tank filling cap
- 2 Aluminum fuel tanks (Capacity = 2 x 965L / 2 x 255 US Gal) inter-connected and pre-fitted for FPS (Fuel Polishing System) connection system

- Steering system:
 - 2 Underhung rudders stainless steel
 - Hydraulic steering
 - Electric trim tabs
 - Bow thruster

ELECTRICITY

- Electrical panel (12V / 220V)
- Shore power socket (220V)
- 13 220V Sockets (1 in the cockpit, 2 in the saloon, 2 in galley, 2 in master cabin, 1 in the VIP cabin, 1 in the 3rd cabin, 1 in the owner head, 1 in the 2nd head), + 2 for TV (Saloon + Owner's cabin)
- 12 USB sockets (2 in the saloon, 2 at the pilot station, 4 in master cabin, 2 in the VIP cabin, 2 in the 3rd cabin)
- 2 double antenna sockets (TNT - SAT)
- 2 12V 140Ah service batteries
- 4 12V 50Ah engine start batteries
- 4 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- 1 12V socket
- Outside and inside lighting (Overhead lights, Reading lights)
- LED indirect lighting
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal water heater working off engine exchanger and 220 V
- Water tank filler
- 2 Roto moulded water tanks (2 x 320L / 2 x 85 US Gal)
- Drainage outlet for black water holding tank

MISCELLANEOUS ITEMS

- Smoke detector



TRIM LEVEL & PACKS

TRIM LEVEL

	ESSENTIAL	CONFORT
<ul style="list-style-type: none"> • 10 Cup holders • PVC cockpit seat cushion Marlin Brilliant White • Pump for deck washing • AMS Web server (Ship control) • Pre-wiring for heating • Air conditioning pre-arrangement • 2 Additional service batteries (140A) • Inverter (2 KVA) • 2 9" Raymarine interior screens • 2 9" Raymarine exterior screens • Autopilot • Raymarine VHF 	<ul style="list-style-type: none"> • ■ • ■ • ■ • ■ • ■ • ■ • ■ • ■ • ■ • ■ • ■ 	<ul style="list-style-type: none"> • ■ • ■ • ■ • ■ • ■ • ■ • ■ • ■ • ■ • ■ • ■
<ul style="list-style-type: none"> • Shore fresh water supply • Double station deck searchlight • 40 L refrigerator, on flying bridge 		<ul style="list-style-type: none"> • ■ • ■ • ■

PACKS

ELECTRONIC PACK

- 2 12" Raymarine interior screens
- 2 12" Raymarine exterior screens
- AIS receiver system

AIR CONDITIONING AND GENERATOR

- Generator (7,5 KVA - 220V / 50Hz) + COCON
- Air conditioning (48 000 BTU)

OPTIONS

AMBIANCE

- Oak strip version & Brown oak laminated floors
- African Spirit Grey carpet (Wheelhouse + Saloon)
- Dune Berber carpet (Cabins + Passageway)
- Infinity Zah Factor cream carpet (Cockpit)
- Greige fabric interior upholstery
- Gargoyle fabric interior upholstery
- Foglizzo leather interior upholstery
- Foglizzo nubuck interior upholstery
- Marlin Brilliant White PVC cockpit seat
- Confort - Dolce 51 PVC cockpit seat
- Confort - Dolce 51 external upholstery, with bolster seat on flybridge
- Marlin Brilliant White PVC fore sun deck
- Confort - Dolce 51 PVC fore sun deck
- Grey "Perle" hull
- Steel blue hull



INTERIOR LAYOUT / ONBOARD COMFORT

- Wheelhouse bench opposite (as replacement for the cupboards)
- 40 L combined microwave over (as replacement for gas oven)
- 20 L microwave oven on elevator
- Washer / Dryer
- Dishwasher
- 3 burner induction hob (replacing gas stove)
- Refrigerator + Ice maker with 2 drawers in wheelhouse (in place of the refrigerator in the galley)
- 2 drawer additional fridge in wheelhouse (as replacement of port stowage)
- Water heating
- DVD/MP3 player + B&W Loudspeakers in master cabin
- Player DVD + B&W Loudspeakers in the saloon
- Mosquito screens (Side door + Aft window door + Portholes)

EXTERIOR OPTIONS

- Complete mooring kit:
 - Delta anchor 25 kg
 - Chain (12mm diameter - Length 85m)
 - Mooring line (18mm diameter - Length 20m)
 - 4 Hawsers (18mm diameter - Length 15m)
 - 6 Fenders (250mm diameter - height 700 mm)
- Fore canvas sunshade
- Set of flybridge covers (console + bench seat + table)
- Exterior guards: Oyster or Flanelle
 - Aft cockpit closing
 - Flybridge closing
 - Bimini of Flybridge
 - Flybridge dodgers
- Flying bridge T TOP
- Hydraulic gangway
- Hydraulic swim platform
- Aft platform tender mounting
- 10 Cup holders (4 in the cockpit, 6 in flying bridge)
- Black exterior curtains Sunworker in wheelhouse
- 40 L refrigerator in flying bridge
- Electric flybridge grill
- Teak fore deck and port side deck
- Teak slats on fore flybridge area
- Teak slats on cockpit and starboard side deck
- Folding cockpit table

ELECTRICAL SYSTEM

- Deck searchlight

WATER SYSTEM

- Watermaker 60 l/h / 16 US Gal/hour
- Shore fresh water supply
- Rigid sewage reserve

ENGINE

- Double station stern thruster
- 3rd Control joystick
- Automatic extinguishing system

NAVIGATION ELECTRONICS

- Windvane
- Rear camera
- Raymarine Radar
- Raymarine ClearCruise (augmented reality)