


Swift Trawler 47

General Equipment list (Provisional) - North America



GENERAL SPECIFICATIONS*

• Overall Length (L.O.A)*:	14,74 m	48'4"
• Hull length:	12,77 m	41'11"
• Overall width:	4,5 m	14'9"
• Hull Beam:	4,42 m	14'6"
• Light displacement (EC):	12 685 kg	27,958 lbs
• Air draft:	5,79 m	19'
• Draft (including propeller):	1,15 m	3'10"
• Fuel tank:	1 930 L	510 US Gal
• Water tank:	640 L	169 US Gal
• Holding tank:	170 L	45 US Gal
• Grey water tank (Option):	320 L	85 US Gal
• Engine power:	2 x 425 HP	2 x 425 HP

* (with aft swim platform + Anchor in position)

ARCHITECTS / DESIGNERS

- Naval Architect: MICAD
- Design: Andreani Design

EC CERTIFICATION*

- Category B: 14 people
- Category C: 16 people

* Provisional specifications, boat in process of certification.

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (Polyester resin infusion - fiberglass)
- White gelcoat 9010
- Structural hull counter molding in monolithic laminate (Polyester resin infusion - fiberglass)

Profile:

- Semi-planing hull

DECK

Composition:

- Sandwich (Polyester resin infusion - fiberglass / balsa core)
- Structural counter molding in monolithic laminate (polyester resin - fiberglass)
- White gelcoat 9010
- Diamond tip type non-slip surface

AMBIANT

- Alpi teak woodwork
- Teak deck, black joints
- Marlin Brilliant White PVC interior upholstery
- PVC pilot bench Marlin white & Polaris
- Marlin Brilliant White PVC Exterior upholstery
- Set of flybridge covers (console + bench seating + table)

DECK EQUIPMENT

- Gangway door to starboard

MOORING - ANCHORING GEAR

- Double stainless steel bow fitting
- 2000 W Vertical electric windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Aluminum mooring cleats (L 400 mm / 15 - 3/4")
- Stainless steel gunwale guards
- 2 Compartments equipped with self-bailers and polyester hoods

SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- Leather covered stainless steel handrails, in the cockpit

COCKPIT

- Self-bailing cockpit
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- Cockpit shower hot/cold water
- Double port cockpit access door
- Swim platform with stringer and battens in natural teak (4 x 1,4 m / 13'1" x 4'7")
- Ergonomic bathing ladder with hand holds in the swim platform
- 1 PMMA access door at the starboard side deck from the cockpit
- Emergency ladder
- 4 Cup holders

FLYBRIDGE

- Flybridge self-bailing
- Retractable stainless steel staircase with double flybridge access ramp with teak steps
- Grey tinted windscreen in PMMA
- Access by polyester hatch
- Stainless steel pulpit surrounding aft of flybridge
- Polyester mast for mounting navigation lights, radar and aerials
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Trim tab
- Gauges indicators
- Rudder angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- USB socket
- 1 Adjustable pilot seat and 3 places for co-pilot with convertible backrest
- Flybridge lounge, composed of * 1 bench seats in L shape with built-in storage and an extendable teak table
- GRP unit with sink, handrail and stowage
- Space for life raft with stainless steel fixing bolt plates
- 6 Cup holders

INTERIOR

SALON

Headroom: 1,98 m / 6'6"

- Sofa convertible to double berth (1,4 x 1,9 m)
- Dividing rail and curtains for berth
- Roman shutters
- Pouf with storage
- 2 Folding arm chairs
- Semi-folding, adjustable height, varnished wood salon table
- Storage units with 3 white lacquered slatted door
- 2 Large storage drawers
- Sliding aft 3 single disappearing door aft bay with black lacquered aluminum frame
- Leather sheathed stainless steel handrail in cockpit deckhead
- MP3, USB, IPOD® player with 2 speakers in the wheelhouse, 2 speakers in the cockpit and 2 flybridge speakers
- TV pre-assembly + DVD Player + B&W Loudspeakers in the salon

GALLEY

Headroom: 1,98 m / 6'6"

- L-shaped galley with opening window - Includes:
 - Corian countertop
 - 2 Stainless steel sinks with cold/hot water mixer taps under pressure
 - Gas oven
 - 3-burner hob and oven with protective glass cover
 - 144 L fridge with 2 drawers
 - Cutlery drawer
 - Stowage and drawers
 - Double trash can

STEERING STATION

- Clear glass windscreen with black lacquered aluminum frames
- Anti-reflective coating
- 3 Synchronized windscreen wipers
- Windscreen washer
- Defogger
- Side windows with black lacquered aluminum frames
- Dashboard with place for navigation electronics
- Oddments spaces and storage on port side
- Engine dials: Revolution counter, Fuel gauge, Warnings, Rudder angle indicator, Trim tab indicators
- Remote control: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- Steering wheel
- Steering compass
- Double USB socket
- Double tilting pilot bench seat
- Removable floor step
- Sliding side door with direct access to catwalk

OWNER'S CABIN (FORWARD)

Headroom: 1,98 m / 6'6"

Large sliding access door

- Double berth (1,99 x 1,60 m / 6'6" x 5'3")
- Storage under berth
- Storage each side of bed
- Mirror
- 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- 2 Hull windows with opening portholes and blackout blind

HEAD (OWNER'S CABIN)

Headroom: 1,96 m / 6'5"

Separate shower compartment with seat and hull porthole

Deck hatch with mosquito screen/blind

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull portlight

VIP CABIN (PORTSIDE)

Headroom: 1,98 m / 6'6"

- 2 Single beds convertible into double beds (1,96 x 1,72 m / 6'5" x 5'8")
- Bedside table
- Cupboard units
- Storage under berth
- 3 Shelving unit
- Hull window with opening porthole and blackout blind
- 1 110 V Power outlet & 2 USB sockets
- Large mirror

THIRD CABIN (STARBOARD)

• Double berth (1,90 x 1,40 m / 6'3" x 4'7")

- Bedside table
- Storage under berth
- Opening hull porthole with blackout blind
- Skylights

HEAD (STARBOARD - AFT)

Headroom: 1,98 m / 6'6"

- Mirror
- Top and bottom cupboard
- 2 Opening portholes
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- Mixer tap
- Separate shower

ENGINE

- Shaft propulsion
- Four-blade propellers
- Cummins QSB 6.7L twin engines 425 HP / HP (2 x 312 kW)
- Fuel filters
- Sea water filters
- Engine room soundproofed with high density foam (40mm thick)
- Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- Double fuel tank filling cap
- 2 Aluminum fuel tanks (Capacity = 2 x 965 L / 2 x 255 US Gal) inter-connected and pre-fitted for FPS (Fuel Polishing System) connection system

- Steering system:
 - 2 Underhung rudders stainless steel
 - Hydraulic steering
 - Electric trim tabs
 - Bow thruster

ELECTRICITY

- Electrical panel (12 V / 110 V)
- Generator (7,5 KVA - 110 V / 50 Hz) + COCON
- Shore power socket (110 V)
- 13110V Sockets(1 in the cockpit, 2 in the salon, 2 in galley, 2 in owner's cabin, 1 in the VIP cabin, 1 in the 3rd cabin, 1 in the owner head, 1 in the 2nd head),+ 2 for TV (Salon + Owner's cabin)
- 12 USB sockets (2 in the salon, 2 in steering station, 4 in owner's cabin, 2 in the VIP cabin, 2 in the 3rd cabin)
- 2 double antenna sockets (TNT - SAT)
- 4 12V 140Ah service batteries
- 4 12V 50Ah engine start batteries
- 4 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- 1 12 V Power outlet
- Outside and inside lighting (Overhead lights, Reading lights)
- LED indirect lighting
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- 1 Pump for deck washing
- 1 Shore freshwater supply
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal Water heater working off engine exchanger and 110 V
- Water tank filler
- 2 Rotomolded water tanks (2 x 320 L / 2 x 85 US Gal)
- Drainage outlet for black water holding tank

MISCELLANEOUS ITEMS

- Smoke detector

TRIM LEVEL & PACKS

ESSENTIAL TRIM PACKAGE

- AMS Web server (Ship control)
- Deck searchlight (2 Posts)
- 40 L refrigerator, on flybridge
- Refrigerator with 2 drawers, in wheelhouse (as replacement of port stowage)
- Inverter (2 KVA)
- 2 9" Raymarine interior screens
- 2 9" Raymarine exterior screens
- Auto pilot
- Raymarine VHF

ELECTRONIC PACK

- 2 12" Raymarine interior screens
- 2 12" Raymarine exterior screens
- AIS receiver system

OPTIONS

AMBIANT

- Oak stripe version & Brown oak laminated floors
- African Spirit Grey carpet (wheelhouse + Salon)
- Dune Berber carpet (Cabins + passageway)
- Infinity Zah Factor cream carpet (Cockpit)
- Greige fabric interior upholstery
- Gargoyle fabric interior upholstery
- Foglizzo leather interior upholstery
- Foglizzo nubuck interior upholstery
- Marlin Brilliant White PVC cockpit seat
- Confort - Dolce 51 PVC cockpit seat
- Confort - Dolce 51 external upholstery, with bolster seat on flybridge
- Marlin Brilliant White PVC fore sun deck
- Confort - Dolce 51 PVC fore sun deck
- Pearl Grey hull



BENETEAU

Swift Trawler 47

General Equipment list (Provisional) - North America

INTERIOR LAYOUT / ONBOARD COMFORT

- Wheelhouse bench opposite (as replacement for the cupboards)
- 46 L combined microwave oven (replacing gas oven)
- 20 L microwave oven on elevator
- Washing machine / Tumble dryer
- Dishwasher
- 2 burner induction stove (replacing gas stove)
- Refrigerator + Ice maker with 2 drawers in wheelhouse (replacing the refrigerator in the galley)
- 2 drawer additional fridge in wheelhouse (as replacement of port stowage)
- Air conditioning (48 000 BTU)
- Water heating
- TV pre-assembly + DVD/MP3 player + B&W Loudspeakers in owner's cabin
- Mosquito screens (Side door + Aft window door + Portholes)

EXTERIOR OPTIONS

- Complete mooring/anchoring kit:
 - Delta anchor 25 kg
 - Chain (12 mm diameter - Length 85 m)
 - Mooring line (18 mm diameter - Length 20 m)
 - 4 Docklines (18 mm diameter - Length 15 m)
 - 6 Fenders (250 mm diameter - height 700 mm)
- Fore canvas sunshade
- Exterior guards: Oyster or Flanelle
 - Cockpit aft enclosure
 - Flybridge closing
 - Bimini of Flybridge
 - Flybridge dodgers
- Flying bridge T TOP
- Hydraulic gangway
- Hydraulic swim platform
- Aft platform tender mounting
- 10 Cup holders (4 in the cockpit, 6 in flybridge)
- Black exterior wheelhouse curtains Sunworker in wheelhouse
- 40 L refrigerator in flybridge
- Electric flybridge grill
- Teak fore deck and port side deck
- Teak slats on fore flybridge area
- Teak slats on cockpit and starboard side deck
- Folding cockpit table

ELECTRICAL SYSTEM

- Double station deck searchlight

WATER SYSTEM

- Water maker 60 L/h / 16 US Gal/hour
- Shore freshwater supply
- Rigid sewage reserve

ENGINE

- Double station stern thruster
- 3rd Control joystick
- Automatic fire suppression system

NAVIGATION ELECTRONICS

- Windvane
- Aft camera
- Raymarine Radar
- Raymarine ClearCruise (augmented reality)