



2 Cabins - 1 Head



3 Cabins - 1 Head

GENERAL SPECIFICATIONS

• Length overall	11,48 m	37'8"
• Hull length	11,13 m	36'6"
• L.W.L.	10,40 m	34'1"
• Hull Beam	3,92 m	12'10"
• Light displacement	6 515 kg	14,359 lbs
• Deep draft	1,90 m	6'3"
• Deep ballast weight	1 770 kg	3,901 lbs
• Shallow draft	1,40 m	4'7"
• Shallow ballast weight	1 930 kg	4,254 lbs
• Air draft	16,65 m	54'8"
• Freshwater capacity	361 L	95 US Gal
• Fuel tank capacity	130 L	34 US Gal
• Engine power	29 HP	29 HP

ARCHITECT / DESIGNERS

- Naval Architect: Finot - Conq et associés
- Interior design: Nauta Design

CE CERTIFICATION

- Category A - 8 people
- Category B - 9 people
- Category C - 10 people

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	34,80 m ²	375 sq ft
• Genoa (105 %)	33,00 m ²	355 sq ft
• Asymmetrical spinnaker	85,00 m ²	915 sq ft
• I	13,98 m	45'10"
• J	4,55 m	14'11"
• P	13,25 m	43'6"
• E	3,90 m	12'10"



STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull in polyester
- Monolithic structural hull liner laminated and bonded to the hull
- Deck in balsa and glass fiber sandwich covered in «diamond point» type non-slip surface
- Hull-deck joint screwed, bonded and trimmed with 1 PVC toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Hung rudder with stainless steel stock
- White colored hull - Grey metal hull decoration

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 anodized aluminum installed on the deck, 2 sets of spreaders
- Anodized aluminum boom
- Discontinuous stainless steel standing rigging (Forestay, Shrouds, Lower shroud, Backstay)
- 2 Backstays with turnbuckles
- 1 Standard fore stay
- 1 Rigid boom vang
- 1 Genoa furling system with drum on the deck
- 1 Mainsail sheet track
- 2 Genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift - foot tuning line)
- Complete running rigging: 1 Main halyard - 1 Genoa halyard with clutch on mast and cleat - Boom topping lift with cleat on mast - 1 Mainsail foot - 1 Mainsail sheet on traveller - 2 Genoa sheets - 2 Reefing lines
- 5 Clutches, to port
- 3 Jamming cleats

WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STC)
- 1 Coach roof winch self tailing, on deck house port side (H35.2 STC)
- 2 Aluminum winch handles
- 2 Winch handle holders

SAILS

- 1 Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- Lazy Jack System and Lazy bag in Natural color

MOORING - ANCHORING GEAR

- Self-bailing chain locker - Clench bolt - Hatch cover
- 1 Stainless steel bow fitting - 1 Stem roller
- Mechanically welded stainless steel roller
- 6 Aluminum mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Flag pole socket
- Double stainless steel lifelines, Stainless steel stanchions

COCKPIT

- Self-bailing cockpit in polyester
- 1 Wet locker to port (Life raft storage, Gas box 2 bottles)
- 1 Starboard locker (Sail locker)
- 1 Locker next to tiller seat to starboard
- Natural solid wood slatted cockpit benches
- 1 Steering wheel console: Leather covered steering wheel (1 100 mm / 3"7" diameter) - 1 Rudder mechanism on column - 1 Metal cable transmission system - 1 Stainless steel handrail - Navigation instrument pod (optional instruments) - 1 Compass on console
- Engine control - Instrument panel to starboard
- 1 Deck plate for access to tiller system - 1 Emergency tiller
- Companionway hatch and door in PMMA

AFT TRANSOM

- Vertical opening access door assisted by gas piston stainless steel
- 1 Stainless steel swimming ladder
- 1 Cold water cockpit shower

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Hull side ceilings in cabins and salon
- Cushions

COMPANIONWAY

- Headroom: 1,93 m / 6'4"
- Companionway and steps in polyester
- 2 Stainless steel handrails (Version 2 aft cabin(s)) - 1 Stainless steel handrails (Version 1 aft cabin(s))
- 1 Fixed skylight with curtain

FORWARD CABIN

- Headroom: 1,91 m / 6'3"
- Central double bed (2,10 x 0,42 m - 1,87 m / 6'11" x 1'5" - 6'2"), Marine mattress
- Hanging locker - Shelves - Cubby hole lockers - Storage - Dressing table
- 1 Removable seat
- 1 Opening hatch with curtain

SALON

- Headroom: 1,92 m / 6'4"
- U shaped salon bench to port, Double density foam
- 1 Starboard bench seat
- Salon table with wooden mounting
- Cubby hole lockers - Storage space along the hull - Bar storage space - Storage under bench seats
- 1 Port side window with curtain
- 1 Starboard side window with curtain
- 2 Opening porthole in side window - portside
- 1 Opening porthole in side window - Starboard
- 2 Hull portholes with curtain
- 1 Opening deck hatch with curtain

GALLEY - PORTSIDE

- Headroom: 1,92 m / 6'4"
- L-shaped kitchen
- Synthetic solid surface countertop in Jenna "Sand"
- 2 Rectangular stainless steel sinks
- 1 Mixer tap cold water / hot water, under pressure
- 1 2 Burner gimbal stove - 1 Stainless steel protection handrail
- 1 110 L front opening fridge - 12 V Refrigeration unit
- 1 Dresser - Closure / Cutting board
- Cupboard - Fitted storage space and lockers
- 1 Garbage bin
- 1 Porthole opening onto coaming in side window

CHART TABLE - STARBOARD

- Facing companionway
- Chart table with hinged doors and glove boxes- Molded wood beading
- Hinged electrical panel enabling access to electrical connections
- 1 White light fitting / Red
- Storage cupboards and lockers with crockery rack
- 1 Opening porthole in side window (2 cabins version)

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,92 m / 6'4"
- Access through salon
- Washroom molded in one piece to be watertight
- Shower tray
- Worktop with washbasin
- 1 Mixer tap / Hot water shower / Cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- 1 Mirror
- Toilet accessories
- Storage cupboard and lockers (1 in 3 Cabins - 2 in 2 Cabins)
- 1 Opening porthole with curtain
- 1 Opening porthole with curtain on the cockpit end wall (2 cabins version)

AFT CABINS

Version: 1 forward cabin - 2 Aft cabins

- Headroom: 1,94 m / 6'4"
- 2 Symmetrical aft cabins with larger access to port cabin including:
- Headroom: 1,94 m / 6'4" approx.
- Double bed (1,95 x 1,55 m - 1,29 m / 6'5" x 5'1" - 4'3"), Marine mattress
- 1 Hanging locker
- 1 Opening porthole with curtain
- 1 Opening porthole with curtain on the cockpit end wall

Version: 1 forward cabin - 1 Aft cabin

- Headroom: 1,94 m / 6'4"
- 1 Double bed (2,25 x 1,60 m / 7'5" x 5'3") - Marine mattress
- Bench seating - Bed access sideboard
- Hanging locker, Storage - Glove box
- 1 Opening porthole with curtain
- 1 Opening porthole with curtain on the cockpit end wall

ENGINE

- Engine Yanmar Diesel 29 hp / HP
- Engine control - fitted in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 air outlet
- 1 Alternator 12 V / 60 Ah
- 1 Rotomoulded diesel tank 130 L / 34 US Gal (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line - Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons)
- 2 Engine access through aft cabins (3 cabins version) or in the washroom and the aft cabin (2 cabins version)

ELECTRICITY

- 12 V Circuit
- 1 110 Amperes service battery (Port aft cabin)
- 1 70 Amperes engine battery (Port aft cabin)
- 1 Load balancer
- 12 V Electrical panel (Fuses - Voltmeter - 1 Water gauge - 1 Fuel gauge - 1 Low battery charge warning - 1 Low diesel and water tank warning)
- 1 12 V Power outlets
- Lighting: 1 Fluorescent lamp White, Overhead lights: LED ceiling lights LED, 1 White/red light fitting
- Navigation lights: 1 Forward and aft navigation lights - 1 Engine navigation light / Deck light forward of mast - 1 Mooring light on masthead
- Wire runs for options cables

PLUMBING

- 2 Rotomolded freshwater tanks (130 L / 34 US Gal port aft cabin - 206 L / 54 US Gal forward cabin) - 2 Stainless steel water deck fillers - Separate tank filling - Tank selection with ¼ by-pass valves
- Waterpressure system - Expansion tank - Inline filter
- 1 25 L / 7 US Gal/Electric water heater (engine run)
- 1 Rigid holding tank 80L / 21 US Gal
- Electric shower drain pump
- 2 Bilge pumps (1 Manual bilge pump - 1 Electric bilge pump)
- 1 Electric ice box drain pump

GAS

- 2 Tank storage in cockpit sole
- Regulator and solenoid

TRIM LEVEL

PLATINUM EDITION Includes:

UPHOLSTERY OPTIONS

Ultrasuede cushions: Ivory, Graphite, Wheat, Indigo

Ultraleather cushions: Snow, Linen, Coco

PACKS

Nav Pack L

Nav trifunction B&G + Display

B&G V50 VHF

B&G Wireless handset

Nav Pack M

Chartplotter Zeus 8 B&G Cartography B&G

Wind system B&G

B&G wifi module

OTHER OPTIONS

Genneker gear + Winch Electric windlass Microwave 110 V

Grey or White hull

Autopilot B&G

Black deco kit

Interior decoration pack (choice directly with vendor)

Asymmetrical spinnaker with sock

SAILING PACK (not compatible with trim level)

- Charter Classical mainsail + Lazy-bag + Furling genoa
- Electric windlass quick
- Rub rail
- Microwave 110V
- Nav Pack L
- Chartplotter Zeus 8 B&G
- Wind system B&G
- US Cartography B&G
- Autopilot B&G

CRUISING PACK

- Outboard mounting bracket
- Rub rail
- Bow thruster
- Inverter 12V 110V
- Sonic Hub + Interior and exterior speakers
- Simrad Stereo satellite receiver
- Folding propeller
- 4G Radar B&G

ROLLER FURLING MAST + MAINSAIL PACK

- Roller furling mast
- Roller furling mainsail



BENETEAU

Oceanis 37

Inventory list - USA

OTHER OPTIONS

- 40.2 STCEH electric port hal.winch
- Wood cockpit table
- Cruisair air conditioning 16000 BTU 110V
- Diesel heater "air pulse" - Webasto
- Electric toilet in place of manual
- Waste tank drain/macerator pump
- Stereo satellite receiver
- Weather/stereo satellite receiver- service contract necessary
- Solid marine hardwood cockpit floor
- Cradle for boat w/shoal keel
- Cradle for boat w/deep keel
- Shrink wrap

