

GENERAL SPECIFICATIONS

| | | |
|---------------------------------------------|-----------------|-----------------|
| • Overall Length (L.O.A) | 12,43 m | 40'9" |
| • Hull length | 11,97 m | 39'3" |
| • L.W.L. | 11,37 m | 37'4" |
| • Hull Beam | 4,20 m | 13'9" |
| • Deep draft | 2,18 m | 7'2" |
| • Deep ballast weight | 2 300 kg | 5,071 lbs |
| • Shallow draft | 1,70 m | 5'7" |
| • Shallow ballast weight | 2 507 kg | 5,527 lbs |
| • Air draft | 18,85 m | 61'10" |
| • Light displacement | 8 777 kg | 19,350 lbs |
| • Fuel tank capacity | 200 L | 53 US Gal |
| • Fresh water capacity (standard) | 370 L | 98 US Gal |
| • Fresh water capacity (Optional equipment) | 200 L | 53 US Gal |
| • Engine power | 40 HP POD 60 | 40 HP POD 60 |

ARCHITECT / DESIGNERS

- Naval Architect: Finot - Cong And associs
- Interior design: Nauta Design

CE CERTIFICATION

- Category A - 10 people
- Category B - 11 people
- Category C - 14 people

STANDARD SAIL LAYOUT AND AREA

| | | |
|--------------------------|-----------------------|-------------|
| • Mainsail (classic) | 41,70 m ² | 449 sq ft |
| • Genoa (104 %) | 42,10 m ² | 453 sq ft |
| • Asymmetrical spinnaker | 130,00 m ² | 1,400 sq ft |
| • I | 16,01 m | 52'6" |
| • J | 5,17 m | 17' |
| • P | 15,00 m | 49'3" |
| • E | 4,71 m | 15'5" |



2 cabins - 1 Head



3 cabins - 2 head compartments



3 cabins - 1 Head



STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull in polyester
- Monolithic structural hull liner bonded to the hull
- Injection molded deck in glass fiber/balsa sandwich, covered with "diamond-point" non-slip coating
- Hull-deck joint screwed, bonded and trimmed with 1 toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White colored hull - Grey metal hull decoration

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 anodized aluminum installed on the deck, 2 sets of spreaders
- Anodized aluminum boom
- Discontinuous stainless steel standing rigging
- 2 Backstays with turnbuckles
- Rigid boom vang
- Genoa furling system with drum on the deck
- 2 Stand Up blocks on mainsheet arch
- 2 Genoa tracks with piston adjusted traveller cars
- 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, Genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets
- 2 Reefing lines, 1 Manual reef
- 7 Line stoppers
- 2 Halyard bags

WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STA)
- 2 Self tailing coachroof winches (H40.2 STA)
- 2 Aluminum winch handles Speed Grip
- 2 Winch handle holders

SAILS

- Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- System: Lazy Jack System and Lazy bag in Natural color

MOORING - ANCHORING GEAR

- Self-bailing chain locker - Clench bolt - Hatch cover
- Single roller stainless steel bow fitting with offset roller
- 6 Aluminum mooring cleats - Stainless steel deck line protection
- Quick 12V anchor windlass

SAFETY ON DECK

- 1 Open stainless steel forward pulpit
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double lifelines and stainless steel stanchions - Access to port and to starboard in lifelines
- Navigation lights

COCKPIT

- Self-bailing cockpit
- 2 Cockpit locker
- 2 Lockers in cockpit floor under helm's feet
- 1 Lifteraft locker under helm seat, in cockpit bottom (0,80 m x 0,40 m x 0,58 m / 2'7" x 1'4" x 1'11")
- 1 Gas locker for bottle(s) under the port helm seat
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter - Leather covered - Steering gear at the helm station - Metal cable transmission system - Stainless steel handrail - Navigation instrument pod (optional instruments) - Glass holder
- 1 Deck plate for access to tiller system + Power supply access hatch
- 1 Emergency tiller
- 2 Steering compass on consoles
- Portside engine control and control panel
- Polyester cockpit table - 2 Flaps - Glove boxes - 2 Large storage space - 2 Stainless steel handrails - 12 V Power outlet - Lamp with shade
- 1 Cold water cockpit shower
- 1 Fixed composite arch - Built-in lighting
- 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA
- Cockpit shower hot/cold water
- Steering wheel cover white

SWIM DECK / STERN DECK

- Fully opening transom, convertible into swim platform (2,85 m x 0,77 m / 9'4" x 2'6")
- Electrically controlled opening swim platform
- Natural solid wood decking on swim platform
- 1 Stainless steel swim/boarding ladder - Solid wood steps - Folding

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Padding upholstery in salon and cabins (White)
- Fabric upholstery
- Marine mattresses in the cabins

COMPANIONWAY

Headroom: 1,93 m / 6'4"

- Wooden salon companionway with molded wood hanging steps with non-slip surface
- 2 Stainless steel handrails

SALON

Headroom: 1,95 m / 6'5"

- U-shaped salon bench - Double density foam
- Salon table in 1 piece - Varnished wood top with inlay - Aluminum legs
- Mirror on starboard bulkhead
- Cupboard units - Cubby hole lockers and storage along the hull - Storage under bench seats
- Cubbyholes with stainless steel beading
- 2 Coachroof panoramic windows with curtains
- 2 Hull portholes with curtain
- 2 Opening portholes on coaming in side windows
- 1 Opening deck hatch with shutter / Mosquito screen
- LED interior lights
- Indirect light
- Leather covered handrails

CHART TABLE - PORTSIDE

- Sliding, can be configured with the armchairs - Placed against the forward bulkhead, against the galley or between the 2 mobile seats
- Table with flap - Molded wood beading
- Switch panel on bulkhead for access to electrical functions
- 1 Reading light



GALLEY - PORTSIDE

Headroom: 1,89 m / 6'2"

- L-shaped kitchen
- Countertop of synthetic surfaces
- 1 Stainless steel sink 2 rectangular basins - 1 Mixer tap cold water / hot water, under pressure
- 1 Gas stove 2 burners - Stainless steel oven on gimbal mountings - Stainless steel protection handrail
- 1 85 L ice box / 22 US Gal, top opening
- 1 12 V 130 L refrigerator / 34 US Gal, front opening
- Fitted cupboards and closed cubbyholes - Garbage bin
- 1 Lower cupboard: 1 Drawer - 2 Shelves
- 1 Opening portlight with curtains in side windows in the coaming
- Storage space along the hull

STARBOARD AFT HEAD COMPARTMENT

Headroom: 1,85 m / 6'1"

- Access through salon and the starboard aft cabin
- Separate shower - 1 Mixing tap hot water / Cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- Sink - 1 Faucet
- Washroom cabinet
- 2 Mirrors
- Toilet accessories
- Cupboard
- 1 Opening portlight with curtains in side windows in the coaming

STARBOARD AFT CABIN

- Headroom: 1,89 m / 6'2"
- 1 Double bed (2,00 m x 1,60 m x 1,28 m / 6'7" x 5'3" x 4'2")
- Access door to starboard aft washroom
- Cupboard units - Hanging locker - Closed cubbyholes
- 1 Bed access sideboard
- 1 Hull porthole with curtain
- 1 Cockpit windows with curtains
- 1 Porthole opening onto cockpit with curtain
- 1 Flush deck hatch with shutter / Mosquito screen

Version 2 cabins

AFT-GALLEY (PORT AFT)

- Headroom: 1,89 m / 6'2"
- Access via galley
- Large storage area (Numerous cupboards, Shelves, Drawers)
- Space for dishwasher (optional) in place of dresser
- Access door to port cockpit locker
- 1 Flush deck hatch with shutter / Mosquito screen
- 1 Hull porthole with curtain
- 1 Cockpit windows with curtains

Version 3 cabins

PORT AFT CABIN

- Headroom: 1,89 m / 6'2"
- Double bed - Port cabin (2,00 m x 1,43 m x 1,10 m / 6'7" x 4'8" x 3'7")
- 1 Bed access sideboard
- Cupboard - Hanging locker - Closed cubbyholes
- 1 Hull porthole with curtain
- 1 Cockpit porthole with curtain
- 1 Flush deck hatch with shutter / Mosquito screen
- 1 Cockpit windows with curtains
- Indirect light

1 washroom version

FORWARD CABIN

- Headroom: 1,91 m / 6'3"
- Central double bed (2,00 m x 1,88 m x 0,51 m / 6'7" x 6'2" x 1'8")
- Hanging lockers - Glove box - Cubby hole locker - Lower cupboard - Stowage under platform
- 1 Dressing table
- 3 Flush deck hatches with shutter / Mosquito screen
- 2 Hull portholes with curtain
- Indirect light

2 Washroom version

FORWARD CABIN

- Headroom: 1,87 m / 6'4"
- Central double bed (2,00 m x 1,88 m x 0,51 m / 6'7" x 6'2" x 1'8")
- Hanging locker - Glove box - Cubby hole locker - Storage drawer - Stowage under platform
- 2 Opening hatches with blind / Mosquito screen
- 2 Hull portholes with curtain
- Indirect light

STARBOARD FORWARD HEAD COMPARTMENT

- Headroom: 1,89 m / 6'2"
- Access through forward cabin
- Manual marine toilet
- Moulded basin - Storage space under the basin - Shower mixer tap hot / Cold water
- 1 Mirror
- 1 Washroom cabinet
- Toilet accessories
- Cupboard
- 1 Opening port in the coaming, within the side windows with curtain

ENGINE

- Engine Yanmar Diesel 40 hp / 40 HP Sail Drive
- Engine control - Control panel in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 air outlet
- 1 Alternator 12 V / 125 Ah
- 1 Rotomoulded diesel tank 200 L / 53 US Gal (under port aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V Circuit
- 2 Service batteries (110 Ah) - 1 Engine battery (110 Ah)
- 1 Load balancer
- 12 V Electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning)
- 1 12 V Power outlets
- Lighting: Overhead lights - Reading lights
- Navigation lights: 1 Forward and aft navigation lights - 1 Engine navigation light / Deck light forward of mast - 1 Mooring light on masthead
- Wire runs for options cables
- Full 115 V system (Interior power outlet 115 V, Shore power socket)

PLUMBING

- 1 Rotomolded freshwater tank (330 L / 87 US Gal Forward cabin) - 1 Deck filler
- Waterpressure system - Expansion tank - Inline filter
- 40 L Electric water heater / 11 US Gal (engine run)
- 1 Rigid holding tank 80L / 21 US Gal (Starboard aft head compartment)
- Delayed shower draining and electric shower drain pumps
- 1 Electric bilge pump - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- 1 Gas bottle box in the cockpit (diameter 0,34 m x 0,53 m / 1'1" x 1'9")
- Regulator and solenoid



BENETEAU

Oceanis 41

General Equipment list - North America

TRIM LEVEL

PLATINUM EDITION (White hull)

- Hull window white
- Fender support in cockpit locker
- Freezer in place of ice box
- Counter galley solid surface Jenna Sand
- Double berth in salon
- Movable stool
- Underfloor board storage
- Black deco kit
- Fusion Stereo: Interior and exterior speakers
- Charplotter Zeus 2 12" Exterior
- Simrad wifi module
- US B&G Cartography
- Autopilot B&G
- Nav trifunction B&G (2 x T41 Display)
- Wind system B&G
- V50 VHF + Wireless handset + AIS B&G

PACKS

PERFORMANCE PACK

- Performance Elvström Windward 300+ Sails
- German system (Two-way mainsheet at the helm station)

OPTIONS

Navigation electronics: B&G

- 4G Radar
- 2 Zeus T7 additional screens
- WR 10 Wireless autopilot remote control
- Forward Scan Sensor

Rigging - Sails

- Roller furling mast
- Code 0 on furler
- Asymmetrical spinnaker
- Backstays with turnbuckles (Adjustable)*
- Releasable fore-stay chain-plate
- Genoa sheet track leads adjustable from the cockpit
- 2 Flag halyards
- H46STAEH electric port maneuvering winch
- 46.2STAEH electric primary winch

* Except on mast with in-mast furling

Hull - Deck - Cockpit

- Solid wood slatted cockpit floor
- Solid wood slatted side decks
- Extra bow roller + Stainless steel bobstay
- Bow thruster
- White composite steering wheel
- White PVC steering wheel covers
- Mooring kit
- Mooring cleats on transom
- Cockpit windlass control with chain counter
- Refrigerated ice-box in cockpit table (30 L / 8 US Gal) - Positive cold
- Stainless steel arch with davits
- 3 folding blades propeller
- Rub rail

Interior equipment

- Ultrasuede Graphite or Ivory upholstery
- 115 V Microwave oven
- Dressing table seat
- Head board(s) for the forward cabin (Versions: 2 cabins, 1 Toilet - 3 cabins, 1 Toilet)
- Slatted bed base
- Double berth in salon
- Extended salon table
- Additional holding tank
- Electric Quiet Flush head
- Sea water/fresh water foot pump
- Extra water tank 200 L / 53 US Gal
- Pre-rigging TV LCD 24" + DVD/MP3 player in the salon
- Mosquito screens
- "Luxe" folding salon table (double berth compatible)
- Extra battery + charger
- 12/115V inverter 2 kVA
- 7,5 kVA Generator (2 cabin version only)
- Diesel heater "air pulse"
- Air conditioning