



2 cabins - 2 head compartments



GENERAL SPECIFICATIONS

• L.O.A	14,12 m	46'4"
• Hull length	13,82 m	45'4"
• L.W.L.	12,92 m	42'5"
• Beam	4,43 m	14'6"
• Deep draught	2,15 m	7'1"
• Deep ballast weight	3 460 kg	7,628 lbs
• Shallow draught	1,86 m	6'1"
• Shallow ballast weight	3 880 kg	8,554 lbs
• Air draught	20,38 m	66'10"
• Light displacement (EC)	12 303 kg	27,123 lbs
• Fuel capacity (standard)	200 l	53 US Gal
• Fuel capacity (Optional equipment)	200 l	53 US Gal
• Fresh water capacity (standard)	530 l	140 US Gal
• Fresh water capacity (Optional equipment)	160 l	42 US Gal
• Engine power (CV/POD)	75 HP Sail Drive POD 90	75 HP Sail Drive POD 90

ARCHITECT / DESIGNERS

- Naval Architect: Berret Racoupeau Yacht Design
- Interior design: Nauta Design

EC CERTIFICATE

- Category A - 6 persons
- Category B - 7 persons
- Category C - 12 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	52,30 m ²	566 sq ft
• Genoa (103 %)	47 m ²	506 sq ft
• Asymmetrical spinnaker	120 m ²	1,292 sq ft
• I	17,02 m	55'10"
• J	5,49 m	18'
• P	16,62 m	54'6"
• E	5,70 m	18'8"



STANDARD EQUIPMENT

CONSTRUCTION

- Design in accordance with European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in "diamond point" type non-slip surface
- Deck hull join banded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Twin underhung rudders with stainless steel stock
- White coloured hull - Grey metallic livery

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 anodized aluminium installed on the deck, 2 aft-swept spreaders - MDS roller slides
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- Backstay: Bridle
- Rigid boom vang with tackle
- Genoa furling system with drum on the deck
- 2 Blocks "STANDUP" on mainsheet arch
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 rapid reefing lines, 1 manual reef
- 12 Jammers, and other control lines
- 2 rope boxes

WINCHES

- 2 Self-tailing genoa sheet winches (H50.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Winch handles SpeedGrip
- 2 Winch handle boxes

SAILS

- Furling genoa with UV protective strip DACRON
- Full batten dacron mainsail DACRON
- Lazy Jack and Lazy Bag in Natural colour

MOORING LINES - MOORING

- Self-draining chain locker with eye bolt for bitter end
- 1 Opening access cover to chain locker
- Stainless steel bow fitting 2 rollers - Stainless steel bobstay
- 12 V - 1500 W Vertical electrical windlass - Remote control
- 6 Aluminium mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 fixed stainless steel pushpits
- Stainless steel backrests fitted to helm seats
- 1 Lifebuoy support bracket
- 1 Outboard engine bracket
- 1 Ensign staff
- Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch

COCKPIT

- Self-draining cockpit
- 1 Port cockpit locker (Access to technical area)
- 1 Starboard cockpit locker (Access to technical area)
- Gas locker beneath starboard cockpit seat
- Natural solid wood slatted cockpit benches
- 1 Liferaft locker in cockpit sole
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm / 2'11" diameter - leather covered - Stainless steel handrail - navigation instrument support (optional instruments) - Glass holder - 2 Steering compass on binacle
- Deck hole for access to tiller system
- Transom protector for raising the tender
- 1 Tiller
- Engine throttle and control panel to starboard
- Wooden cockpit table with leaf to starboard which can be transformed into sun-bathing area
- Cockpit lighting integrated in fixed arch
- 1 Glazed companionway hatch slides under the deck
- 1 4-panel glazed saloon door
- 2 Fixed deck windows

AFT TRANSOM

- Retractable transom to cockpit
- 2 Height-adjustable helmsman's seats
- Natural solid wood decking on sun deck
- 1 Stainless steel bathing ladder - solid wood steps - folds into locker
- 1 Shower cold water
- 1 Shore power socket
- 2 wet lockers on skirt



BENETEAU

Sense (46')

General Equipment list - Europe

INTERIOR

- Fruitwood Apli joinery
- White ceruse oak laminate flooring
- Fore hull and bulkhead covered with vinyl fabric ceiling
- Fabric upholstery in the saloon
- Marine mattresses in the cabins

COMPANIONWAY

Headroom: 1,97 m / 6'6"

- Wooden companionway with cold-moulded 3 steps
- 2 Leather covered stainless steel handrails

SALOON

Headroom: 1,90 m / 6'3"

- U shaped saloon bench
- Saloon table in 1 piece, Varnished wood top with inlay, Aluminium legs.
- 1 Central unit with folding settee and sliding seat to get near the table - Stowage - Bar
- Shelves and stowage along the hull, Storage under bench seats
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Fixed wrap-around window to cockpit
- 1 flush deck hatch with blind / Mosquito net
- 1 Dorade

CHART TABLE

- Control console with flap - oddments locker - Storage - Moulded wood fiddle
- Navigator's seat with (15°) tilting cushion to compensate for heel
- Electrics panel
- Navigation instrument panel (without instruments)
- Battery switch panel + Breaker panel

GALLEY

Headroom: 1,90 m / 6'3"

- Lengthways kitchen
- Synthetic resin worktop Grey, Kerrok
- 1 Sink with 2 rectangular bowls stainless steel
- 1 Valve (Faucet)
- 1 Gas cooker 2 burners, Stainless steel oven on mountings
- 1 130 L front opening fridge
- 1 Cool box 85 L top opening
- Cupboards - Drawers - equipped lockers
- 1 Hull porthole with curtain
- 1 Fitted deckhouse side window
- 1 Fixed wrap-around window to cockpit

FORWARD CABIN

Headroom: 1,85 m / 6'1"

- Central double bed (2,00 x 0,98 m - 1,56 m / 6'7" x 3'3" - 5'1")
- 1 Hanging locker, Cupboard, Shelving, oddments locker - 3 Drawers
- Mirrors
- 2 Hull portholes with curtain
- 2 Opening deck hatches with blind / Mosquito nets
- 1 Dorade

STARBOARD FORWARD HEAD COMPARTMENT

Headroom: 1,86 m / 6'1"

- Private entrance through forward cabin
- Separate moulded shower, Faucet, Shower screen
- Manual marine toilet
- Washbasin - Work top - Faucet
- 1 Mirror
- Toilet accessories
- Cupboard and cubby hole
- 1 flush deck hatch with blind / Mosquito nets
- 1 Hull porthole with curtain

PORT CABIN

Headroom: 1,98 m / 6'6"

- Double bed (2,00 x 1,10 m - 1,48 m / 6'7" x 3'7" - 4'10")
- Hanging locker, Cupboards, Lockers and cubby holes
- 1 Hull porthole with curtain
- 1 Opening deck hatch with blind / Mosquito net

PORT WASHROOM

Headroom: 2,00 m / 6'7"

- Private entrance through port cabin
- Shower, Faucet, Shower screen
- Washbasin - Work top - Faucet
- Mirror
- Toilet accessories
- Cupboard and cubby hole
- 1 Fixed window over galley - Blackout curtain
- 1 Fitted deckhouse side window with curtain
- 1 Opening deck hatch with blind / Mosquito net

DAY TOILET, STARBOARD

- Manual marine toilet
- 1 Rigid holding tank 80L (21 US Gal)
- 1 Fixed window over saloon, Slatted blinds



BENETEAU

Sense (46')

General Equipment list - Europe

ENGINE

- Engine Yanmar Diesel 75 hp / *HP* Sail Drive
- Engine control - Key ignition - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 125 Ah
- 1 Rotomoulded diesel tank (200 l / 53 US Gal in the saloon) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Fixed three blades propeller
- Engine access via companionway and machinery space (opening with gas piston)

ELECTRICITY

- 12 V circuit - 220 V circuit
- 2 service batteries (2x115 Ah) - 1 Engine battery (115 Ah)
- 1 40 Ah Battery charger - 1 220V shore power - 1 Power distributor
- Electrical panel (12 V / 220 V) (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning)
- 5 220 V Sockets
- Interior lighting: Overhead lights LED, Reading lights
- Outside lighting: 1 Forward and aft navigation lights - 1 Engine navigation light / Spreader light forward of mast - 1 Anchor light on masthead - 1 Deck light
- Wire runs for options cables

PLUMBING

- 2 Rotomoulded freshwater tanks (160 l / 42 US Gal Saloon - 330 L / 87 US Gal forward cabin) - Separate fillers - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Expansion tank - Inline filter
- 40 L / 11 US Gal Electric water heater (Operation off engine or on 220 V electrical system)
- 1 Rigid holding tank 80L / 21 US Gal in Day toilet Starboard
- Electrical shower drain pumps, with automatic switch
- 1 Electric bilge pump - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- Gas bottle box in the cockpit (1 or 2 bottles, according to model)
- Regulator and safety tap

TRIM LEVEL

	ESSENTIAL	EXCLUSIVE
<ul style="list-style-type: none"> Electronic - Helm consoles to port and starboard: <ul style="list-style-type: none"> - 1 T41 Graphic B&G display (Loch, Speedometer, Depth sounder, Windvane anemometer) 4 Opening ports in galley and saloon windows Hot/cold water cockpit shower hose Hifi: Fusion + Interior loudspeakers + Waterproof exterior speakers 2 service batteries (2 x 115A, 12V) + 40 amperes Additional battery charger LED interior lights 	<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ 	<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■
<ul style="list-style-type: none"> Cockpit sole natural solid wood 1 Port electric coachroof winch (H46.2 STECH) Textile storage with 2 steering consoles Stainless steel beading for fenders in cockpit locker Panoramique window with pleated blinds Upgrade - Bose Acoustimass 3 speakers in saloon Storage space(s) under the floor Galley: 12 V Freezer compartment in 2 L Top-opening icebox (Freezer) 12/220 V, 2 kVA converter + Voltmeter 2 USB sockets at the chart table to recharge mobile devices LED: Outside lighting (except deck light) Indirect lighting (LED) 		<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

PACKS

ELECTRONIC B&G PACK

A Pack

- Helm consoles to port and starboard:
 - Multifunction touchscreen B&G Zeus 9" wide (GPS, Chart plotter, Chart reader - Cartography Navionics Silver included)
- Wifi interface

B Pack

- Chart table: Multifunction Zeus 9" wide screen

DOCK & GO VERSION

- YANMAR Diesel Dock & Go POD 60 engine
- Swivel Saildrive base
- Joystick
- Vessel Management Unit (VMU)
- Bow thruster
- Auto pilot



BENETEAU

Sense (46')

General Equipment list - Europe

OTHER OPTIONS

NAVIGATION ELECTRONICS: B&G

- AC42 autopilot + Control at steering station
- 4G Radar
- AIS 400 (Transmitter / Receiver)
- Chart table: Fixed B&G V50 VHF, function AIS receiver
- Forward Scan Sensor (underwater vision Forward)

RIGGING - SAIL

- Anodised furling mast with Mylar Taffetas Mainsail and Genoa
- Asymmetrical spinnaker rigging + Code 0 Rigging
- Self-tacking jib hardware
- Hydranet sail for classic mast (In place of standard)
- Tacking jib
- Dacron self-tacking staysail with manual furling + Fixed forestay
- Laminated Mylar Taffetas (code0) with furling drum
- Asymmetrical spinnaker
- Releasable forestay chainplate
- Backstays with bottlescrews (Adjustable)*
- Genoa sheet track leads adjustable from the cockpit
- Flag halyards

* Except on mast with in-mast furling

WINCHES

- Electric genoa sheet winches (H50.2 STCEH)
- Starboard electric coachroof winch (H46.2 STCEH)

HULL - DECK - COCKPIT

- Blue-grey hull - Pearl white livery
- Grey "Perle" hull - Matte black hull decoration
- Metallic hull paint
- Solid wood slatted catwalks
- Graphite Coachroof sprayhood
- Graphite Cockpit Bimini
- White PVC steering wheels and console covers
- Natte Stone / Quadri Gey outside upholstery + Backrests to helm
- Bow thruster
- 3 retractable blades propeller
- Stainless steel arch with davits
- White composite steering wheels
- Moorings lines, Mooring, Fenders
- Windlass control in cockpit with chain counter
- Shore freshwater supply
- Windex Windvane

INTERIOR EQUIPMENT

- Upholstery: Fabrics or Ultraleather
- Ivoire Complete carpet
- Grey upholstery padding in all cabins or Taupe
- Luxe saloon table on foot with manually adjustable height
- TV LED 23" fixed + DVD and MP3 player in master cabin
- TV LED 32" folding + Player Fusion (Bluetooth, USB, Dvd, MP3), in the saloon
- Double berth in saloon
- Slat mattresses
- Galley:
 - "Luxe" 3 burners hob, stainless steel oven and grill
 - 220V Microwave oven
 - 220 V Dishwasher, 6 persons
 - Extractor hood
 - Sea water/fresh water foot pump
 - Freshwater purifier
- Safe
- Removable blind to companionway door
- Vacu flush electric toilet
- Removable blind entrance door
- Extra water tank (160 l / 42 US Gal in the saloon, Underfloor)
- Additional diesel tank (200 l / 53 US Gal in the technical area)
- 6 kVA 220 V / 50 Hz Generator
- Water maker - 60 l/h (16 US Gal/hour) - 12/220 V
- Forced air heating
- Chilled water air-conditioning unit 220V