

**GENERAL SPECIFICATIONS**

• Hull length:	7,99 m	26'3"
• Hull Beam:	2,54 m	8'4"
• Light displacement:	1 400 kg	3,086 lbs
• Maximum draft:		
- with keel down:	2,0 m	6'7"
- with keel up:	0,95 m	3'1"
• Keel weight:	610 kg	1,344 lbs
• Mast height (carbon fibre) (from the deck):	10,90 m	35'9"
• Air draft:	12,20 m	40'
• Height of boat on trailer:	2,40 m	7'1"
- Without the mast:	2,25 m	7'5"
• Length on trailer:	11,50 m	37'9"
- Without the mast:	9,50 m	31'2"
• Boom (carbon fibre):	3,5 m	11'6"
• Retractable bowsprit (carbon fibre):	1,5 m	4'11"
• Unsinkable volume:	3 m <sup>3</sup>	105 cu/ft
• Maximum engine power (optional engine):	10 HP	10 HP

**ARCHITECTS/DESIGNERS**



- Naval Architect: Manuard YD
- Outside & interior design: GIGODESIGN

**CE CERTIFICATION**

- Category B - 6 people
- Category C - 8 people

**STANDARD SAIL LAYOUT AND AREA**

• Mainsail:	28 m <sup>2</sup>	301 sq/ft
• Jib:	21 m <sup>2</sup>	226 sq/ft
• Asymmetrical spinnaker:	80 m <sup>2</sup>	861 sq/ft



## STANDARD EQUIPMENT

### CONSTRUCTION

- Design made following European Directive requirements and according to CE certification
- Hull and deck in vacuum-infused vinylester resin, and polyester sandwich with multi-axial unidirectional lamination
- Reinforced infused polyester hull in keel and bow parts
- Moulded deck with anti-slip surface
- 2 Transom hung polyester sandwich rudders
- White gel coat

### KEEL CONFIGURATION

- Lifting keel made of lead, cast iron and polyester epoxy composite
- Hydraulic manual keel lifting pump

### DECK EQUIPMENT

- Fore and aft pulpits 60 cm / 2" with 6 stanchions and wires
- Forward and aft stainless steel mooring cleats
- Stainless steel chainplates for shrouds and forestay
- 1 Opening deck hatch for access to the head (580 x 580 mm / 1'11" x 1'11")
- 1 Opening panel for access and ventilation of the cabin (255 x 255 mm / 10" x 10")
- 1 Mainsail traveller with cleats
- 9 Halyard and sheet blockers
- Composite tiller, carbon look + Stick
- 2 Rope bags + 2 Crank bags
- Manual bilge pump
- 2 Hull portholes
- Mooring locker
- Compartment for outboard engine in cockpit bottom with 2 top covers, 1 lower cover and engine mounting
- Aft locker
- Swimming ladder

### WINCHES

- 2 Harken STA15 winches for halyards
- 2 Harken STA20 primary winches

### MAST AND RIGGING

- Mast and boom made of carbon fibre; mast with 2 set of spreaders
- UV protection on carbon parts
- 19:1 continuous standing rigging and turnbuckles
- Reef and kicker with 8:1 pulley sets built into the boom
- Retractable bowsprit. Manœuvres from the cockpit
- 1 Mainsheet with ball bearing pulleys
- 16:1 kicker
- Jib sheets
- 1 Mainsail halyard Spectra 2:1
- 1 Spectra jib halyard
- 1 Spectra foresail halyard
- 1 Mast head gennaker halyard
- 1 Split gennaker halyard
- 3 Reefing lines
- Asymmetric spinnaker sheets
- 1 Cunningham
- 2 Jib altitude settings
- 2 Jib sheet in-haulers
- Mainsail car adjustment

## ELECTRICITY

- LED interior lights
- 1 LED battery light in the head and 2 in the fore cabin
- Three-color navigation / mooring lights with switch on the dashboard
- Sentinel boat locating software, monitoring in case of absence (magnetic sensor on the door), battery protection, recording trips, headings, distances, travel time and speed
- Double USB socket
- 1 12 V Power outlet
- Electric dashboard with 5 circuit breakers
- Battery AGM 12 V / 70 A
- Control of the battery breaker
- LCD battery monitoring display
- Electrical installation for electronic options

## INTERIOR SPACES

- Partition walls and furniture in satin top coat and gel coat RAL 9003 white on moulded parts for a clean and easy-care finish
- Interior upholstery proposed in Comfort Pack

## SALON

- Bright and spacious salon with wide companionway
- Keel well cover with table fastening
- Cool box 40L / \* 2 with refrigerator option
- Berths 4 m / 13'1" with 2 m / 6'7" storage, the rest being devoted to the aft insubmersibility volume 2 / 6'7"
- Space for reserves or other systems under the companionway steps, with cover
- 2 Ergonomic companionway steps
- Companionway, door and sliding plexiglass cover

## FORWARD CABIN

- Double V-berth with unsinkable volume underneath
- Light and ventilation provided by the generous access hatch 255 x 255 mm / 10" x 10"

## HEAD

- Base for chemical or marine toilet
- Light and ventilation provided by the deck hatch 580x580 mm / 1'11" x 1'11"

## OPTIONS

### HULL AND DECK

---

- Electric pumpe for keel lifting
- Antifouling ; choice: roller or sprayed application (Performance)
- Anti-osmosis protection; choice : roller or sprayed application (Performance)
- Plastimo Contest 101 compass
- Mooring Pack:
  - Spade A60 aluminium anchor
  - 10m chains (32'10")
  - 40 m / 131' of 12 mm / 1/2" diameter rope
  - 4 Moorings lines (10 m / 32'10" - 12 mm / 1/2" diameter)
  - 4 Fenders (square shape)
- Hull sticker

### INTERIOR AND COMFORT

---

- Confort Pack:
  - 5 Cushions for fore cabin and salon
  - Foldable wooden table
  - 2 Folding magnetic doors in the head
  - Equipment for sail locker in the head
  - Choice of colors of cushions
- 6 Textile storage bags
- 2 Extra cushions for the aft seats
- 1 Support for small gas stove (not supplied)
- Gray / white pouf for indoor and outdoor use (other colors on request)
- Chemical toilet
- Manual marine toilet with rigid reserve
- Fresh water tank with electric pump + cockpit shower hose
- Refrigerator compressor
- Audio Pack (Fusion, Bluetooth FM radio, 2 Interior speakers, 2 Waterproof exterior speakers)

### ELECTRICITY

---

- Solar pack
  - Solar panel (50 W)
  - Regulator
- Electricity Pack (110 V)
  - Charger
  - Shore power plug with cable
  - Interior socket

### ELECTRONICS PACKS

---

#### ELECTRONICS PACKS: B&G

- **B&G Triton<sup>2</sup> instruments**
  - 1 Triton<sup>2</sup> T41 display
  - DST800 Sensor (log, speedometer, temperature)
  - Triton 508 wind sensor
  - NMEA2000 starter kit (connection kit with connectors and cables)
  - ZG100 GPS aerial
- **B&G Triton<sup>2</sup> Autopilot**
  - NAC-2 autopilot, low intensity
  - Pilot Triton<sup>2</sup>
  - RF-25 rudder feedback
  - Precision-9 Compass
  - WR10 Wireless autopilot remote control
  - 1 Triton<sup>2</sup> T41 display

#### FOR OPTIONAL EXTRAS B&G

- Multifunction touchscreen B&G Zeus<sup>3</sup> 7" wide wireless (GPS, Chart plotter, Card reader - Navionics Silver cartography included)
- B&G V50 VHF
- B&G AIS Class B system
- B&G V50 VHF autonomus system (without Triton<sup>2</sup> instrument)

#### ELECTRONICS PACKS: NKE

- **NKE Race Pack – Key System**
  - 1 TL25 mast foot multifunction display: 3 LCD high definition displays
  - Built-in GPS : position, heading and distance to the waypoint, speed and course over ground
  - Regatta function: display of the target speed, display of upwind performance, display of the optimum wind angle, setting of the regatta timer with 2 pre-programmable values
  - 1 Gyropilot 2 Autopilot
  - 1 Autopilot remote control
  - 1 NKE WiFi box
  - 1 High resolution GPS aeria

## SAILS AND RIGGING

---

### SAILS

- Mainsail 3 reefs - OneSails (H-bite)
- Kiwi mainsail with slides, 3 reefs - OneSails (H-bite)
- Jib 1 reef, textile hanks - OneSails (H-bite)
- Furling jib - OneSails (H-bite)
- Asymmetrical head spinnaker - OneSails (80 m / 861 sq/ft, Nylon, 0,75 oz)
- Asymmetrical forestay spinnaker - OneSails (61 m / 657 sq/ft, Nylon, 1,5 oz)
- Code 0 with Facnor furler - OneSails (41 m / 441 sq/ft, Nylon, 1,5 oz)
- Staysail with Facnor furler - OneSails (radial Spectra)
- OneSails storm jib (Orange color Dacron)
- Course sail - OneSails (Orange color Dacron)
- Sails to measure - North Sails 3Di Race

### RIGGING

- Jib sheet in-haul system
- Flatdeck furler for the jib
- Boom vang
- Mast preparation for the sliders
- Windex Windvane

## ENGINE

---

- Tohatsu 9,8 HP engine with electric starter
- Preparation for Tohatsu, 9,8 HP engine
- Torquedo 4.0 Cruise electric motor

## PROTECTIVE CASES

---

- Deck cover for transport and wintering
- Hull awning for transport and wintering
- Boom bag for transport
- Spreader transport bag
- Shroud transport bag
- Keel bag for transport
- Mainsail cover
- Jib sock
- Lazy-bag
- Sunshade
- Shading cloth (with attachment on the lazy-bag)

## MISCELLANEOUS ITEMS

---

- Lifting straps (Lifting system of 4 to 1 points)
- Conforming cradles (for transport on trailer)