



BENETEAU 40



BENĒTEAU

BENETEAU 40



LOA.....	39'11"
Hull length.....	38'11"
LWL.....	33'11"
Beam.....	12'11"
Displacement.....	16,934lbs
Sailarea.....	843sq.ft.
Draft (deep).....	6'4"
Draft (shoal).....	5'2"
Fuel capacity.....	52 gal
Water capacity.....	95 gal
Auxiliary Standard.....	40-hp
Hull Design: Berret/Racoupeau	
Interior Design: Nauta Yachts	

Rig Dimensions

L.....	48'10"
J.....	12'11"
P.....	45'11"
E.....	15'8"

STANDING RIGGING

Stainless steel shrouds and stays
Genoa roller furling system
Stainless steel chain plates tied to the inner moldings w/stainless steel tie rods

RUNNING RIGGING

Running rigging is led to the cockpit
Running rigging comprises:
1 x Main halyard, 1 x Genoa halyard w/jammer & cleat on mast, 1 x Boom topping lift w/cleat on mast, 1 x Roller furling mainsail outhaul line and 1 x inhaul line
1 x mainsheet w/track, 2 x mainsheet traveller control lines
2 genoa sheets
Rigid boom vang w/tackle
SPARS
Fractional 9/10 anodised aluminium deck stepped mast standard w/mainsail furling system
Twin aft swept spreaders
Anodised aluminium boom w/outhaul car

DECK GEAR

Chrome finish Lewmar self tailing winches:
Two Lewmar 46 CST Genoa sheet winches on coaming
Two winches on coachroof: 1 x 40 on port & 1 x 40 on starboard
2 aluminium winch handles & 2 winch handle pockets

SAILS

Furling genoa w/140% overlap, reinforced w/anti-UV protection strip
Furling mainsail
Mainsheet led back to port winch
Furling genoa w/drum on deck, furling line led back to the cockpit to port
2 genoa tracks & adjustable cars
2 genoa sheet foot blocks

MOORING AND ANCHORING

Welded stainless steel bow fitting
1 bow roller w/permanent anchor storage
6 aluminum mooring cleats w/rub strakes
Self-draining anchor rode/chain well w/hatch
1000 W vertical windlass w/remote control

ON DECK

Stainless steel open bow rail w/nav light
2 stainless steel stern rails, 1 port & 1 starboard
Lifebuoy holder, Outboard motor bracket, & Ensign staff holder
Vinyl coated double lifelines w/stanchions
Opening side gates in lifelines
Teak toe rail surrounding deck, 3 cockpit stowage lockers
All cockpit benches have teak inlays
Steering consoles will take navigation instruments
2 steering compasses, one at each helm position
GRP cockpit table w/2 drop leaves fitted w/locker, bottle storage & SS handrail
Aft surface of table support serves as a bottle holder or can take a chart plotter (option)
2 waterproof speakers
2 winch handle pockets
Reading lamp w/12 V socket
1 shore supply socket to starboard
Self-draining GRP cockpit floor
2-bottle gas locker
Access gate to bathing platform by pivoting seat
Teak slatted swim platform
Swim ladder with teak steps to starboard
Hot & cold cockpit shower

STEERING SYSTEM

Spade rudder with s/s stock
Double helm position in cockpit aft:
2 x 36" dia. steering wheels
Emergency tiller access point & emergency tiller

ACCOMMODATION

Light toned ALPI- MOABI woodwork, soles w/parquet look

OWNER'S CABIN FORWARD

Headroom: 6'3"
Double berth: 6'6" x 5'3" w/high density foam mattress
Ample stowage space; large drawer under berth,
Locker w/clothes locker under hanging section
2 lockers to either side of berth, hanging locker
Dressing table w/mirror & locker
Large opening hatch with blind/mosquito screen
Opening hatch with blind/mosquito screen
2 fixed hull ports (1 each side of hull) w/curtains
3 halogen overhead lights
One 110 V socket beside dressing table

SALON & COMPANIONWAY

Salon companionway w/non-slip surface
For safety, it has two stainless steel handrails
Aft-facing chart table w/lid & wood fiddle
2 hinged lockers, closed shelf
Drawer & closed locker w/shelves under chart table
Fabric inner lining to side
12 V / 110 V electrical panel with 12 V socket
Navigator's seat w/locker
Radio/CD/MP3 player w/two speakers
One 110 V sockets
2-seater settee with central armrest
2 closed stowage units and shelves along the hull
Port & starboard shelves w/stainless steel fiddles
U-shaped dining table/settee & 4 cushions
Stowage under settees, Salon table
Stowage along the hull
3 closed shelves along the hull
2 hull ports (1 port/1 starboard) with curtains
1 panoramic window w/folding blinds
1 opening deck hatch w/blind/mosquito screen
2 opening deck hatches w/Oceanair combination screen/privacy curtain
2 fixed side windows, 1 to port with 2 opening ports, 1 to starboard with 1 opening port, w/pleated blinds
Chart table lighting: 1 overhead light & 1 strip light for white/red lighting
Salon lighting: 4 halogen overhead lights,
Companionway lighting: 1 halogen overhead lights, 1 switch for halogen lights

GALLEY TO PORT

Rectangular stainless steel double sink
Hot & cold pressurized mixer tap
Gimbale 2-burner stainless steel stove w/oven & stainless steel safety bar
4.55 cuft front-opening 12 V refrigerator
2 cuft top-opening GRP freezer w/12 V unit
110 V microwave oven operates off shore power
1 locker w/double door under sink & waste bin
Locker w/sliding stainless steel vegetable rack
2 closed shelves for stowage, cutlery drawer
1 shelf w/stainless steel fiddle
One opening port in coaming
Galley lighting: 2 halogen overhead lights, 1 light over stove,
One 110V socket

STARBOARD AFT HEAD COMPARTMENT

One-piece molded head compartment w/separate shower w/double folding door
Manual marine toilet
21 gal rigid holding tank as standard
One FRP Washbasin+ wood handrail . Hot & cold mixer tap
2 large closed lockers, glass holder & locker under washbasin w/accessories
1 fixed side window w/curtain + 1 opening port
3 overhead lights & switch, 1 light over the sink

AFT CABIN:

Headroom: 6'9"
Double berth 6'10" x 4'11"
Two closed shelves along the hull
Hanging locker w/locker beneath
1 under-berth battery storage
Cloth inner liner on hull
access door to head
Openings & lighting in each cabin: 1 fixed hull port w/curtain, 1 opening port in coaming, 1 opening deck hatch w/blind/mosquito screen
1 cockpit opening port, 3 halogen overhead lights w/switch,
One 110 V socket

PLUMBING

Fresh water: 95 gal standard
Electric pressure water pump w/filter
2 rotomolded water tanks fixed to the hull liner
(52 gal under port aft cabin berth + 42 gal under fore cabin berth)
Two stainless steel deck fillers for water
Cockpit shower w/hot and cold water
Electric shower drain pumps
2 bilge pumps (one manual and 1 electric)
1 electric pump for icebox drainage
6 gal electric water heater

ELECTRICITY

Backlit electrical panel: 10 x 12 V switches + 11 fused switches + 4 x 110 V switches
12 V cigarette lighter socket
110 V double pole circuit breakers
110 V -12 V voltmeter
Water gauge & fuel gauge w/central LCD screen
Low battery and low diesel tank alarms
1 x 200 amp service battery vouchers
1 x 95 Amp engine start battery voucher
Battery charging: 110 V shore supply w/40 Amp battery charger & 50' cable
80 Amp alternator coupled to the engine
12V battery isolator
Lightning grounding for the rigging
5 x 110 V sockets
6 reading lights, 14 halogen overhead lights.
Bow & stern nav lights, steaming light, fore deck light
Anchor light/ masthead navigation light
Wire conduits for options

ENGINE

Engine bed integrated in hull liner, soundproofed with insulating foam
Access under companionway steps through an opening supported by gas struts
Stainless steel propeller shaft w/GRP protection
Fixed three-blade propeller
Rotomolded 52gal fuel tank w/electronic gauge
Seawater filter & diesel fuel filter/water separator
Engine panel w/integral key start in cockpit

OPTIONS

Consult your dealer for all available options

Specification and dimensions are approximations or estimations, and they are subject to change without notice.



Since the launch of the Beneteau 46 and 49, Beneteau has continued to update their cruising range and now introduces the new **BENETEAU 40**. Similar to her sister ships, the new **BENETEAU 40** was designed by naval architects Berret/Racoupeau with the stylizing collaboration of Nauta Design for the interior.

In the cockpit, the **BENETEAU 40** is appointed with two steering stations with navigation instruments nearby for ease of handling. The spacious and luminous interior of the **BENETEAU 40** is highlighted with rich, light colored select Moabi hardwood and stainless steel to create an essence of warmth and comfort.





BENĒTEAU

BENETEAU USA
1313 West Highway 76
Marion, SC 29571
843. 629. 5300
www.beneteauusa.com



This document is not contractual. Photos may show non-standard equipment. Manufacturer reserves the right to change equipment and specification without notice.